



ISTA List of Stabilised Plant Names

Eighth Edition 2025

ISTA Nomenclature Committee

Dr Melanie Schori (Chair)

Seventh Edition 2019

ISTA Nomenclature Committee; Dr M. Schori (Chair)

Sixth Edition 2013

ISTA Nomenclature Committee; Dr J.H. Wiersema (Chair)

Fifth Edition 2007

ISTA Nomenclature Committee; Dr J.H. Wiersema (Chair)

Fourth Edition 2001

ISTA Nomenclature Committee; Dr J.H. Wiersema (Chair)

Third Edition 1988

ISTA Nomenclature Committee; Dr W.A. Brandenburg (Chair)

Second Edition 1983

ISTA Nomenclature Committee; Dr H. Pirson (Chair)

First Edition 1966

ISTA Nomenclature Committee; Professor P.A. Linehan (Chair)

Published by the

International Seed Testing Association (ISTA), Richtiarkade 18, 8304 Wallisellen, Switzerland

ista.office@ista.ch, www.seedtest.org

© 2025 by the International Seed Testing Association (ISTA)

All rights reserved. No part of this publication may be reproduced, stored in any retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without prior permission in writing from ISTA.

ISBN 978-3-906549-78-1

Contents

Symbols and Abbreviations.....	iii
Preface	iv
Acknowledgements.....	vi
List of Stabilised Plant Names	1
A	1
B	16
C	22
D	40
E	45
F.....	53
G.....	55
H.....	59
I	63
J	66
K	67
L.....	67
M.....	75
N.....	83
O.....	85
P	88
Q.....	106
R	106
S.....	109
T.....	121
U	128
V	129
W.....	133
X	134
Y.....	134
Z.....	134

Symbols and Abbreviations

(For author abbreviations, see Preface.)

×	denotes a cross between two species (e.g. <i>Sorghum bicolor</i> × <i>Sorghum halepense</i>); a binomial for a hybrid (e.g. <i>S. × alnum</i>); or an intergeneric hybrid (e.g. × <i>Triticosecale</i>). For clarity, the list has a space between the hybrid symbol and the species epithet, but a space is not required
=	follows synonyms and precedes their accepted names
Amer.	American
auct.	<i>auctorum</i> (Latin): of authors; used to represent the incorrect usage of a name that has been widely misapplied
auct. mult.	<i>auctorum multorum</i> (Latin): of many authors; used to represent a common incorrect usage of a name that has been widely misapplied
Austral.	Australian
f.	when following an author, <i>filius</i> (Latin): son (e.g. L. f.: son of Linnaeus)
hort.	<i>hortulanorum</i> (Latin): of gardeners; used for names of garden origin that have been published but that do not have a clearly identifiable author
nom. inval.	<i>nomen invalidum</i> (Latin): a designation not validly published according to Art. 32 of the <i>International Code of Nomenclature for algae, fungi and plants</i>
orth. var.	orthographic variant, i.e. an incorrect alternate spelling of a name according to Art. 61 of <i>International Code of Nomenclature for algae, fungi and plants</i>
s.l.	<i>sensu lato</i> (Latin): in a broad sense. Used for names that may represent an aggregate of morphologically similar entities
subsp.	subspecies, a lower taxonomic rank than species
var.	variety, a taxonomic rank below subspecies and above forma

Preface

The current *ISTA List of Stabilised Plant Names* represents the eighth edition of this work. Previous editions were completed and published in 1966, 1983, 1988, 2001, 2007, 2013 and 2019. Individual names on the List are to be stabilised for a period of at least six years. After a 13-year hiatus following the 1988 edition, numerous changes were made for the 2001 edition. As a result, the ISTA Nomenclature Committee thereafter refrained from proposing changes to any name, regardless of its initial date of stabilisation, until the 2007 edition. With this 2025 edition, we are continuing the regular cycle of publication established for the last four editions. Although only six years have elapsed, many changes or adjustments in nomenclature for the plants treated here have occurred. These mostly result from recent advancements in taxonomic classification or from the nomenclatural actions of an International Botanical Congress, the latter reflected in the 2018 *International Code of Nomenclature for algae, fungi and plants (Shenzhen Code)* (ICN) adopted by the 2017 Shenzhen Congress (N.J. Turland *et al.*, *Regnum Vegetabile* 159, Koeltz Botanical Books, 2018). This *Code* will be superseded by the rules adopted at the 2024 Madrid Congress.

In preparation for this new edition, requests for proposed additions were announced at annual meetings, and several hundred scientific names were submitted for consideration. Additionally, several reports containing items for possible change from the previous edition were prepared by the Nomenclature Committee Chair, by consulting the taxonomic data of the Germplasm Resources Information Network (GRIN) and checking the World Flora Online and Plants of the World Online databases. These reports were made available to Committee members via email and included the following possible changes:

- Approximately 375 names from the *International Rules for Seed Testing* (ISTA Rules), etc., to be added to the Stabilised List;

- Four names with spelling changes between GRIN and the Stabilised List;
- Twenty-eight names with changes to authors from the Stabilised List;
- Approximately 150 nomenclatural or taxonomic changes to the Stabilised List.

The items included in these reports were evaluated individually and voted on by Nomenclature Committee members. From these results, a document containing the 'Proposed Changes to the *ISTA List of Stabilised Plant Names*', approved by Committee vote, was submitted to and approved by the 33rd ISTA Congress in Christchurch, New Zealand, in 2025.

The approved list includes changes to names for 183 entries, or around 6% of the 3044 entries that were included in the Seventh Edition of the Stabilised List. They involve three spelling changes; 19 changes to authorship of names; acceptance of 23 names formerly treated as synonyms; change of 26 names from 'included in' another name to being merely synonyms; and reduction of 68 formerly accepted names to synonymy. In addition, 226 new accepted names and 102 new synonyms are included in the Eighth Edition, for a total of 511 updates (15% overall change). Changes that affect the ISTA Rules will be incorporated into the 2026 edition.

The current edition thus includes 3414 entries, comprising 2610 accepted names and 804 synonyms, and representing 185 different vascular plant families. The approved list includes 35 names that are accepted at the rank of subspecies and 11 at the rank of variety. Corresponding codes from the International Union for the Protection of New Varieties of Plants (UPOV) are also included. In the Stabilised List two different methods are employed in linking synonyms to their correct names, depending upon the relationship between them. An 'equals sign' (=) links the two names when either infraspecific categories (i.e. subspecies or varieties) are not recognised under the accepted binomial, or the synonymy is to the typical element. For example, *Phaseolus lathyroides* =

Macroptilium lathyroides (no infraspecific categories recognised), or *Dichanthium ischaemum* = *Bothriochloa ischaemum* (actually *B. ischaemum* var. *ischaemum*). However, when the synonymy is to an accepted non-typical element, even when this is only a cultivar, the phrase ‘included in’ precedes the accepted name. For example, *Brassica campestris* included in *Brassica rapa* (as subsp. *oleifera*), or *Erica maweana* included in *Erica ciliaris* (as the cultivar ‘Maweana’).

A few names include Group epithets, the formation of which is covered under the *International Code of Nomenclature for Cultivated Plants* (C.D. Brickell *et al.*, *Scripta Horticulturae* 18, International Society for Horticultural Science, 2016). Hybrid names include established parentage in some cases. Groups and hybrid parentage are presented in brackets to indicate that they are equivalent to the scientific name. The remaining names conform to the 2018 edition of the ICN. Since the ICN authorises usage of alternative names for several vascular plant families, both alternatives are provided in the accompanying list, and usage of either one is acceptable, as indicated by brackets. Such alternative family names include: Apiaceae [Umbelliferae], Arecaceae [Palmae], Asteraceae [Compositae], Brassicaceae [Cruciferae], Clusiaceae [Guttiferae], Fabaceae [Leguminosae], Lamiaceae [Labiatae] and Poaceae [Gramineae]. Family names that are not alternative but that have changed since the Seventh Edition, or that are used in other accepted classifications, are provided in parentheses. The ICN also standardises its author abbreviations in conformity with *Authors of Plant Names* (R.K. Brummitt and C.E. Powell, Royal Botanic Gardens, Kew, 1992), now updated on the website of the International Plant Names Index, and this practice is followed here as with the Seventh Edition.

The accompanying list presents the complete author citation for all names. To provide some understanding of its various components, a brief explanation of authorship is provided here. In a given author citation, the original author’s or authors’ name(s) appear in parentheses when later author(s) have transferred the original species or infraspecies to another genus or rank, thereby creating a new combination of epithets. For example, *Tristania conferta* R. Br., upon transfer to the genus *Lophostemon*, becomes *L. confertus* (R. Br.) Peter G. Wilson & J. T. Waterh. When ‘ex’ connects two sets of authors, the first author(s) proposed a name but did not validly publish it as required by the ICN; the second author(s) later validly published the name while crediting the first author(s). For example, when validly published by George Bentham, the name *Mimulus cardinalis* was credited to David Douglas, who collected and named the specimen that Bentham used to publish his description of the plant; thus, we have *M. cardinalis* Douglas ex Benth. When citing authorship for such cases only the publishing author need be included (i.e. the author(s) preceding the ‘ex’ may be omitted, e.g. *M. cardinalis* Benth.), although for completeness both are provided in the Stabilised List.

GRIN’s taxonomic data have been a substantial asset in the compilation of the Stabilised List. Although the data yielding this compilation are stored in GRIN, they form an independent table, and the content of these data reflects only what has been approved by ISTA and its Nomenclature Committee. Nevertheless, this document provides links to the extensive data in GRIN Taxonomy, which includes common names, native distribution, economic importance and literature references for the names on the list. However, it will be apparent to those who pursue these links that some of the names in GRIN Taxonomy have differing treatments.

Acknowledgements

The Nomenclature Committee Chair thanks the following members for their contributions to this document, namely, Ernest L. Allen, Susan Alvarez, Michel Chauvet, Axel Diedrichsen, Carol Elliott, Marco Hoffman, Deborah Meyers, Romina Rodriguez, Diogo Tobolski, Mauro Vaccarella, Sigyn Valgrind and John H. Wiersema. Gratitude is also due to Jodi Keeling, the Rules Committee Chair, for accommodating the changes reflected in this document into the 2026 Proposed Rules Changes, and to the ISTA Secretariat for assistance with preparing this document. And finally, the Chair thanks her home institution, the Agricultural Research Service of the United States Department of Agriculture (USDA-ARS) and its Germplasm Resources Information Network.

List of Stabilised Plant Names

A

<u>Abelmoschus esculentus (L.) Moench</u> (Synonym: <i>Hibiscus esculentus</i> L.)	Malvaceae	<u>ABELM_ESC</u>
<u>Abies alba Mill.</u>	Pinaceae	<u>ABIES_ALB</u>
<u>Abies amabilis J. Forbes</u>	Pinaceae	<u>ABIES_AMA</u>
<u>Abies balsamea (L.) Mill.</u>	Pinaceae	<u>ABIES_BAL</u>
<u>Abies cephalonica Loudon</u>	Pinaceae	<u>ABIES_CEP</u>
<u>Abies cilicica (Antoine & Kotschy) Carrière</u>	Pinaceae	<u>ABIES_CIL</u>
<u>Abies concolor (Gordon & Glend.) Lindl. ex Hildebr.</u>	Pinaceae	<u>ABIES_CON</u>
<u>Abies firma Siebold & Zucc.</u>	Pinaceae	<u>ABIES_FIR</u>
<u>Abies fraseri (Pursh) Poir.</u>	Pinaceae	<u>ABIES_FRA</u>
<u>Abies grandis (Douglas ex D. Don) Lindl.</u>	Pinaceae	<u>ABIES_GRA</u>
<u>Abies homolepis Siebold & Zucc.</u>	Pinaceae	<u>ABIES_HOM</u>
<u>Abies lasiocarpa (Hook.) Nutt.</u>	Pinaceae	<u>ABIES_LAS</u>
<u>Abies magnifica A. Murray bis</u>	Pinaceae	<u>ABIES_MAG</u>
<u>Abies nordmanniana (Steven) Spach</u>	Pinaceae	<u>ABIES_NOR</u>
<u>Abies numidica de Lannoy ex Carrière</u>	Pinaceae	<u>ABIES_NUM</u>
<u>Abies pinsapo Boiss.</u>	Pinaceae	<u>ABIES_PIN</u>
<u>Abies procera Rehder</u>	Pinaceae	<u>ABIES_PRO</u>
<u>Abies sachalinensis (F. Schmidt) Mast.</u>	Pinaceae	<u>ABIES_SAC</u>
<u>Abies veitchii Lindl.</u>	Pinaceae	<u>ABIES_VEI</u>
<u>Abrus precatorius L.</u>	Fabaceae [Leguminosae]	<u>ABRUS_PRE</u>
<u>Abutilon × hybridum hort. ex Voss</u>	Malvaceae	<u>ABUTI_HYB</u>
<u>Abutilon megapotamicum (A. Spreng.) A. St.-Hil. & Naudin</u> = <u>Callianthe megapotamica (A. Spreng.) Dorr</u>	Malvaceae	<u>ABUTI_MEG</u>
<u>Abutilon ochsenii (Phil.) Reiche</u> = <u>Corynabutilon ochsenii (Phil.) Kearney</u>	Malvaceae	<u>ABUTI_OCH</u>
<u>Abutilon pictum (Gillies ex Hook. & Arn.) Walp.</u> = <u>Callianthe picta (Gillies ex Hook. & Arn.) Donnell</u>	Malvaceae	<u>ABUTI_PIC</u>
<u>Abutilon striatum Dicks. ex Lindl.</u> = <u>Callianthe striata (Dicks. ex Lindl.) Donnell</u>	Malvaceae	<u>CALLT_STR</u>
<u>Abutilon theophrasti Medik.</u>	Malvaceae	<u>ABUTI_THE</u>
<u>Abutilon vitifolium (Cav.) C. Presl</u> = <u>Corynabutilon vitifolium (Cav.) Kearney</u>	Malvaceae	<u>ABUTI_VIT</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Acacia decurrens Willd.</u>	Fabaceae [Leguminosae]	<u>ACACI DEC</u>
<u>Acacia erioloba E. Mey.</u> = <u>Vachellia erioloba (E. Mey.) P. J. H. Hurter</u>	Fabaceae [Leguminosae]	<u>ACACI ERI</u>
<u>Acacia farnesiana (L.) Willd.</u> = <u>Vachellia farnesiana (L.) Wight & Arn.</u>	Fabaceae [Leguminosae]	<u>ACACI FAR</u>
<u>Acacia melanoxylon R. Br.</u>	Fabaceae [Leguminosae]	<u>ACACI MEL</u>
<u>Acacia senegal (L.) Willd.</u> = <u>Senegalia senegal (L.) Britton</u>	Fabaceae [Leguminosae]	<u>ACACI SEN</u>
<u>Acalypha indica L.</u>	Euphorbiaceae	<u>ACALY IND</u>
<u>Acanthosicyos naudinianus (Sond.) C. Jeffrey</u> = <u>Citrullus naudinianus (Sond.) Hook. f.</u>	Cucurbitaceae	<u>CTRLS NAU</u>
<u>Acanthospermum australe (Loefl.) Kuntze</u>	Asteraceae [Compositae]	<u>ACNTS AUS</u>
<u>Acanthospermum hispidum DC.</u>	Asteraceae [Compositae]	<u>ACNTS HIS</u>
<u>Acanthostyles buniifolius (Hook. & Arn.) R. M. King & H. Rob.</u> (Synonym: <i>Eupatorium buniifolium</i> Hook. & Arn.)	Asteraceae [Compositae]	<u>EUPAT BUN</u>
<u>Acer campestre L.</u>	Sapindaceae (Aceraceae)	<u>ACERR CAM</u>
<u>Acer ginnala Maxim. & Rupr.</u> = <u>Acer tataricum L. subsp. ginnala (Maxim. & Rupr.) Wesm.</u>	Sapindaceae (Aceraceae)	<u>ACERR TAT GIN</u>
<u>Acer negundo L.</u>	Sapindaceae (Aceraceae)	<u>ACERR NEG</u>
<u>Acer palmatum Thunb.</u>	Sapindaceae (Aceraceae)	<u>ACERR PAL</u>
<u>Acer platanoides L.</u>	Sapindaceae (Aceraceae)	<u>ACERR PLA</u>
<u>Acer pseudoplatanus L.</u>	Sapindaceae (Aceraceae)	<u>ACERR PSE</u>
<u>Acer rubrum L.</u>	Sapindaceae (Aceraceae)	<u>ACERR RUB</u>
<u>Acer saccharinum L.</u>	Sapindaceae (Aceraceae)	<u>ACERR SCN</u>
<u>Acer saccharum Marshall</u>	Sapindaceae (Aceraceae)	<u>ACERR SCR</u>
<u>Acer tataricum L. subsp. ginnala (Maxim. & Rupr.) Wesm.</u> (Synonym: <i>Acer ginnala</i> Maxim. & Rupr.)	Sapindaceae (Aceraceae)	<u>ACERR TAT GIN</u>
<u>Achillea argentea hort., non Lam.</u> = <u>Achillea umbellata Sm.</u>	Asteraceae [Compositae]	<u>ACHIL UMB</u>
<i>Achillea clavennae</i> auct, non. L. = <u>Achillea umbellata Sm.</u>	Asteraceae [Compositae]	<u>ACHIL UMB</u>
<u>Achillea clavennae L.</u>	Asteraceae [Compositae]	<u>ACHIL CLA</u>
<u>Achillea filipendulina Lam.</u>	Asteraceae [Compositae]	<u>ACHIL FIL</u>
<u>Achillea millefolium L.</u>	Asteraceae [Compositae]	<u>ACHIL MIL</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Achillea ptarmica L.</u>	Asteraceae [Compositae]	<u>ACHIL_PTA</u>
<u>Achillea umbellata Sm.</u> (Synonyms: <i>Achillea argentea</i> hort.; <i>Achillea clavennae</i> auct., non L.)	Asteraceae [Compositae]	<u>ACHIL_UMB</u>
<u>Achnatherum brachychaetum (Godr.) Barkworth</u> = <u>Amelichloa brachychaeta (Godr.) Arriaga & Barkworth</u>	Poaceae [Gramineae]	<u>STIPA_BRA</u>
<u>Achnatherum hymenoides (Roem. & Schult.) Barkworth</u> = <u>Eriocoma hymenoides (Roem. & Schult.) Rydb.</u>	Poaceae [Gramineae]	<u>ACHNA_HYM</u>
<u>Achyranthes aspera L.</u>	Amaranthaceae	<u>ACHYR_ASP</u>
<u>Acidanthera bicolor Hochst.</u> = <u>Gladiolus murielae Kelway</u>	Iridaceae	<u>GLADI_MUR</u>
<u>Aconitum lycoctonum auct., non L.</u> = <u>Aconitum vulparia Rchb.</u>	Ranunculaceae	<u>ACONI_VUL</u>
<u>Aconitum lycoctonum L. subsp. vulparia (Rchb.) Nyman</u> = <u>Aconitum vulparia Rchb.</u>	Ranunculaceae	<u>ACONI_VUL</u>
<u>Aconitum napellus L.</u>	Ranunculaceae	<u>ACONI_NAP</u>
<u>Aconitum vulparia Rchb.</u> (Synonyms: <i>Aconitum lycoctonum</i> auct., non L.; <i>Aconitum lycoctonum</i> L. subsp. <i>vulparia</i> (Rchb.) Nyman)	Ranunculaceae	<u>ACONI_VUL</u>
<u>Acorus calamus L.</u>	Acoraceae	<u>ACORU_CAL</u>
<u>Acroceras macrum Stapf</u>	Poaceae [Gramineae]	<u>ACROC_MAC</u>
<u>Acroptilon repens (L.) DC.</u> = <u>Rhaponticum repens (L.) Hidalgo</u>	Asteraceae [Compositae]	<u>ACROP_REP</u>
<u>Adansonia digitata L.</u>	Malvaceae (Bombacaceae)	<u>ADANS_DIG</u>
<u>Adina cordifolia (Roxb.) Hook. f. & Benth.</u> (Synonym: <i>Haldina cordifolia</i> (Roxb.) Ridsdale)	Rubiaceae	<u>HALDI_COR</u>
<u>Adonis aestivalis L.</u>	Ranunculaceae	<u>ADONI_AES</u>
<u>Adonis annua L.</u>	Ranunculaceae	<u>ADONI_ANN</u>
<u>Adonis vernalis L.</u>	Ranunculaceae	<u>ADONI_VER</u>
<u>Aechmea magdalenae (André) André ex Baker</u>	Bromeliaceae	<u>AECHM_MAG</u>
<u>Aegilops triuncialis L.</u> (Synonym: <i>Triticum triunciale</i> (L.) Raspail)	Poaceae [Gramineae]	<u>AEGIL_TRI</u>
<u>Aegle marmelos (L.) Corrêa</u>	Rutaceae	<u>AEGLE_MAR</u>
<u>Aeschynomene americana L.</u>	Fabaceae [Leguminosae]	<u>AESCM_AME</u>
<u>Aeschynomene aspera L.</u>	Fabaceae [Leguminosae]	<u>AESCM_ASP</u>
<u>Aeschynomene indica L.</u> (Synonym: <i>Aeschynomene virginica</i> auct., non Britton et al.)	Fabaceae [Leguminosae]	<u>AESCM_IND</u>
<u>Aeschynomene rudis Benth.</u>	Fabaceae [Leguminosae]	<u>AESCM_RUD</u>
<u>Aeschynomene villosa Poir.</u>	Fabaceae [Leguminosae]	<u>AESCM_VIL</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Aeschynomene virginica</i> auct., non Britton et al.</u> = <u><i>Aeschynomene indica</i> L.</u>	Fabaceae [Leguminosae]	AESCM IND
<u><i>Aesculus hippocastanum</i> L.</u>	Sapindaceae (Hippocastanaceae)	AESCU HIP
<u><i>Aesculus pavia</i> L.</u>	Sapindaceae (Hippocastanaceae)	AESCU PAV
<u><i>Aethusa cynapium</i> L.</u>	Apiaceae [Umbelliferae]	AETHU CYN
<u><i>Afzelia africana</i> Sm. ex Pers.</u>	Fabaceae [Leguminosae]	AFZEL AFR
<u><i>Agathis australis</i> (D. Don) Steud.</u>	Araucariaceae	AGATH AUS
<u><i>Agave cantula</i> Roxb.</u>	Asparagaceae (Agavaceae)	AGAVE CAN
<u><i>Agave sisalana</i> Perrine</u>	Asparagaceae (Agavaceae)	AGAVE SIS
<u><i>Ageratina adenophora</i> (Spreng.) R. M. King & H. Rob.</u> (Synonym: <i>Eupatorium adenophorum</i> Spreng.)	Asteraceae [Compositae]	EUPAT ADE
<u><i>Ageratum conyzoides</i> L.</u>	Asteraceae [Compositae]	AGERA CON
<u><i>Ageratum houstonianum</i> Mill.</u>	Asteraceae [Compositae]	AGERA HOU
<u><i>Ageratum microcarpum</i> (Benth. ex Oerst.) Hemsl.</u> (Synonym: <i>Alomia microcarpa</i> (Benth. ex Oerst.) B. L. Rob.)	Asteraceae [Compositae]	AGERA MIC
<u><i>Agrimonia eupatoria</i> L.</u>	Rosaceae	AGRIM EUP
<u><i>Agropyron cristatum</i> (L.) Gaertn.</u>	Poaceae [Gramineae]	AGROP CRI
<u><i>Agropyron dasystachyum</i> (Hook.) Scribn.</u> = <u><i>Elymus lanceolatus</i> (Scribn. & J. G. Sm.) Gould subsp. <i>lanceolatus</i></u>	Poaceae [Gramineae]	ELYMU LAN
<u><i>Agropyron desertorum</i> (Fisch. ex Link) Schult.</u>	Poaceae [Gramineae]	AGROP DES
<u><i>Agropyron elongatum</i> (Host) P. Beauv.</u> = <u><i>Thinopyrum elongatum</i> (Host) D. R. Dewey</u>	Poaceae [Gramineae]	THINO ELO
<u><i>Agropyron fragile</i> (Roth) P. Candargy subsp. <i>sibiricum</i> (Willd.) Melderis</u> = <u><i>Agropyron fragile</i> (Roth) P. Candargy</u>	Poaceae [Gramineae]	AGROP SIB
<u><i>Agropyron fragile</i> (Roth) P. Candargy</u> (Synonyms: <i>Agropyron fragile</i> (Roth) P. Candargy subsp. <i>sibiricum</i> (Willd.) Melderis; <i>Agropyron sibiricum</i> (Willd.) P. Beauv.)	Poaceae [Gramineae]	AGROP SIB
<u><i>Agropyron inerme</i> (Scribn. & J. G. Sm.) Rydb.</u> = <u><i>Pseudoroegneria spicata</i> (Pursh) Á. Löve</u>	Poaceae [Gramineae]	PSDRG SPI
<u><i>Agropyron intermedium</i> (Host) P. Beauv.</u> = <u><i>Thinopyrum intermedium</i> (Host) Barkworth & D. R. Dewey subsp. <i>intermedium</i></u>	Poaceae [Gramineae]	THINO INT INT
<u><i>Agropyron repens</i> (L.) P. Beauv.</u> = <u><i>Elymus repens</i> (L.) Gould</u>	Poaceae [Gramineae]	ELYMU REP REP
<u><i>Agropyron riparium</i> Scribn. & J. G. Sm.</u> = <u><i>Elymus lanceolatus</i> (Scribn. & J. G. Sm.) Gould subsp. <i>riparius</i> (Scribn. & J. G. Sm.) Barkworth</u>	Poaceae [Gramineae]	ELYMU LAN

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Agropyron sibiricum</i> (Willd.) P. Beauv.</u> = <u><i>Agropyron fragile</i> (Roth) P. Candargy</u>	Poaceae [Gramineae]	<u>AGROP_SIB</u>
<u><i>Agropyron smithii</i> Rydb.</u> = <u><i>Pascopyrum smithii</i> (Rydb.) Barkworth & D. R. Dewey</u>	Poaceae [Gramineae]	<u>PASCO_SMI</u>
<u><i>Agropyron spicatum</i> (Pursh) Scribn. & J. G. Sm.</u> = <u><i>Pseudoroegneria spicata</i> (Pursh) Á. Löve</u>	Poaceae [Gramineae]	<u>PSDRG_SPI</u>
<u><i>Agropyron trachycaulum</i> (Link) Malte ex H. F. Lewis</u> = <u><i>Elymus trachycaulus</i> (Link) Gould</u>	Poaceae [Gramineae]	<u>ELYMU_TRA</u>
<u><i>Agropyron trichophorum</i> (Link) K. Richt.</u> = <u><i>Thinopyrum intermedium</i> (Host) Barkworth & D. R. Dewey</u> <u>subsp. <i>barbulatum</i> (Schur) Barkworth & D. R. Dewey</u>	Poaceae [Gramineae]	<u>THINO_INT_BAR</u>
<u><i>Agrostemma coronaria</i> L.</u> = <u><i>Silene coronaria</i> (L.) Clairv.</u>	Caryophyllaceae	<u>SILEN_CRN</u>
<u><i>Agrostemma githago</i> L.</u>	Caryophyllaceae	<u>AGROM_GIT</u>
<u><i>Agrostis canina</i> L.</u>	Poaceae [Gramineae]	<u>AGROS_CAN</u>
<u><i>Agrostis capillaris</i> L.</u> (Synonym: <i>Agrostis tenuis</i> Sibth.)	Poaceae [Gramineae]	<u>AGROS_CAP</u>
<u><i>Agrostis gigantea</i> Roth</u>	Poaceae [Gramineae]	<u>AGROS_GIG</u>
<u><i>Agrostis nebulosa</i> Boiss. & Reut.</u>	Poaceae [Gramineae]	<u>AGROS_NEB</u>
<u><i>Agrostis palustris</i> Huds.</u> included in <u><i>Agrostis stolonifera</i> L.</u>	Poaceae [Gramineae]	<u>AGROS_STO</u>
<u><i>Agrostis stolonifera</i> L.</u> (Including: <i>Agrostis palustris</i> Huds.)	Poaceae [Gramineae]	<u>AGROS_STO</u>
<u><i>Agrostis tenuis</i> Sibth.</u> = <u><i>Agrostis capillaris</i> L.</u>	Poaceae [Gramineae]	<u>AGROS_STO</u>
<u><i>Ailanthus altissima</i> (Mill.) Swingle</u>	Simaroubaceae	<u>AILAN_ALT</u>
<u><i>Aira praecox</i> L.</u>	Poaceae [Gramineae]	<u>AIRAA_PRA</u>
<u><i>Ajuga chamaepitys</i> (L.) Schreb.</u>	Lamiaceae [Labiatae]	<u>AJUGA_CHA</u>
<u><i>Ajuga reptans</i> L.</u>	Lamiaceae [Labiatae]	<u>AJUGA_REP</u>
<u><i>Albizia falcata</i> auct., non Backer</u> = <u><i>Falcataria moluccana</i> (Miq.) Barneby & J. W. Grimes</u>	Fabaceae [Leguminosae]	<u>FALCA_MOL</u>
<u><i>Albizia falcataria</i> (L.) Fosberg</u> = <u><i>Falcataria moluccana</i> (Miq.) Barneby & J. W. Grimes</u>	Fabaceae [Leguminosae]	<u>FALCA_MOL</u>
<u><i>Albizia julibrissin</i> Durazz.</u>	Fabaceae [Leguminosae]	<u>ALBIZ_JUL</u>
<u><i>Albizia lebbek</i> (L.) Benth.</u>	Fabaceae [Leguminosae]	<u>ALBIZ_LEB</u>
<u><i>Alcea rosea</i> L.</u> (Synonym: <i>Althaea rosea</i> (L.) Cav.)	Malvaceae	<u>ALCEA_ROS</u>
<u><i>Alchemilla arvensis</i> (L.) Scop.</u> = <u><i>Aphanes arvensis</i> L.</u>	Rosaceae	<u>APHAN_ARV</u>
<u><i>Aldama dentata</i> La Llave</u>	Asteraceae [Compositae]	<u>ALDAM_DEN</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Alectra vogelii</i> Benth.</u>	Orobanchaceae (Scrophulariaceae)	<u>ALECT VOG</u>
<u><i>Aleurites fordii</i> Hemsl.</u> = <u><i>Vernicia fordii</i> (Hemsl.) Airy Shaw</u>	Euphorbiaceae	<u>ALEUR FOR</u>
<u><i>Aleurites moluccanus</i> (L.) Willd.</u>	Euphorbiaceae	<u>ALEUR MOL</u>
<u><i>Alhagi maurorum</i> Medik.</u>	Fabaceae [Leguminosae]	<u>ALHAG MAU</u>
<u><i>Alkanna tinctoria</i> Tausch</u> (Synonym: <i>Alkanna tuberculata</i> (Forssk.) Meikle, non Greuter)	Boraginaceae	<u>ALKAN TIN</u>
<u><i>Alkanna tuberculata</i> (Forssk.) Meikle, non Greuter</u> = <u><i>Alkanna tinctoria</i> Tausch</u>	Boraginaceae	<u>ALKAN TIN</u>
<u><i>Alkekengi officinarum</i> Moench</u> = <u><i>Physalis alkekengi</i> L.</u>	Solanaceae	<u>PHYSA ALK</u>
<u><i>Allamanda cathartica</i> L.</u>	Apocynaceae	<u>ALLAM CAT</u>
<u><i>Allium bakeri</i> Regel</u> = <u><i>Allium chinense</i> G. Don</u>	Amaryllidaceae (Alliaceae)	<u>ALLIU CHI</u>
<u><i>Allium canadense</i> L.</u>	Amaryllidaceae (Alliaceae)	<u>ALLIU CAN</u>
<u><i>Allium cepa</i> L.</u>	Amaryllidaceae (Alliaceae)	<u>ALLIU CEP</u>
<u><i>Allium chinense</i> G. Don</u> (Synonym: <i>Allium bakeri</i> Regel)	Amaryllidaceae (Alliaceae)	<u>ALLIU CHI</u>
<u><i>Allium fistulosum</i> L.</u>	Amaryllidaceae (Alliaceae)	<u>ALLIU FIS</u>
<u><i>Allium giganteum</i> Regel</u>	Amaryllidaceae (Alliaceae)	<u>ALLIU GIG</u>
<u><i>Allium moly</i> L.</u>	Amaryllidaceae (Alliaceae)	<u>ALLIU MOL</u>
<u><i>Allium porrum</i> L.</u> [<i>A. ampeloprasum</i> Leek Group]	Amaryllidaceae (Alliaceae)	<u>ALLIU POR</u>
<u><i>Allium sativum</i> L.</u>	Amaryllidaceae (Alliaceae)	<u>ALLIU SAT</u>
<u><i>Allium schoenoprasum</i> L.</u>	Amaryllidaceae (Alliaceae)	<u>ALLIU SCH</u>
<u><i>Allium triquetrum</i> L.</u>	Amaryllidaceae (Alliaceae)	<u>ALLIU TRI</u>
<u><i>Allium tuberosum</i> Rottler ex Spreng.</u>	Amaryllidaceae (Alliaceae)	<u>ALLIU TUB</u>
<u><i>Allium ursinum</i> L.</u>	Amaryllidaceae (Alliaceae)	<u>ALLIU URS</u>
<u><i>Allium vineale</i> L.</u>	Amaryllidaceae (Alliaceae)	<u>ALLIU VIN</u>
<u><i>Alnus cordata</i> (Loisel.) Duby</u>	Betulaceae	<u>ALNUS COR</u>
<u><i>Alnus glutinosa</i> (L.) Gaertn.</u>	Betulaceae	<u>ALNUS GLU</u>
<u><i>Alnus incana</i> (L.) Moench</u>	Betulaceae	<u>ALNUS INC</u>
<u><i>Alnus jorullensis</i> Kunth</u>	Betulaceae	<u>ALNUS JOR</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Alnus rubra</i> Bong.</u>	Betulaceae	ALNUS RUB
<u><i>Alocasia cucullata</i> (Lour.) G. Don</u>	Araceae	ALOCA CUC
<u><i>Alocasia macrorrhizos</i> (L.) G. Don</u>	Araceae	ALOCA MAC
<u><i>Aloe barbadensis</i> Mill.</u> = <u><i>Aloe vera</i> (L.) Burm. f.</u>	Asphodelaceae	ALOE VER
<u><i>Aloe vera</i> (L.) Burm. f.</u> (Synonym: <i>Aloe barbadensis</i> Mill.)	Asphodelaceae	ALOE VER
<u><i>Alomia microcarpa</i> (Benth. ex Oerst.) B. L. Rob.</u> = <u><i>Ageratum microcarpum</i> (Benth. ex Oerst.) Hemsl.</u>	Asteraceae [Compositae]	AGERA MIC
<u><i>Alonsoa meridionalis</i> (L. f.) Kuntze</u> (Synonym: <i>Alonsoa warscewiczii</i> Regel)	Scrophulariaceae	ALONS MER
<u><i>Alonsoa warscewiczii</i> Regel</u> = <u><i>Alonsoa meridionalis</i> (L. f.) Kuntze</u>	Scrophulariaceae	ALONS MER
<u><i>Alopecurus aequalis</i> Sobol.</u>	Poaceae [Gramineae]	ALOPE AEQ
<u><i>Alopecurus agrestis</i> L.</u> = <u><i>Alopecurus myosuroides</i> Huds.</u>	Poaceae [Gramineae]	ALOPE MYO
<u><i>Alopecurus arundinaceus</i> Poir.</u>	Poaceae [Gramineae]	ALOPE ARU
<u><i>Alopecurus geniculatus</i> L.</u>	Poaceae [Gramineae]	ALOPE GEN
<u><i>Alopecurus myosuroides</i> Huds.</u> (Synonym: <i>Alopecurus agrestis</i> L.)	Poaceae [Gramineae]	ALOPE MYO
<u><i>Alopecurus pratensis</i> L.</u>	Poaceae [Gramineae]	ALOPE PRA
<u><i>Alstonia scholaris</i> (L.) R. Br.</u>	Apocynaceae	ALSTO SCH
<u><i>Alternanthera philoxeroides</i> (Mart.) Griseb.</u>	Amaranthaceae	ALTER PHI
<u><i>Alternanthera pungens</i> Kunth</u>	Amaranthaceae	ALTER PUN
<u><i>Alternanthera sessilis</i> (L.) DC.</u>	Amaranthaceae	ALTER SES
<u><i>Althaea × hybrida</i> hort.</u> = <u><i>Althaea hybrids</i></u>	Malvaceae	ALTHA HYB
<u><i>Althaea hybrids</i></u> (Synonym: <i>Althaea × hybrida</i> hort.)	Malvaceae	ALTHA HYB
<u><i>Althaea officinalis</i> L.</u>	Malvaceae	ALTHA OFF
<u><i>Althaea rosea</i> (L.) Cav</u> = <u><i>Alcea rosea</i> L.</u>	Malvaceae	ALCEA ROS
<u><i>Alysicarpus vaginalis</i> (L.) DC.</u>	Fabaceae [Leguminosae]	ALYSI VAG
<u><i>Alyssum alyssoides</i> (L.) L.</u>	Brassicaceae [Cruciferae]	ALYSS ALY
<u><i>Alyssum argenteum</i> All.</u> (Synonym: <i>Odontarrhena argentea</i> (All.) Ledeb.)	Brassicaceae [Cruciferae]	ALYSS ARG
<u><i>Alyssum maritimum</i> (L.) Lam.</u> = <u><i>Lobularia maritima</i> (L.) Desv.</u>	Brassicaceae [Cruciferae]	LOBUL MAR
<u><i>Alyssum montanum</i> L.</u>	Brassicaceae [Cruciferae]	ALYSS MON

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Alyssum saxatile</i> L.</u> = <u><i>Aurinia saxatilis</i> (L.) Desv.</u>	Brassicaceae [Cruciferae]	<u>AURIN SAX</u>
<u><i>Amaranthus albus</i> L.</u>	Amaranthaceae	<u>AMARA ALB</u>
<u><i>Amaranthus blitoides</i> S. Watson</u>	Amaranthaceae	<u>AMARA BLI</u>
<u><i>Amaranthus caudatus</i> L.</u>	Amaranthaceae	<u>AMARA CAU</u>
<u><i>Amaranthus cruentus</i> L.</u> (Synonym: <i>Amaranthus paniculatus</i> L.)	Amaranthaceae	<u>AMARA CRU</u>
<u><i>Amaranthus dubius</i> Mart. ex Thell.</u>	Amaranthaceae	<u>AMARA DUB</u>
<u><i>Amaranthus graecizans</i> L.</u>	Amaranthaceae	<u>AMARA GRA</u>
<u><i>Amaranthus hybridus</i> L.</u>	Amaranthaceae	<u>AMARA HYB</u>
<u><i>Amaranthus paniculatus</i> L.</u> = <u><i>Amaranthus cruentus</i> L.</u>	Amaranthaceae	<u>AMARA CRU</u>
<u><i>Amaranthus retroflexus</i> L.</u>	Amaranthaceae	<u>AMARA RET</u>
<u><i>Amaranthus spinosus</i> L.</u>	Amaranthaceae	<u>AMARA SPI</u>
<u><i>Amaranthus thunbergii</i> Moq.</u>	Amaranthaceae	<u>AMARA THU</u>
<u><i>Amaranthus tricolor</i> L.</u>	Amaranthaceae	<u>AMARA TRI</u>
<u><i>Amaranthus viridis</i> L.</u>	Amaranthaceae	<u>AMARA VIR</u>
<u><i>Amaryllis belladonna</i> L.</u>	Amaryllidaceae	<u>AMARY BEL</u>
<u><i>Amberboa moschata</i> (L.) DC.</u> (Synonyms: <i>Centaurea imperialis</i> hort., non Hausskn. ex Bornm.; <i>Centaurea moschata</i> L.)	Asteraceae [Compositae]	<u>AMBER MOS</u>
<u><i>Ambrosia artemisiifolia</i> L.</u>	Asteraceae [Compositae]	<u>AMBRO ART</u>
<u><i>Ambrosia grayi</i> (A. Nelson) Shinnery</u> (Synonym: <i>Franseria tomentosa</i> A. Gray)	Asteraceae [Compositae]	<u>AMBRO GRA</u>
<u><i>Ambrosia psilostachya</i> DC.</u>	Asteraceae [Compositae]	<u>AMBRO PSI</u>
<u><i>Ambrosia tomentosa</i> Nutt.</u> (Synonym: <i>Franseria discolor</i> Nutt.)	Asteraceae [Compositae]	<u>AMBRO TOM</u>
<u><i>Ambrosia trifida</i> L.</u>	Asteraceae [Compositae]	<u>AMBRO TRI</u>
<u><i>Amelichloa brachychaeta</i> (Godr.) Arriaga & Barkworth</u> (Synonyms: <i>Achnatherum brachychaetum</i> (Godr.) Barkworth; <i>Stipa brachychaeta</i> Godr.)	Poaceae [Gramineae]	<u>STIPA BRA</u>
<u><i>Ammannia baccifera</i> L.</u>	Lythraceae	<u>AMMAN BAC</u>
<u><i>Ammi majus</i> L.</u>	Apiaceae [Umbelliferae]	<u>AMMII MAJ</u>
<u><i>Ammi visnaga</i> (L.) Lam.</u>	Apiaceae [Umbelliferae]	<u>AMMII VIS</u>
<u><i>Ammobium alatum</i> R. Br.</u>	Asteraceae [Compositae]	<u>AMMOB ALA</u>
<u><i>Ammophila arenaria</i> (L.) Link</u> = <u><i>Calamagrostis arenaria</i> (L.) Roth</u>	Poaceae [Gramineae]	<u>CALMG ARE</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Ammophila breviliqualata</i> Fernald</u> = <u><i>Calamagrostis breviliqualata</i> (Fernald) Saarela</u>	Poaceae [Gramineae]	<u>CALMG BRE</u>
<u><i>Amorpha fruticosa</i> L.</u>	Fabaceae [Leguminosae]	<u>AMORP FRU</u>
<u><i>Amorphophallus campanulatus</i> Decne.</u> = <u><i>Amorphophallus paeoniifolius</i> (Dennst.) Nicolson</u>	Araceae	<u>AMORL PAE</u>
<u><i>Amorphophallus paeoniifolius</i> (Dennst.) Nicolson</u> (Synonym: <i>Amorphophallus campanulatus</i> Decne.)	Araceae	<u>AMORL PAE</u>
<u><i>Amygdalus communis</i> L.</u> = <u><i>Prunus dulcis</i> (Mill.) D. A. Webb</u>	Rosaceae	<u>PRUNU AMY</u>
<u><i>Amygdalus nana</i> L.</u> = <u><i>Prunus tenella</i> Batsch</u>	Rosaceae	<u>PRUNU TEN</u>
<u><i>Anacardium excelsum</i> (Bertero & Balb. ex Kunth) Skeels</u>	Anacardiaceae	<u>ANACA EXC</u>
<u><i>Anacardium occidentale</i> L.</u>	Anacardiaceae	<u>ANACA OCC</u>
<u><i>Anagallis arvensis</i> L.</u> = <u><i>Lysimachia arvensis</i> (L.) U. Manns & Anderb.</u>	Primulaceae	<u>LYSIM ARV</u>
<u><i>Anagallis grandiflora</i> Andrews</u> = <u><i>Lysimachia monelli</i> (L.) U. Manns & Anderb.</u>	Primulaceae	<u>LYSIM MON</u>
<u><i>Anagallis monelli</i> L.</u> = <u><i>Lysimachia monelli</i> (L.) U. Manns & Anderb.</u>	Primulaceae	<u>LYSIM MON</u>
<u><i>Ananas comosus</i> (L.) Merr.</u>	Bromeliaceae	<u>ANANA COM</u>
<u><i>Anchusa angustissima</i> K. Koch</u> included in <u><i>Anchusa leptophylla</i> Roem. & Schult.</u>	Boraginaceae	<u>ANCHU LEP ANG</u>
<u><i>Anchusa arvensis</i> (L.) M. Bieb.</u>	Boraginaceae	<u>ANCHU ARV</u>
<u><i>Anchusa azurea</i> Mill.</u> (Synonym: <i>Anchusa italica</i> Retz.)	Boraginaceae	<u>ANCHU AZU</u>
<u><i>Anchusa capensis</i> Thunb.</u>	Boraginaceae	<u>ANCHU CAP</u>
<u><i>Anchusa incana</i> Ledeb.</u> included in <u><i>Anchusa leptophylla</i> Roem. & Schult.</u>	Boraginaceae	<u>ANCHU LEP INC</u>
<u><i>Anchusa italica</i> Retz.</u> = <u><i>Anchusa azurea</i> Mill.</u>	Boraginaceae	<u>ANCHU AZU</u>
<u><i>Anchusa leptophylla</i> Roem. & Schult.</u> (Including: <i>Anchusa angustissima</i> K. Koch; <i>Anchusa incana</i> Ledeb.)	Boraginaceae	<u>ANCHU LEP</u>
<u><i>Anchusa myosotidiflora</i> Lehm.</u> = <u><i>Brunnera macrophylla</i> (Adams) I. M. Johnst.</u>	Boraginaceae	<u>BRUNN MAC</u>
<u><i>Anchusa officinalis</i> L.</u>	Boraginaceae	<u>ANCHU OFF</u>
<u><i>Andira inermis</i> (W. Wright) Kunth ex DC.</u>	Fabaceae [Leguminosae]	<u>ANDIR INE</u>
<u><i>Andrographis paniculata</i> (Burm. f.) Wall. ex Nees</u>	Acanthaceae	<u>JUSTI PAN</u>
<u><i>Andropogon gayanus</i> Kunth</u>	Poaceae [Gramineae]	<u>ANDRP GAY</u>
<u><i>Andropogon gerardi</i> Vitman</u>	Poaceae [Gramineae]	<u>ANDRP GER</u>
<u><i>Andropogon hallii</i> Hack.</u>	Poaceae [Gramineae]	<u>ANDRP HAL</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Andropogon ischaemum</i> L.</u> = <i>Bothriochloa ischaemum</i> (L.) Keng	Poaceae [Gramineae]	BOTHR_ISC
<u><i>Andropogon scoparius</i> Michx.</u> = <i>Schizachyrium scoparium</i> (Michx.) Nash	Poaceae [Gramineae]	SCHZC_SCO
<u><i>Andropogon tectorum</i> Schumach.</u>	Poaceae [Gramineae]	ANDRP_TEC
<u><i>Andropogon virginicus</i> L.</u>	Poaceae [Gramineae]	ANDRP_VIR
<u><i>Anemone coronaria</i> L.</u>	Ranunculaceae	ANEMO_COR
<u><i>Anemone hupehensis</i> (Lemoine) Lemoine</u>	Ranunculaceae	ANEMO_HUP
<u><i>Anemone pulsatilla</i> L.</u> (Synonym: <i>Pulsatilla vulgaris</i> Mill.)	Ranunculaceae	ANEMO_PUL
<u><i>Anemone sylvestris</i> L.</u>	Ranunculaceae	ANEMO_SYL
<u><i>Anethum graveolens</i> L.</u>	Apiaceae [Umbelliferae]	ANETH_GRA
<u><i>Angelica acutiloba</i> (Siebold & Zucc.) Kitag.</u>	Apiaceae [Umbelliferae]	ANGLC_ACU
<u><i>Angelica archangelica</i> L.</u>	Apiaceae [Umbelliferae]	ANGLC_ARC
<u><i>Aniba parviflora</i> (Meisn.) Mez</u>	Lauraceae	ANIBA_PAR
<u><i>Aniba rosaeodora</i> Ducke</u>	Lauraceae	ANIBA_ROS
<u><i>Anigozanthos manglesii</i> D. Don</u>	Haemodoraceae	ANIGO_MAN
<u><i>Annona cherimola</i> Mill.</u>	Annonaceae	ANNON_CHE
<u><i>Annona diversifolia</i> Saff.</u> = <i>Annona macrophyllata</i> Donn. Sm.	Annonaceae	ANNON_DIV
<u><i>Annona macrophyllata</i> Donn. Sm.</u> (Synonym: <i>Annona diversifolia</i> Saff.)	Annonaceae	ANNON_DIV
<u><i>Annona muricata</i> L.</u>	Annonaceae	ANNON_MUR
<u><i>Annona reticulata</i> L.</u>	Annonaceae	ANNON_RET
<u><i>Annona squamosa</i> L.</u>	Annonaceae	ANNON_SQU
<u><i>Antennaria dioica</i> (L.) Gaertn.</u>	Asteraceae [Compositae]	ANTEN_DIO
<u><i>Anthemis arvensis</i> L.</u>	Asteraceae [Compositae]	ANTHM_ARV
<u><i>Anthemis austriaca</i> Jacq.</u> = <i>Cota austriaca</i> (Jacq.) Sch. Bip.	Asteraceae [Compositae]	ANTHM_AUS
<u><i>Anthemis cotula</i> L.</u>	Asteraceae [Compositae]	ANTHM_COT
<u><i>Anthemis nobilis</i> L.</u> = <i>Chamaemelum nobile</i> (L.) All.	Asteraceae [Compositae]	CHMML_NOB
<u><i>Anthemis sancti-johannis</i> Stoj. et al.</u>	Asteraceae [Compositae]	ANTHM_SAN
<u><i>Anthemis tinctoria</i> L.</u> = <i>Cota tinctoria</i> (L.) J. Gay	Asteraceae [Compositae]	ANTHM_TIN

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Anthoxanthum odoratum</i> L.</u>	Poaceae [Gramineae]	<u>ANTHX ODO</u>
<u><i>Anthriscus caucalis</i> M. Bieb.</u>	Apiaceae [Umbelliferae]	<u>ANTHR CAU</u>
<u><i>Anthriscus cerefolium</i> (L.) Hoffm.</u>	Apiaceae [Umbelliferae]	<u>ANTHR CER</u>
<u><i>Anthriscus sylvestris</i> (L.) Hoffm.</u>	Apiaceae [Umbelliferae]	<u>ANTHR SYL</u>
<u><i>Anthyllis vulneraria</i> L.</u>	Fabaceae [Leguminosae]	<u>ANTHY VUL</u>
<u><i>Antidesma buniis</i> (L.) Spreng.</u>	Phyllanthaceae	<u>ANTID BUN</u>
<u><i>Antidesma platyphyllum</i> H. Mann</u>	Phyllanthaceae	<u>ANTID PLA</u>
<u><i>Antirrhinum majus</i> L.</u>	Plantaginaceae (Scrophulariaceae)	<u>ANTIR MAJ</u>
<u><i>Apera spica-venti</i> (L.) P. Beauv.</u>	Poaceae [Gramineae]	<u>APERA SPI</u>
<u><i>Aphanes arvensis</i> L.</u> (Synonym: <i>Alchemilla arvensis</i> (L.) Scop.)	Rosaceae	<u>APHAN ARV</u>
<u><i>Apium graveolens</i> L.</u>	Apiaceae [Umbelliferae]	<u>APIUM GRA</u>
<u><i>Apium leptophyllum</i> (Pers.) F. Muell. ex Benth.</u> = <u><i>Cyclospermum leptophyllum</i> (Pers.) Sprague ex Britton & P. Wilson</u>	Apiaceae [Umbelliferae]	<u>CYCLS LEP</u>
<u><i>Aquilegia alpina</i> L.</u>	Ranunculaceae	<u>AQUIL ALP</u>
<u><i>Aquilegia canadensis</i> L.</u>	Ranunculaceae	<u>AQUIL CAN</u>
<u><i>Aquilegia chrysantha</i> A. Gray</u>	Ranunculaceae	<u>AQUIL CHR</u>
<u><i>Aquilegia coerulea</i> E. James</u>	Ranunculaceae	<u>AQUIL COE</u>
<u><i>Aquilegia</i> × <i>cultorum</i> Bergmans</u> (Synonym: <i>Aquilegia</i> × <i>hybrida</i> hort.)	Ranunculaceae	<u>AQUIL CUL</u>
<u><i>Aquilegia</i> × <i>hybrida</i> hort.</u> = <u><i>Aquilegia</i> × <i>cultorum</i> Bergmans</u>	Ranunculaceae	<u>AQUIL CUL</u>
<u><i>Aquilegia longissima</i> A. Gray ex S. Watson</u>	Ranunculaceae	<u>AQUIL LON</u>
<u><i>Aquilegia vulgaris</i> L.</u>	Ranunculaceae	<u>AQUIL VUL</u>
<u><i>Arabis alpina</i> L.</u>	Brassicaceae [Cruciferae]	<u>ARABI ALP</u>
<u><i>Arabis alpina</i> L. subsp. <i>alpina</i></u>	Brassicaceae [Cruciferae]	<u>ARABI ALP</u>
<u><i>Arabis alpina</i> L. subsp. <i>caucasica</i> (Willd.) Briq.</u> (Synonym: <i>Arabis caucasica</i> Willd.)	Brassicaceae [Cruciferae]	<u>ARABI CAU</u>
<u><i>Arabis</i> × <i>arendsii</i> H. R. Wehrh.</u> [<i>A. alpina</i> L. × <i>A. aubrietoides</i> Boiss.]	Brassicaceae [Cruciferae]	<u>ARABI ARE</u>
<u><i>Arabis blepharophylla</i> Hook. & Arn.</u>	Brassicaceae [Cruciferae]	<u>ARABI BLE</u>
<u><i>Arabis caucasica</i> Willd.</u> = <u><i>Arabis alpina</i> L. subsp. <i>caucasica</i> (Willd.) Briq.</u>	Brassicaceae [Cruciferae]	<u>ARABI CAU</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Arabis procurrens</u> Waldst. & Kit.	Brassicaceae [Cruciferae]	<u>ARABI_PRO</u>
<u>Arabis scopoliana</u> Boiss.	Brassicaceae [Cruciferae]	<u>ARABI_SCO</u>
<u>Arachis hypogaea</u> L.	Fabaceae [Leguminosae]	<u>ARACH_HYP</u>
<u>Arachis pintoii</u> Krapov. & W. C. Greg.	Fabaceae [Leguminosae]	<u>ARACH_PIN</u>
<u>Aralia chinensis</u> L.	Araliaceae	<u>ARALI_CHI</u>
<u>Aralia japonica</u> Thunb. = <u>Fatsia japonica</u> (Thunb.) Decne. & Planch.	Araliaceae	<u>FATSI_JAP</u>
<u>Araucaria angustifolia</u> (Bertol.) Kuntze	Araucariaceae	<u>ARAUC_ANG</u>
<u>Araucaria araucana</u> (Molina) K. Koch	Araucariaceae	<u>ARAUC_ARA</u>
<u>Araucaria cunninghamii</u> Mudie	Araucariaceae	<u>ARAUC_CUN</u>
<u>Araucaria hunsteinii</u> K. Schum.	Araucariaceae	<u>ARAUC_HUN</u>
<u>Arbutus menziesii</u> Pursh	Ericaceae	<u>ARBUT_MEN</u>
<u>Arctium lappa</u> L.	Asteraceae [Compositae]	<u>ARCTI_LAP</u>
<u>Arctotheca calendula</u> (L.) Levyns (Synonym: <i>Venidium decurrens</i> hort., non Less.)	Asteraceae [Compositae]	<u>ARCTC_CAL</u>
<u>Arctotis arctotoides</u> (L. f.) O. Hoffm.	Asteraceae [Compositae]	<u>ARCTT_ARC</u>
<u>Arctotis fastuosa</u> Jacq. (Synonym: <i>Venidium fastuosum</i> (Jacq.) Stapf)	Asteraceae [Compositae]	<u>ARCTT_FAS</u>
<u>Arctotis grandis</u> auct., non Thunb. = <u>Arctotis venusta</u> Norl.	Asteraceae [Compositae]	<u>ARCTT_VEN</u>
<u>Arctotis stoechadifolia</u> auct., non P. J. Bergius = <u>Arctotis venusta</u> Norl.	Asteraceae [Compositae]	<u>ARCTT_VEN</u>
<u>Arctotis venusta</u> Norl. (Synonyms: <i>Arctotis grandis</i> auct., non Thunb.; <i>Arctotis stoechadifolia</i> auct., non P. J. Bergius)	Asteraceae [Compositae]	<u>ARCTT_VEN</u>
<u>Ardisia crenata</u> Sims (Synonym: <i>Ardisia crenulata</i> hort.)	Primulaceae	<u>ARDIS_CRE</u>
<u>Ardisia crenulata</u> hort. = <u>Ardisia crenata</u> Sims	Primulaceae	<u>ARDIS_CRE</u>
<u>Ardisia crispa</u> (Thunb.) A. DC.	Primulaceae	<u>ARDIS_CRI</u>
<u>Areca alba</u> Bory = <u>Dictyosperma album</u> (Bory) H. Wendl. & Drude ex Scheff.	Arecaceae [Palmae]	<u>DICTY_ALB</u>
<u>Areca lutescens</u> hort., non Bory = <u>Dypsis lutescens</u> (H. Wendl.) Beentje & J. Dransf.	Arecaceae [Palmae]	<u>CHRSL_LUT</u>
<u>Arenaria serpyllifolia</u> L.	Caryophyllaceae	<u>ARENA_SER</u>
<u>Argania spinosa</u> (L.) Skeels	Sapotaceae	<u>ARGAN_SPI</u>
<u>Argemone mexicana</u> L.	Papaveraceae	<u>ARGEM_MEX</u>
<u>Argemone ochroleuca</u> Sweet	Papaveraceae	<u>ARGEM_OCH</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Argentina anserina</i> (L.) Rydb.</u> = <u><i>Potentilla anserina</i> L.</u>	Rosaceae	<u>POTEN_ANS</u>
<u><i>Argyranthemum frutescens</i> (L.) Sch. Bip.</u> (Synonym: <i>Chrysanthemum frutescens</i> L.)	Asteraceae [Compositae]	<u>ARGYR_FRU</u>
<u><i>Aristolochia elegans</i> Mast.</u> (Synonym: <i>Aristolochia littoralis</i> auct., non D. Parodi)	Aristolochiaceae	<u>ARIST_ELE</u>
<u><i>Aristolochia littoralis</i> auct., non D. Parodi</u> = <u><i>Aristolochia elegans</i> Mast.</u>	Aristolochiaceae	<u>ARIST_ELE</u>
<u><i>Arivela viscosa</i> (L.) Raf.</u> (Synonym: <i>Cleome viscosa</i> L.)	Cleomaceae	<u>ARIVE_VIS</u>
<u><i>Armeniaca vulgaris</i> Lam.</u> = <u><i>Prunus armeniaca</i> L.</u>	Rosaceae	<u>PRUNU_ARM</u>
<u><i>Armeria maritima</i> (Mill.) Willd.</u>	Plumbaginaceae	<u>ARMER_MAR</u>
<u><i>Armeria splendens</i> (Lag. & Rodr.) Webb</u>	Plumbaginaceae	<u>ARMER_SPL</u>
<u><i>Armoracia rusticana</i> G. Gaertn. et al.</u>	Brassicaceae [Cruciferae]	<u>ARMOR_RUS</u>
<u><i>Arnica montana</i> L.</u>	Asteraceae [Compositae]	<u>ARNIC_MON</u>
<u><i>Arnoseris minima</i> (L.) Schweigg. & Körte</u>	Asteraceae [Compositae]	<u>ARNOS_MIN</u>
<u><i>Arracacia xanthorrhiza</i> Bancr.</u>	Apiaceae [Umbelliferae]	<u>ARRAC_ANT</u>
<u><i>Arrhenatherum elatius</i> (L.) P. Beauv. ex J. Presl & C. Presl</u>	Poaceae [Gramineae]	<u>ARRHE_ELA</u>
<u><i>Artemisia absinthium</i> L.</u>	Asteraceae [Compositae]	<u>ARTEM_ABS</u>
<u><i>Artemisia annua</i> L.</u>	Asteraceae [Compositae]	<u>ARTEM_ANN</u>
<u><i>Artemisia dracunculus</i> L.</u>	Asteraceae [Compositae]	<u>ARTEM_DRA</u>
<u><i>Artemisia maritima</i> L.</u>	Asteraceae [Compositae]	<u>ARTEM_MAR</u>
<u><i>Artemisia scoparia</i> Waldst. & Kit.</u>	Asteraceae [Compositae]	<u>ARTEM_SCO</u>
<u><i>Artemisia vulgaris</i> L.</u>	Asteraceae [Compositae]	<u>ARTEM_VUL</u>
<u><i>Artocarpus heterophyllus</i> Lam.</u>	Moraceae	<u>ARTOC_HET</u>
<u><i>Arundo donax</i> L.</u>	Poaceae [Gramineae]	<u>ARNDON</u>
<u><i>Asclepias curassavica</i> L.</u>	Apocynaceae	<u>ASCLE_CUR</u>
<u><i>Asclepias fruticosa</i> L.</u> = <u><i>Gomphocarpus fruticosus</i> (L.) W. T. Aiton</u>	Apocynaceae	<u>ASCLE_FRU</u>
<u><i>Asclepias labriformis</i> M. E. Jones</u>	Apocynaceae	<u>ASCLE_LAB</u>
<u><i>Asclepias physocarpa</i> (E. Mey.) Schltr.</u> = <u><i>Gomphocarpus physocarpus</i> E. Mey.</u>	Apocynaceae	<u>GMPHC_PHY</u>
<u><i>Asclepias subverticillata</i> (A. Gray) Vail</u>	Apocynaceae	<u>ASCLE_SUB</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Asclepias syriaca</i> L.</u>	Apocynaceae	<u>ASCLE SYR</u>
<u><i>Asclepias tuberosa</i> L.</u>	Apocynaceae	<u>ASCLE TUB</u>
<u><i>Aspalathium bituminosum</i> (L.) Fourr.</u> = <u><i>Bituminaria bituminosa</i> (L.) C. H. Stirt.</u>	Fabaceae [Leguminosae]	<u>BITUM_BIT</u>
<u><i>Asparagus aethiopicus</i> L.</u> (Synonyms: <i>Asparagus densiflorus</i> auct., non Jessop; <i>Asparagus sprengeri</i> Regel)	Asparagaceae	<u>ASPAR DEN</u>
<u><i>Asparagus densiflorus</i> auct., non Jessop</u> = <u><i>Asparagus aethiopicus</i> L.</u>	Asparagaceae	<u>ASPAR DEN</u>
<u><i>Asparagus densiflorus</i> (Kunth) Jessop</u>	Asparagaceae	<u>ASPAR DEN</u>
<u><i>Asparagus falcatus</i> L.</u>	Asparagaceae	<u>ASPAR FAL</u>
<u><i>Asparagus officinalis</i> L.</u>	Asparagaceae	<u>ASPAR OFF</u>
<u><i>Asparagus plumosus</i> Baker</u> (Synonym: <i>Asparagus setaceus</i> auct., non Jessop)	Asparagaceae	<u>ASPAR SET</u>
<u><i>Asparagus retrofractus</i> L.</u>	Asparagaceae	<u>ASPAR RET</u>
<u><i>Asparagus setaceus</i> auct., non Jessop</u> = <u><i>Asparagus plumosus</i> Baker</u>	Asparagaceae	<u>ASPAR SET</u>
<u><i>Asparagus setaceus</i> (Kunth) Jessop</u>	Asparagaceae	<u>ASPAR SET</u>
<u><i>Asparagus sprengeri</i> Regel</u> = <u><i>Asparagus aethiopicus</i> L.</u>	Asparagaceae	<u>ASPAR DEN</u>
<u><i>Asphodelus fistulosus</i> L.</u>	Asphodelaceae	<u>ASPHO FIS</u>
<u><i>Asphodelus tenuifolius</i> Cav.</u>	Asphodelaceae	<u>ASPHO FIS</u>
<u><i>Aspidistra elatior</i> Blume</u>	Asparagaceae (Ruscaceae)	<u>ASPD I ELA</u>
<u><i>Aspidosperma polyneuron</i> Müll. Arg.</u>	Apocynaceae	<u>ASPDO POL</u>
<u><i>Aster alpinus</i> L.</u>	Asteraceae [Compositae]	<u>ASTER ALP</u>
<u><i>Aster amellus</i> L.</u>	Asteraceae [Compositae]	<u>ASTER AME</u>
<u><i>Aster dumosus</i> L.</u> = <u><i>Symphyotrichum dumosum</i> (L.) G. L. Nesom</u>	Asteraceae [Compositae]	<u>ASTER DUM</u>
<u><i>Aster tanacetifolius</i> Kunth</u> = <u><i>Machaeranthera tanacetifolia</i> (Kunth) Nees</u>	Asteraceae [Compositae]	<u>MACHA TAN</u>
<u><i>Aster tongolensis</i> Franch.</u>	Asteraceae [Compositae]	<u>ASTER_TON</u>
<u><i>Astragalus cicer</i> L.</u>	Fabaceae [Leguminosae]	<u>ASTRG CIC</u>
<u><i>Astragalus pelecinus</i> (L.) Barneby</u> = <u><i>Biserrula pelecinus</i> L.</u>	Fabaceae [Leguminosae]	<u>BISER PEL</u>
<u><i>Astrebla lappacea</i> (Lindl.) Domin</u>	Poaceae [Gramineae]	<u>ASTRB LAP</u>
<u><i>Astronium fraxinifolium</i> Schott</u>	Anacardiaceae	<u>ASTRO FRA</u>
<u><i>Atriplex hortensis</i> L.</u>	Chenopodiaceae (Amaranthaceae)	<u>ATRIP HOR</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Atriplex patula</i> L.</u>	Chenopodiaceae (Amaranthaceae)	<u>ATRIP PAT</u>
<u><i>Atropa belladonna</i> L.</u>	Solanaceae	<u>ATROP BEL</u>
<u><i>Attalea cohune</i> Mart.</u> (Synonym: <i>Orbignya cohune</i> (Mart.) Dahlgren ex Standl.)	Arecaceae [Palmae]	<u>ATTAL COH</u>
<u><i>Attalea speciosa</i> Mart. ex Spreng.</u> (Synonyms: <i>Orbignya huebneri</i> Burret; <i>Orbignya phalerata</i> Mart.)	Arecaceae [Palmae]	<u>ATTAL SPE</u>
<u><i>Attalea vitrivir</i> Zona</u> (Synonym: <i>Orbignya oleifera</i> Burret)	Arecaceae [Palmae]	<u>ATTAL SPE</u>
<u><i>Aubrieta deltoidea</i> (L.) DC.</u> (Including: <i>Aubrieta graeca</i> Griseb.)	Brassicaceae [Cruciferae]	<u>AUBRI DEL</u>
<u><i>Aubrieta graeca</i> Griseb.</u> included in <u><i>Aubrieta deltoidea</i> (L.) DC.</u>	Brassicaceae [Cruciferae]	<u>AUBRI DEL</u>
<u><i>Aucoumea klaineana</i> Pierre</u>	Burseraceae	<u>AUCOU KLA</u>
<u><i>Aucuba japonica</i> Thunb.</u>	Garryaceae	<u>AUCUB JAP</u>
<u><i>Aurinia saxatilis</i> (L.) Desv.</u> (Synonym: <i>Alyssum saxatile</i> L.)	Brassicaceae [Cruciferae]	<u>AURIN SAX</u>
<u><i>Austrocephalocereus dybowski</i> (Rol.-Goss.) Backeb.</u> = <u><i>Espostoopsis dybowski</i> (Rol.-Goss.) Buxb.</u>	Cactaceae	<u>AUSTR DYB</u>
<u><i>Avena barbata</i> Pott ex Link</u>	Poaceae [Gramineae]	<u>AVENA BAR</u>
<u><i>Avena brevis</i> Roth</u>	Poaceae [Gramineae]	<u>AVENA BRE</u>
<u><i>Avena byzantina</i> K. Koch</u> included in <u><i>Avena sativa</i> L.</u>	Poaceae [Gramineae]	<u>AVENA SAT</u>
<u><i>Avena fatua</i> L.</u>	Poaceae [Gramineae]	<u>AVENA FAT</u>
<u><i>Avena nuda</i> L.</u>	Poaceae [Gramineae]	<u>AVENA NUD</u>
<u><i>Avena sativa</i> L.</u> (Including: <i>Avena byzantina</i> K. Koch)	Poaceae [Gramineae]	<u>AVENA SAT</u>
<u><i>Avena sterilis</i> L.</u>	Poaceae [Gramineae]	<u>AVENA STE</u>
<u><i>Avena strigosa</i> Schreb.</u>	Poaceae [Gramineae]	<u>AVENA STR</u>
<u><i>Avenella flexuosa</i> (L.) Parl.</u> (Synonym: <i>Deschampsia flexuosa</i> (L.) Trin.)	Poaceae [Gramineae]	<u>AVENE FLE</u>
<u><i>Averrhoa bilimbi</i> L.</u>	Oxalidaceae	<u>AVERR BIL</u>
<u><i>Averrhoa carambola</i> L.</u>	Oxalidaceae	<u>AVERR CAR</u>
<u><i>Axonopus affinis</i> Chase</u> = <u><i>Axonopus fissifolius</i> (Raddi) Kuhlm.</u>	Poaceae [Gramineae]	<u>AXONO FIS</u>
<u><i>Axonopus compressus</i> (Sw.) P. Beauv.</u>	Poaceae [Gramineae]	<u>AXONO COM</u>
<u><i>Axonopus fissifolius</i> (Raddi) Kuhlm.</u> (Synonym: <i>Axonopus affinis</i> Chase)	Poaceae [Gramineae]	<u>AXONO FIS</u>
<u><i>Axyris amaranthoides</i> L.</u>	Chenopodiaceae (Amaranthaceae)	<u>AXYRI AMA</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

B

<u>Babiana nervosa (Lam.) Goldblatt & J. C. Manning</u> (Synonym: <i>Babiana nervosa</i> (Lam.) Goldblatt & J. C. Manning)	Iridaceae	BABIA_STR
<u>Babiana stricta (Aiton) Ker Gawl.</u> = <u>Babiana nervosa (Lam.) Goldblatt & J. C. Manning</u>	Iridaceae	BABIA_STR
<u>Baccharis halimifolia L.</u>	Asteraceae [Compositae]	BACCH_HAL
<u>Baccharoides anthelmintica (L.) Moench</u> (Synonym: <i>Vernonia anthelmintica</i> (L.) Willd.)	Asteraceae [Compositae]	VERNO_ANT
<u>Baileya multiradiata Harv. & A. Gray ex Torr.</u>	Asteraceae [Compositae]	BAILE_MUL
<u>Ballota nigra L.</u>	Lamiaceae [Labiatae]	BALLO_NIG
<u>Barbarea verna (Mill.) Asch.</u>	Brassicaceae [Cruciferae]	BARBA_VER
<u>Barbarea vulgaris W. T. Aiton</u>	Brassicaceae [Cruciferae]	BARBA_VUL
<u>Basella alba L.</u>	Basellaceae	BASEL_ALB
<u>Bassia hyssopifolia (Pall.) Kuntze</u>	Chenopodiaceae (Amaranthaceae)	BASSI_HYS
<u>Bassia scoparia (L.) A. J. Scott</u> (Synonym: <i>Kochia scoparia</i> (L.) Schrad.)	Chenopodiaceae (Amaranthaceae)	BASSI_SCO
<u>Beaucarnea recurvata Lem.</u> (Synonym: <i>Nolina recurvata</i> (Lem.) Hemsl.)	Asparagaceae (Ruscaceae)	BEAUC_REC
<u>Beckmannia eruciformis (L.) Host</u>	Poaceae [Gramineae]	BECKM_ERU
<u>Begonia hybrida P. N. Don ex Burb.</u> [<i>B. coccinea</i> Hook. × <i>B. manicata</i> Brongn. ex Cels]	Begoniaceae	BEGON_HYB
<u>Begonia semperflorens-cultorum hort.</u> = <u>Begonia Semperflorens-Cultorum Group</u>	Begoniaceae	BEGON_SEM
<u>Begonia Semperflorens-Cultorum Group</u> (Synonym: <i>Begonia</i> × <i>sempreflorens-cultorum</i> hort.)	Begoniaceae	BEGON_SEM
<u>Begonia × tuberhybrida Voss</u> [<i>Begonia</i> Tuberhybrida Group]	Begoniaceae	BEGON_TUB
<u>Belamcanda chinensis (L.) Redouté</u> = <u>Iris domestica Goldblatt & Mabb.</u>	Iridaceae	IRISS_DOM
<u>Bellis perennis L.</u>	Asteraceae [Compositae]	BELLI_PER
<u>Benincasa fistulosa (Stocks) H. Schaef. & S. S. Renner</u> (Synonym: <i>Praecitrullus fistulosus</i> (Stocks) Pangalo)	Cucurbitaceae	BENIN_FIS
<u>Benincasa hispida (Thunb.) Cogn.</u>	Cucurbitaceae	BENIN_HIS
<u>Berberis aquifolium Pursh</u> = <u>Mahonia aquifolium (Pursh) Nutt.</u>	Berberidaceae	MAHON_AQU
<u>Berberis bealei Fortune</u> = <u>Mahonia bealei (Fortune) Carrière</u>	Berberidaceae	BERBE_BEA
<u>Berberis darwinii Hook.</u>	Berberidaceae	BERBE_DAR
<u>Berberis glaucocarpa Stapf</u>	Berberidaceae	BERBE_GLA

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Berberis japonica</i> (Thunb.) Spreng.</u> = <u><i>Mahonia japonica</i> (Thunb.) DC.</u>	Berberidaceae	MAHON JAP
<u><i>Berberis lomariifolia</i> (Takeda) Laferr.</u> = <u><i>Mahonia oiwakensis</i> Hayata</u>	Berberidaceae	MAHON OIW
<u><i>Berberis oiwakensis</i> (Hayata) Laferr.</u> = <u><i>Mahonia oiwakensis</i> Hayata</u>	Berberidaceae	MAHON OIW
<u><i>Berberis pumila</i> Greene</u> = <u><i>Mahonia pumila</i> (Greene) Fedde</u>	Berberidaceae	MAHON PUM
<u><i>Berberis repens</i> Lindl.</u> = <u><i>Mahonia repens</i> (Lindl.) G. Don</u>	Berberidaceae	MAHON REP
<u><i>Berberis thunbergii</i> DC.</u>	Berberidaceae	BERBE THU
<u><i>Berberis vulgaris</i> L.</u>	Berberidaceae	BERBE VUL
<u><i>Bergera koenigii</i> L.</u> (Synonym: <i>Murraya koenigii</i> (L.) Spreng.)	Rutaceae	MURRA KOE
<u><i>Berteroa incana</i> (L.) DC.</u>	Brassicaceae [Cruciferae]	BERTE INC
<u><i>Bertholletia excelsa</i> Humb. & Bonpl.</u>	Lecythidaceae	BERTH EXC
<u><i>Beta vulgaris</i> L.</u>	Chenopodiaceae (Amaranthaceae)	BETAA VUL
<u><i>Betonica macrantha</i> K. Koch</u> (Synonyms: <i>Stachys grandiflora</i> (Stephan ex Willd.) Benth., non Host; <i>Stachys macrantha</i> (K. Koch) Stearn)	Lamiaceae [Labiatae]	STCHS MAC
<u><i>Betula alleghaniensis</i> Britton</u>	Betulaceae	BETUL ALL
<u><i>Betula papyrifera</i> Marshall</u>	Betulaceae	BETUL PAP
<u><i>Betula pendula</i> Roth</u>	Betulaceae	BETUL PEN
<u><i>Betula pubescens</i> Ehrh.</u>	Betulaceae	BETUL PUB
<u><i>Bidens aurea</i> (Aiton) Sherff</u>	Asteraceae [Compositae]	BIDEN AUR
<u><i>Bidens formosa</i> (Bonato) Sch. Bip.</u> = <u><i>Cosmos bipinnatus</i> Cav.</u>	Asteraceae [Compositae]	COSMO BIP
<u><i>Bidens pilosa</i> L.</u>	Asteraceae [Compositae]	BIDEN PIL
<u><i>Bidens subalternans</i> DC.</u>	Asteraceae [Compositae]	BIDEN SUB
<u><i>Bifora radians</i> M. Bieb.</u>	Apiaceae [Umbelliferae]	BIFOR RAD
<u><i>Bifora testiculata</i> (L.) Spreng.</u>	Apiaceae [Umbelliferae]	BIFOR TES
<u><i>Biophytum sensitivum</i> (L.) DC.</u>	Oxalidaceae	BIOPH SEN
<u><i>Biserrula pelecinus</i> L.</u> (Synonym: <i>Astragalus pelecinus</i> (L.) Barneby)	Fabaceae [Leguminosae]	BISER PEL
<u><i>Bituminaria bituminosa</i> (L.) C. H. Stirt.</u> (Synonyms: <i>Aspalthium bituminosum</i> (L.) Fourr.; <i>Psoralea bituminosa</i> L.)	Fabaceae [Leguminosae]	BITUM BIT
<u><i>Bixa orellana</i> L.</u>	Bixaceae	BIXAA ORE

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Blainvillea acmella (L.) Philipson</u> (Synonym: <i>Blainvillea rhomboidea</i> Cass.)	Asteraceae [Compositae]	BLAIN_ACM
<u>Blainvillea rhomboidea</u> Cass. = <u>Blainvillea acmella (L.) Philipson</u>	Asteraceae [Compositae]	BLAIN_ACM
<u>Blighia sapida</u> K. D. Koenig	Sapindaceae	BLIGH_SAP
<u>Blumea balsamifera (L.) DC.</u>	Asteraceae [Compositae]	BLUME_BAL
<u>Boehmeria nivea (L.) Gaudich.</u>	Urticaceae	BOEHM_NIV
<u>Boerhavia diffusa</u> L.	Nyctaginaceae	BOERH_DIF
<u>Boerhavia erecta</u> L.	Nyctaginaceae	BOERH_ERE
<u>Bolboschoenus maritimus (L.) Palla</u> (Synonym: <i>Scirpus maritimus</i> L.)	Cyperaceae	SCIRP_MAR
<u>Boltonia asteroides (L.) L'Hér.</u> (Synonym: <i>Boltonia glastifolia</i> (Hill) L'Hér.)	Asteraceae [Compositae]	BOLTO_AST
<u>Boltonia glastifolia</u> (Hill) L'Hér. = <u>Boltonia asteroides (L.) L'Hér.</u>	Asteraceae [Compositae]	BOLTO_AST
<u>Bonnaya antipoda (L.) Druce</u> (Synonym: <i>Lindernia antipoda</i> (L.) Alston)	Linderniaceae (Scrophulariaceae)	BONNA_ANT
<u>Bonnaya ciliata (Colsm.) Spreng.</u> (Synonym: <i>Lindernia ciliata</i> (Colsm.) Pennell)	Linderniaceae (Scrophulariaceae)	BONNA_CIL
<u>Borago officinalis</u> L.	Boraginaceae	BORAG_OFF
<u>Borassus flabellifer</u> L.	Arecaceae [Palmae]	BORAS_FLA
<u>Borreria alata</u> (Aubl.) DC. = <u>Spermacoce alata</u> Aubl.	Rubiaceae	SPRMC_ALA
<u>Bothriochloa insculpta</u> (Hochst. ex A. Rich.) A. Camus	Poaceae [Gramineae]	BOTHR_INS
<u>Bothriochloa ischaemum (L.) Keng</u> (Synonyms: <i>Andropogon ischaemum</i> L.; <i>Dichanthium ischaemum</i> (L.) Roberty)	Poaceae [Gramineae]	BOTHR_ISC
<u>Bothriochloa pertusa (L.) A. Camus</u>	Poaceae [Gramineae]	BOTHR_PER
<u>Bougainvillea spectabilis</u> Willd.	Nyctaginaceae	BOUGA_SPE
<u>Bouteloua barbata</u> Lag. (Synonyms: <i>Bouteloua barbata</i> Lag. var. <i>rothrockii</i> (Vasey) Gould; <i>Bouteloua rothrockii</i> Vasey)	Poaceae [Gramineae]	BOUTE_ROT
<u>Bouteloua barbata</u> Lag. var. <i>rothrockii</i> (Vasey) Gould = <u>Bouteloua barbata</u> Lag.	Poaceae [Gramineae]	BOUTE_ROT
<u>Bouteloua curtipendula</u> (Michx.) Torr.	Poaceae [Gramineae]	BOUTE_CUR
<u>Bouteloua dactyloides (Nutt.) Columbus</u> (Synonym: <i>Buchloe dactyloides</i> (Nutt.) Engelm.)	Poaceae [Gramineae]	BOUTE_DAC
<u>Bouteloua eriopoda</u> (Torr.) Torr.	Poaceae [Gramineae]	BOUTE_ERI
<u>Bouteloua gracilis</u> (Kunth) Lag. ex Griffiths (Synonym: <i>Bouteloua oligostachya</i> (Nutt.) Torr. ex A. Gray)	Poaceae [Gramineae]	BOUTE_OLI

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Bouteloua hirsuta Lag.</u>	Poaceae [Gramineae]	BOUTE_HIR
<u>Bouteloua oligostachya (Nutt.) Torr. ex A. Gray</u> = <u>Bouteloua gracilis (Kunth) Lag. ex Griffiths</u>	Poaceae [Gramineae]	BOUTE_OLI
<u>Bouteloua rothrockii Vasey</u> = <u>Bouteloua barbata Lag.</u>	Poaceae [Gramineae]	BOUTE_ROT
<u>Bowdichia nitida Spruce ex Benth.</u>	Fabaceae [Leguminosae]	BOWDI_NIT
<u>Brachiaria brizantha (Hochst. ex A. Rich.) Stapf</u> = <u>Urochloa brizantha (Hochst. ex A. Rich.) R. D. Webster</u>	Poaceae [Gramineae]	UROCH_BRI
<u>Brachiaria decumbens Stapf</u> = <u>Urochloa decumbens (Stapf) R. D. Webster</u>	Poaceae [Gramineae]	UROCH_DEC
<u>Brachiaria humidicola (Rendle) Schweick.</u> = <u>Urochloa humidicola (Rendle) Morrone & Zuloaga</u>	Poaceae [Gramineae]	UROCH_HUM
<u>Brachiaria mutica (Forssk.) Stapf</u> = <u>Urochloa mutica (Forssk.) T. Q. Nguyen</u>	Poaceae [Gramineae]	UROCH_MUT
<u>Brachiaria plantaginea (Link) Hitchc.</u> = <u>Urochloa plantaginea (Link) R. D. Webster</u>	Poaceae [Gramineae]	UROCH_PLA
<u>Brachiaria ramosa (L.) Stapf</u> = <u>Urochloa ramosa (L.) T. Q. Nguyen</u>	Poaceae [Gramineae]	UROCH_RAM
<u>Brachiaria reptans (L.) C. A. Gardner & C. E. Hubb.</u> = <u>Urochloa reptans (L.) Stapf</u>	Poaceae [Gramineae]	UROCH_REP
<u>Brachiaria ruziziensis R. Germ. & C. M. Evrard</u> = <u>Urochloa ruziziensis (R. Germ. & C. M. Evrard) Crins</u>	Poaceae [Gramineae]	UROCH_RUZ
<u>Brachyglottis laxifolia (Buchanan) B. Nord.</u> (Synonym: <i>Senecio laxifolius</i> Buchanan)	Asteraceae [Compositae]	BRCHG_LAX
<u>Brachypodium pinnatum (L.) P. Beauv.</u>	Poaceae [Gramineae]	BRCHP_PIN
<u>Brachyscome iberidifolia Benth.</u>	Asteraceae [Compositae]	BRCHY_IBE
<u>Brachyscome multifida DC.</u>	Asteraceae [Compositae]	BRCHY_MUL
<u>Bracteantha bracteata (Vent.) Anderb. & Haegi</u> = <u>Xerochrysum bracteatum (Vent.) Tzvelev</u>	Asteraceae [Compositae]	XEROC_BRA
<u>Brassaia actinophylla Endl.</u> = <u>Heptapleurum actinophyllum (Endl.) Lowry & G. M. Plunkett</u>	Araliaceae	SCHEF_ACT
<u>Brassica campestris L.</u> included in <u>Brassica rapa L.</u>	Brassicaceae [Cruciferae]	BRASS_RAP_CAM
<u>Brassica carinata A. Braun</u>	Brassicaceae [Cruciferae]	BRASS_CAR
<u>Brassica chinensis L.</u> included in <u>Brassica rapa L.</u>	Brassicaceae [Cruciferae]	BRASS_RAP_CHI
<u>Brassica hirta Moench</u> = <u>Sinapis alba L. subsp. <i>alba</i></u>	Brassicaceae [Cruciferae]	SINAP_ALB_ALB
<u>Brassica juncea (L.) Czern.</u>	Brassicaceae [Cruciferae]	BRASS_JUN
<u>Brassica kaber (DC.) L. C. Wheeler</u> = <u>Sinapis arvensis L.</u>	Brassicaceae [Cruciferae]	SINAP_ARV
<u>Brassica napus L.</u>	Brassicaceae [Cruciferae]	BRASS_NAP

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Brassica napus L. subsp. napus</u>	Brassicaceae [Cruciferae]	<u>BRASS NAP NUS</u>
<u>Brassica napus L. subsp. rapifera Metzg.</u> (Synonym: <i>Brassica napus</i> L. var. <i>napobrassica</i> (L.) Döll)	Brassicaceae [Cruciferae]	<u>BRASS NAP NBR</u>
<u>Brassica napus L. var. napobrassica (L.) Döll</u> = <u>Brassica napus L. subsp. rapifera Metzg.</u>	Brassicaceae [Cruciferae]	<u>BRASS NAP NBR</u>
<u>Brassica nigra (L.) W. D. J. Koch</u>	Brassicaceae [Cruciferae]	<u>BRASS NIG</u>
<u>Brassica oleracea L.</u>	Brassicaceae [Cruciferae]	<u>BRASS OLE</u>
<u>Brassica oxyrrhina (Coss.) Willk.</u>	Brassicaceae [Cruciferae]	<u>BRASS OXY</u>
<u>Brassica pekinensis (Lour.) Rupr.</u> included in <u>Brassica rapa L.</u>	Brassicaceae [Cruciferae]	<u>BRASS RAP PEK</u>
<u>Brassica perviridis (L. H. Bailey) L. H. Bailey</u> included in <u>Brassica rapa L.</u>	Brassicaceae [Cruciferae]	<u>BRASS RAP PER</u>
<u>Brassica rapa L.</u> (Including: <i>Brassica campestris</i> L.; <i>Brassica chinensis</i> L.; <i>Brassica pekinensis</i> (Lour.) Rupr.; <i>Brassica perviridis</i> (L. H. Bailey) L. H. Bailey; <i>Brassica rapa</i> L. var. <i>perviridis</i> L. H. Bailey)	Brassicaceae [Cruciferae]	<u>BRASS RAP</u>
<u>Brassica rapa L. var. perviridis L. H. Bailey</u> included in <u>Brassica rapa L.</u>	Brassicaceae [Cruciferae]	<u>BRASS RAP PER</u>
<u>Brassica tournefortii Gouan</u>	Brassicaceae [Cruciferae]	<u>BRASS TOU</u>
<u>Briza maxima L.</u>	Poaceae [Gramineae]	<u>BRIZA MAX</u>
<u>Briza minor L.</u>	Poaceae [Gramineae]	<u>BRIZA MIN</u>
<u>Bromus arvensis L.</u>	Poaceae [Gramineae]	<u>BROMU ARV</u>
<u>Bromus carinatus Hook. & Arn.</u>	Poaceae [Gramineae]	<u>BROMU CAR</u>
<u>Bromus carinatus Hook. & Arn. var. carinatus</u>	Poaceae [Gramineae]	<u>BROMU CAR</u>
<u>Bromus carinatus Hook. & Arn. var. marginatus (Steud.) Barkworth & Anderton</u> (Synonym: <i>Bromus marginatus</i> Steud.)	Poaceae [Gramineae]	<u>BROMU MAR</u>
<u>Bromus catharticus Vahl</u> (Synonyms: <i>Bromus unioloides</i> Kunth; <i>Bromus willdenowii</i> Kunth)	Poaceae [Gramineae]	<u>BROMU CAT</u>
<u>Bromus commutatus Schrad.</u>	Poaceae [Gramineae]	<u>BROMU COM</u>
<u>Bromus diandrus Roth var. diandrus</u> included in <u>Bromus diandrus Roth</u>	Poaceae [Gramineae]	<u>BROMU DIA</u>
<u>Bromus diandrus Roth var. rigidus (Roth) Sales</u> included in <u>Bromus diandrus Roth</u>	Poaceae [Gramineae]	<u>BROMU DIA RIG</u>
<u>Bromus diandrus Roth</u> (Including: <i>Bromus diandrus</i> Roth var. <i>diandrus</i> ; <i>Bromus diandrus</i> Roth var. <i>rigidus</i> (Roth) Sales; <i>Bromus rigidus</i> Roth)	Poaceae [Gramineae]	<u>BROMU DIA</u>
<u>Bromus erectus Huds.</u>	Poaceae [Gramineae]	<u>BROMU ERE</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Bromus hordeaceus L.</u> (Synonym: <i>Bromus mollis</i> L.)	Poaceae [Gramineae]	BROMU_HOR
<u>Bromus inermis Leyss.</u>	Poaceae [Gramineae]	BROMU_INE
<u>Bromus marginatus Steud.</u> = <u>Bromus carinatus Hook. & Arn. var. marginatus (Steud.) Barkworth & Anderton</u>	Poaceae [Gramineae]	BROMU_MAR
<u>Bromus mollis L.</u> = <u>Bromus hordeaceus L.</u>	Poaceae [Gramineae]	BROMU_HOR
<u>Bromus racemosus L.</u>	Poaceae [Gramineae]	BROMU_RAC
<u>Bromus rigidus Roth</u> included in <u>Bromus diandrus Roth</u>	Poaceae [Gramineae]	BROMU_DIA_RIG
<u>Bromus riparius Rehmman</u>	Poaceae [Gramineae]	BROMU_RIP
<u>Bromus secalinus L.</u>	Poaceae [Gramineae]	BROMU_SEC
<u>Bromus sitchensis Trin.</u>	Poaceae [Gramineae]	BROMU_SIT
<u>Bromus sterilis L.</u>	Poaceae [Gramineae]	BROMU_STE
<u>Bromus tectorum L.</u>	Poaceae [Gramineae]	BROMU_TEC
<u>Bromus unioloides Kunth</u> = <u>Bromus catharticus Vahl</u>	Poaceae [Gramineae]	BROMU_CAT
<u>Bromus willdenowii Kunth</u> = <u>Bromus catharticus Vahl</u>	Poaceae [Gramineae]	BROMU_CAT
<u>Brosimum paraense Huber</u> = <u>Brosimum rubescens Taub.</u>	Moraceae	BROSI_RUB
<u>Brosimum rubescens Taub.</u> (Synonym: <i>Brosimum paraense</i> Huber)	Moraceae	BROSI_RUB
<u>Broussonetia papyrifera (L.) Vent.</u>	Moraceae	BROUS_PAP
<u>Browallia speciosa Hook.</u>	Solanaceae	BROWA_SPE
<u>Browallia viscosa Kunth</u>	Solanaceae	BROWA_VIS
<u>Brugmansia arborea (L.) Sweet</u> (Synonym: <i>Datura arborea</i> L.)	Solanaceae	BRUGM_ARB
<u>Brunnera macrophylla (Adams) I. M. Johnst.</u> (Synonym: <i>Anchusa myosotidiflora</i> Lehm.)	Boraginaceae	BRUNN_MAC
<u>Bryonia alba L.</u>	Cucurbitaceae	BRYON_ALB
<u>Buchloe dactyloides (Nutt.) Engelm.</u> = <u>Bouteloua dactyloides (Nutt.) Columbus</u>	Poaceae [Gramineae]	BOUTE_DAC
<u>Buglossoides arvensis (L.) I. M. Johnst.</u> (Synonym: <i>Lithospermum arvense</i> L.)	Boraginaceae	BUGLO_ARV
<u>Bulbostylis barbata (Rottb.) C. B. Clarke</u>	Cyperaceae	BULBO_BAR
<u>Bupleurum falcatum L.</u>	Apiaceae [Umbelliferae]	BUPLE_FAL
<u>Bupleurum rotundifolium L.</u>	Apiaceae [Umbelliferae]	BUPLE_ROT

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Bursera fagaroides</i> (Kunth) Engl.</u>	Burseraceae	<u>BURSE FAG</u>
<u><i>Bursera glabrifolia</i> (Kunth) Engl.</u>	Burseraceae	<u>BURSE GLA</u>
<u><i>Bursera simaruba</i> (L.) Sarg.</u>	Burseraceae	<u>BURSE SIM</u>
<u><i>Buxus sempervirens</i> L.</u>	Buxaceae	<u>BUXUS SEM</u>

C

<u><i>Caesalpinia coriaria</i> (Jacq.) Willd.</u> = <u><i>Libidibia coriaria</i> (Jacq.) Schltdl.</u>	Fabaceae [Leguminosae]	<u>CAESA COR</u>
<u><i>Caesalpinia echinata</i> Lam.</u> = <u><i>Paubrasilia echinata</i> (Lam.) Gagnon et al.</u>	Fabaceae [Leguminosae]	<u>CAESA ECH</u>
<u><i>Cajanus cajan</i> (L.) Huth</u>	Fabaceae [Leguminosae]	<u>CAJAN CAJ</u>
<u><i>Caladium bicolor</i> (Aiton) Vent.</u>	Araceae	<u>CALAD BIC</u>
<u><i>Calamagrostis arenaria</i> (L.) Roth</u> (Synonym: <i>Ammophila arenaria</i> (L.) Link)	Poaceae [Gramineae]	<u>CALMG ARE</u>
<u><i>Calamagrostis breviligulata</i> (Fernald) Saarela</u> (Synonym: <i>Ammophila breviligulata</i> Fernald)	Poaceae [Gramineae]	<u>CALMG BRE</u>
<u><i>Calceolaria</i> × <i>herbeohybrida</i> Voss</u> [<i>Calceolaria</i> Herbeohybrida Group]	Calceolariaceae (Scrophulariaceae)	<u>CALCE HER</u>
<u><i>Calceolaria mexicana</i> Benth.</u>	Calceolariaceae (Scrophulariaceae)	<u>CALCE MEX</u>
<u><i>Calceolaria polyrhiza</i> Cav.</u>	Calceolariaceae (Scrophulariaceae)	<u>CALCE POL</u>
<u><i>Calendula officinalis</i> L.</u>	Asteraceae [Compositae]	<u>CALEN OFF</u>
<u><i>Calicotome spinosa</i> (L.) Link</u>	Fabaceae [Leguminosae]	<u>CALIC SPI</u>
<u><i>Callianthe megapotamica</i> (A. Spreng.) Dorr</u> (Synonym: <i>Abutilon megapotamicum</i> (A. Spreng.) A. St.-Hil. & Naudin)	Malvaceae	<u>ABUTI MEG</u>
<u><i>Callianthe picta</i> (Gillies ex Hook. & Arn.) Donnell</u> (Synonym: <i>Abutilon pictum</i> (Gillies ex Hook. & Arn.) Walp.)	Malvaceae	<u>ABUTI PIC</u>
<u><i>Callianthe striata</i> (Dicks. ex Lindl.) Donnell</u> (Synonym: <i>Abutilon striatum</i> Dicks. ex Lindl.)	Malvaceae	<u>CALLT STR</u>
<u><i>Callistemon citrinus</i> (Curtis) Skeels</u> (Synonyms: <i>Callistemon lanceolatus</i> Sweet; <i>Melaleuca citrina</i> (Curtis) Dum. Cours.)	Myrtaceae	<u>CALSM CIT</u>
<u><i>Callistemon lanceolatus</i> Sweet</u> = <u><i>Callistemon citrinus</i> (Curtis) Skeels</u>	Myrtaceae	<u>CALSM CIT</u>
<u><i>Callistephus chinensis</i> (L.) Nees</u>	Asteraceae [Compositae]	<u>CALSP CHI</u>
<u><i>Callitropsis nootkatensis</i> (D. Don) Oerst.</u> = <u><i>Cupressus nootkatensis</i> D. Don</u>	Cupressaceae	<u>CUPRE NOO</u>
<u><i>Calocedrus decurrens</i> (Torr.) Florin</u> (Synonym: <i>Libocedrus decurrens</i> Torr.)	Cupressaceae	<u>CALOC DEC</u>
<u><i>Calonyction album</i> (L.) House</u> = <u><i>Ipomoea alba</i> L.</u>	Convolvulaceae	<u>IPOMO ALB</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Calophyllum brasiliense Cambess.</u>	Calophyllaceae	<u>CALPH BRA</u>
<u>Calopogonium mucunoides Desv.</u>	Fabaceae [Leguminosae]	<u>CALPO MUC</u>
<u>Calycophyllum candidissimum (Vahl) DC.</u>	Rubiaceae	<u>CALYC CAN</u>
<u>Calystegia sepium (L.) R. Br.</u> (Synonym: <i>Convolvulus sepium</i> L.)	Convolvulaceae	<u>CALYS SEP</u>
<u>Camelina sativa (L.) Crantz</u>	Brassicaceae [Cruciferae]	<u>CAMLN SAT</u>
<u>Camellia japonica L.</u>	Theaceae	<u>CMLIA JAP</u>
<u>Camellia reticulata Lindl.</u>	Theaceae	<u>CMLIA RET</u>
<u>Camellia saluenensis Stapf ex Bean</u>	Theaceae	<u>CMLIA SAL</u>
<u>Camellia sasanqua Thunb.</u>	Theaceae	<u>CMLIA SAS</u>
<u>Camellia sinensis (L.) Kuntze</u>	Theaceae	<u>CMLIA SIN</u>
<u>Camellia × williamsii W. W. Sm.</u> [<i>C. japonica</i> L. × <i>C. saluensis</i> Stapf ex Bean]	Theaceae	<u>CMLIA WIL</u>
<u>Campanula carpatica Jacq.</u>	Campanulaceae	<u>CAMPA CAR</u>
<u>Campanula colorata Wall.</u> = <u>Campanula pallida Wall.</u>	Campanulaceae	<u>CAMPA COL</u>
<u>Campanula fragilis Cirillo</u>	Campanulaceae	<u>CAMPA FRA</u>
<u>Campanula garganica Ten.</u>	Campanulaceae	<u>CAMPA GAR</u>
<u>Campanula glomerata L.</u>	Campanulaceae	<u>CAMPA GLO</u>
<u>Campanula lactiflora M. Bieb.</u>	Campanulaceae	<u>CAMPA LAC</u>
<u>Campanula medium L.</u>	Campanulaceae	<u>CAMPA MED</u>
<u>Campanula pallida Wall.</u> (Synonym: <i>Campanula colorata</i> Wall.)	Campanulaceae	<u>CAMPA COL</u>
<u>Campanula persicifolia L.</u>	Campanulaceae	<u>CAMPA PER</u>
<u>Campanula portenschlagiana Schult.</u>	Campanulaceae	<u>CAMPA POR</u>
<u>Campanula pyramidalis L.</u>	Campanulaceae	<u>CAMPA PYR</u>
<u>Campanula rapunculus L.</u>	Campanulaceae	<u>CAMPA RAP</u>
<u>Campanula speculum-veneris L.</u> = <u>Legousia speculum-veneris (L.) Chaix</u>	Campanulaceae	<u>LEGOU_SPE</u>
<u>Cananga odorata (Lam.) Hook. f. & Thomson</u>	Annonaceae	<u>CANAN ODO</u>
<u>Canarium euphyllum Kurz</u>	Burseraceae	<u>CANAR EUP</u>
<u>Canavalia ensiformis (L.) DC.</u>	Fabaceae [Leguminosae]	<u>CANAV ENS</u>
<u>Canavalia gladiata (Jacq.) DC.</u>	Fabaceae [Leguminosae]	<u>CANAV GLA</u>
<u>Canna indica L.</u>	Cannaceae	<u>CANNB SAT IND</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Cannabis indica</i> Lam.</u> included in <u><i>Cannabis sativa</i> L.</u>	Cannabaceae	<u>CANNB SAT IND</u>
<u><i>Cannabis sativa</i> L.</u> (Including: <i>Cannabis indica</i> Lam.)	Cannabaceae	<u>CANNB SAT</u>
<u><i>Canscora alata</i> (Roth) Wall.</u> (Synonym: <i>Canscora decussata</i> (Roxb.) Schult. & Schult. f.)	Gentianaceae	<u>CANSC DEC</u>
<u><i>Canscora decussata</i> (Roxb.) Schult. & Schult. f.</u> = <u><i>Canscora alata</i> (Roth) Wall.</u>	Gentianaceae	<u>CANSC DEC</u>
<u><i>Capsella bursa-pastoris</i> (L.) Medik.</u>	Brassicaceae [Cruciferae]	<u>CAPSE BUR</u>
<u><i>Capsicum annuum</i> L.</u>	Solanaceae	<u>CAPSI ANN</u>
<u><i>Capsicum baccatum</i> L.</u>	Solanaceae	<u>CAPSI BAC</u>
<u><i>Capsicum chinense</i> Jacq.</u>	Solanaceae	<u>CAPSI CHI</u>
<u><i>Capsicum frutescens</i> L.</u>	Solanaceae	<u>CAPSI FRU</u>
<u><i>Capsicum rabenii</i> Sendtn.</u>	Solanaceae	<u>CAPSI RAB</u>
<u><i>Caragana arborescens</i> Lam.</u>	Fabaceae [Leguminosae]	<u>CARAG ARB</u>
<u><i>Carapa guianensis</i> Aubl.</u>	Meliaceae	<u>CARAP GUI</u>
<u><i>Carapichea ipecacuanha</i> (Brot.) L. Andersson</u> (Synonyms: <i>Cephaelis ipecacuanha</i> (Brot.) Willd.; <i>Psychotria ipecacuanha</i> (Brot.) Stokes)	Rubiaceae	<u>CPHLS IPE</u>
<u><i>Cardaria draba</i> (L.) Desv.</u> = <u><i>Lepidium draba</i> L.</u>	Brassicaceae [Cruciferae]	<u>LEPID DRA</u>
<u><i>Cardaria pubescens</i> (C. A. Mey.) Jarm.</u> = <u><i>Lepidium appelianum</i> Al-Shehbaz</u>	Brassicaceae [Cruciferae]	<u>LEPID APP</u>
<u><i>Cardiospermum halicacabum</i> L.</u>	Sapindaceae	<u>CARDI HAL</u>
<u><i>Carduus acanthoides</i> L.</u>	Asteraceae [Compositae]	<u>CARDU ACA</u>
<u><i>Carduus crispus</i> L.</u>	Asteraceae [Compositae]	<u>CARDU CRI</u>
<u><i>Carduus nutans</i> L.</u>	Asteraceae [Compositae]	<u>CARDU NUT</u>
<u><i>Carduus pycnocephalus</i> L.</u>	Asteraceae [Compositae]	<u>CARDU PYC</u>
<u><i>Carduus tenuiflorus</i> Curtis</u>	Asteraceae [Compositae]	<u>CARDU TEN</u>
<u><i>Carex elata</i> All.</u>	Cyperaceae	<u>CAREX ELA</u>
<u><i>Carex longebracteata</i> Steud.</u> = <u><i>Carex myosurus</i> Nees</u>	Cyperaceae	<u>CAREX MYO</u>
<u><i>Carex myosurus</i> Nees</u> (Synonym: <i>Carex longebracteata</i> Steud.)	Cyperaceae	<u>CAREX MYO</u>
<u><i>Carica candamarcensis</i> Hook. f.</u> = <u><i>Vasconcellea pubescens</i> A. DC.</u>	Caricaceae	<u>CARIC PUB</u>
<u><i>Carica papaya</i> L.</u>	Caricaceae	<u>CARIC PAP</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Carica pubescens</i> Lenné & K. Koch</u> = <u><i>Vasconcellea pubescens</i> A. DC.</u>	Caricaceae	<u>CARIC_PUB</u>
<u><i>Carlina acaulis</i> L.</u>	Asteraceae [Compositae]	<u>CARLI_ACA</u>
<u><i>Carludovica palmata</i> Ruiz & Pav.</u>	Cyclanthaceae	<u>CARLU_PAL</u>
<u><i>Carnegiea gigantea</i> (Engelm.) Britton & Rose</u> (Synonym: <i>Cereus giganteus</i> Engelm.)	Cactaceae	<u>CARNE_GIG</u>
<u><i>Carpinus betulus</i> L.</u>	Betulaceae	<u>CARPI_BET</u>
<u><i>Carthamus glaucus</i> M. Bieb.</u>	Asteraceae [Compositae]	<u>CARTH_GLA</u>
<u><i>Carthamus lanatus</i> L.</u>	Asteraceae [Compositae]	<u>CARTH_LAN</u>
<u><i>Carthamus leucocaulos</i> Sm.</u>	Asteraceae [Compositae]	<u>CARTH_LEU</u>
<u><i>Carthamus oxyacantha</i> M. Bieb.</u>	Asteraceae [Compositae]	<u>CARTH_OXY</u>
<u><i>Carthamus tinctorius</i> L.</u>	Asteraceae [Compositae]	<u>CARTH_TIN</u>
<u><i>Carum carvi</i> L.</u>	Apiaceae [Umbelliferae]	<u>CARUM_CAR</u>
<u><i>Carya glabra</i> (Mill.) Sweet</u>	Juglandaceae	<u>CARYA_GLA</u>
<u><i>Carya illinoensis</i> (Wangenh.) K. Koch</u>	Juglandaceae	<u>CARYA_ILL</u>
<u><i>Carya ovata</i> (Mill.) K. Koch</u>	Juglandaceae	<u>CARYA_OVA</u>
<u><i>Carya tomentosa</i> (Lam.) Nutt.</u>	Juglandaceae	<u>CARYA_TOM</u>
<u><i>Caryopteris incana</i> (Thunb. ex Houtt.) Miq.</u>	Lamiaceae [Labiatae]	<u>CARYO_INC</u>
<u><i>Cassia alata</i> L.</u> = <u><i>Senna alata</i> (L.) Roxb.</u>	Fabaceae [Leguminosae]	<u>SENNA_ALA</u>
<u><i>Cassia fistula</i> L.</u>	Fabaceae [Leguminosae]	<u>CASIA_FIS</u>
<u><i>Cassia grandis</i> L. f.</u>	Fabaceae [Leguminosae]	<u>CASIA_GRA</u>
<u><i>Cassia retusa</i> Vogel</u> = <u><i>Senna gaudichaudii</i> (Hook. & Arn.) H. S. Irwin & Barneby</u>	Fabaceae [Leguminosae]	<u>CASIA_RET</u>
<u><i>Cassia rotundifolia</i> Pers.</u> = <u><i>Chamaecrista rotundifolia</i> (Pers.) Greene</u>	Fabaceae [Leguminosae]	<u>CHMCR_ROT</u>
<u><i>Cassia siamea</i> Lam.</u> = <u><i>Senna siamea</i> (Lam.) H. S. Irwin & Barneby</u>	Fabaceae [Leguminosae]	<u>SENNA_SIA</u>
<u><i>Cassia tora</i> L.</u> = <u><i>Senna tora</i> (L.) Roxb.</u>	Fabaceae [Leguminosae]	<u>SENNA_TOR</u>
<u><i>Cassytha filiformis</i> L.</u>	Lauraceae	<u>CASYT_FIL</u>
<u><i>Castalis traqus</i> (Aiton) Norl.</u> = <u><i>Dimorphotheca traqus</i> (Aiton) DC.</u>	Asteraceae [Compositae]	<u>DIMOR_TRA</u>
<u><i>Castanea sativa</i> Mill.</u>	Fagaceae	<u>CASTA_SAT</u>
<u><i>Castanopsis hystrix</i> Miq.</u> = <u><i>Castanopsis purpurella</i> (Miq.) N. P. Balakr.</u>	Fagaceae	<u>CASTP_HYS</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Castanopsis purpurella (Miq.) N. P. Balakr.</u> (Synonym: <i>Castanopsis hystrix</i> Miq.)	Fagaceae	CASTP_HYS
<u>Casuarina cunninghamiana</u> Miq.	Casuarinaceae	CASUA_CUN
<u>Casuarina equisetifolia</u> L.	Casuarinaceae	CASUA_EQU
<u>Catalpa</u>	Bignoniaceae	CATAL
<u>Catananche caerulea</u> L.	Asteraceae [Compositae]	CATAN_CAE
<u>Catharanthus roseus (L.) G. Don</u>	Apocynaceae	CATHA_ROS
<u>Cedrela odorata</u> L.	Meliaceae	CEDRE_ODO
<u>Cedrus atlantica (Endl.) G. Manetti ex Carrière</u>	Pinaceae	CEDRU_ATL
<u>Cedrus deodara (Roxb. ex D. Don) G. Don</u>	Pinaceae	CEDRU_DEO
<u>Cedrus libani</u> A. Rich.	Pinaceae	CEDRU_LIB
<u>Ceiba pentandra (L.) Gaertn.</u>	Malvaceae (Bombacaceae)	CEIBA_PEN
<u>Celastrus orbiculatus</u> Thunb.	Celastraceae	CELAS_ORB
<u>Celastrus scandens</u> L.	Celastraceae	CELAS_SCA
<u>Celosia argentea</u> L.	Amaranthaceae	CELOS_ARG
<u>Cenchrus americanus (L.) Morrone</u> = <u>Pennisetum glaucum (L.) R. Br.</u>	Poaceae [Gramineae]	CENCH_AME
<u>Cenchrus biflorus</u> Roxb.	Poaceae [Gramineae]	CENCH_BIF
<u>Cenchrus caudatus (Schrud.) Kuntze</u> = <u>Pennisetum macrourum</u> Trin.	Poaceae [Gramineae]	CENCH_CAU
<u>Cenchrus ciliaris</u> L. (Synonym: <i>Pennisetum ciliare</i> (L.) Link)	Poaceae [Gramineae]	CENCH_CIL
<u>Cenchrus clandestinus (Hochst. ex Chiov.) Morrone</u> = <u>Pennisetum clandestinum</u> Hochst. ex Chiov.	Poaceae [Gramineae]	CENCH_CLA
<u>Cenchrus echinatus</u> L.	Poaceae [Gramineae]	CENCH_ECH
<u>Cenchrus gracillimus</u> Nash	Poaceae [Gramineae]	CENCH_GRA
<u>Cenchrus incertus</u> M. A. Curtis = <u>Cenchrus spinifex</u> Cav.	Poaceae [Gramineae]	CENCH_INC
<u>Cenchrus longisetus</u> M. C. Johnst. = <u>Pennisetum villosum</u> R. Br. ex Fresen.	Poaceae [Gramineae]	CENCH_LNG
<u>Cenchrus longispinus (Hack.) Fernald</u>	Poaceae [Gramineae]	CENCH_LON
<u>Cenchrus pauciflorus</u> Benth. = <u>Cenchrus spinifex</u> Cav.	Poaceae [Gramineae]	CENCH_INC
<u>Cenchrus pedicellatus (Trin.) Morrone</u> = <u>Pennisetum pedicellatum</u> Trin.	Poaceae [Gramineae]	CENCH_PDI
<u>Cenchrus polystachios</u> auct. mult., non (L.) Morrone = <u>Pennisetum setosum (Sw.) Rich.</u>	Poaceae [Gramineae]	CENCH_POL

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Cenchrus polystachios</i> auct. mult., non (L.) Morrone subsp. <i>setosus</i> (Sw.) P. M. Peterson & Y. Herrera</u> = <u><i>Pennisetum setosum</i> (Sw.) Rich.</u>	Poaceae [Gramineae]	CENCH_POL
<u><i>Cenchrus purpureus</i> (Schumach.) Morrone</u> = <u><i>Pennisetum purpureum</i> Schumach.</u>	Poaceae [Gramineae]	CENCH_PUR
<u><i>Cenchrus setaceus</i> (Forssk.) Morrone</u> = <u><i>Pennisetum setaceum</i> (Forssk.) Chiov.</u>	Poaceae [Gramineae]	CENCH_SET
<u><i>Cenchrus setigerus</i> Vahl</u>	Poaceae [Gramineae]	CENCH_SET
<u><i>Cenchrus setosus</i> Sw.</u> = <u><i>Pennisetum setosum</i> (Sw.) Rich.</u>	Poaceae [Gramineae]	CENCH_POL
<u><i>Cenchrus spinifex</i> Cav.</u> (Synonym: <i>Cenchrus incertus</i> M. A. Curtis; <i>Cenchrus pauciflorus</i> Benth.)	Poaceae [Gramineae]	CENCH_INC
<u><i>Cenchrus tribuloides</i> L.</u>	Poaceae [Gramineae]	CENCH_TRI
<u><i>Centaurea americana</i> Nutt.</u> = <u><i>Plectocephalus americana</i> (Nutt.) D. Don</u>	Asteraceae [Compositae]	CENTA_AME
<u><i>Centaurea benedicta</i> (L.) L.</u> (Synonym: <i>Cnicus benedictus</i> L.)	Asteraceae [Compositae]	CENTA_BEN
<u><i>Centaurea calcitrapa</i> L.</u>	Asteraceae [Compositae]	CENTA_CAL
<u><i>Centaurea candidissima</i> hort., non Lam.</u> = <u><i>Centaurea raqusina</i> L.</u>	Asteraceae [Compositae]	CENTA_RAG
<u><i>Centaurea cineraria</i> L.</u>	Asteraceae [Compositae]	CENTA_CIN
<u><i>Centaurea cyanus</i> L.</u>	Asteraceae [Compositae]	CENTA_CYA
<u><i>Centaurea dealbata</i> Willd.</u> = <u><i>Psephellus dealbatus</i> (Willd.) K. Koch</u>	Asteraceae [Compositae]	CENTA_DEA
<u><i>Centaurea diffusa</i> Lam.</u>	Asteraceae [Compositae]	CENTA_DIF
<u><i>Centaurea gymnocarpa</i> Moris & De Not.</u>	Asteraceae [Compositae]	CENTA_GYM
<u><i>Centaurea iberica</i> Trevir. ex Spreng.</u>	Asteraceae [Compositae]	CENTA_IBE
<u><i>Centaurea imperialis</i> Hausskn. ex Bornm.</u>	Asteraceae [Compositae]	CENTA_IMP
<u><i>Centaurea imperialis</i> hort., non Hausskn. ex Bornm.</u> = <u><i>Amberboa moschata</i> (L.) DC.</u>	Asteraceae [Compositae]	AMBER_MOS
<u><i>Centaurea macrocephala</i> Muss. Puschk. ex Willd.</u>	Asteraceae [Compositae]	CENTA_MCR
<u><i>Centaurea maculosa</i> auct. Amer., non Lam.</u> included in <u><i>Centaurea stoebe</i> L.</u>	Asteraceae [Compositae]	CENTA_STO
<u><i>Centaurea melitensis</i> L.</u>	Asteraceae [Compositae]	CENTA_MEL
<u><i>Centaurea montana</i> L.</u>	Asteraceae [Compositae]	CENTA_MON
<u><i>Centaurea moschata</i> L.</u> = <u><i>Amberboa moschata</i> (L.) DC.</u>	Asteraceae [Compositae]	AMBER_MOS

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Centaurea pallescens</i> Delile</u>	Asteraceae [Compositae]	<u>CENTA PAL</u>
<u><i>Centaurea picris</i> Pall. ex Willd.</u> = <u><i>Rhaponticum repens</i> (L.) Hidalgo</u>	Asteraceae [Compositae]	<u>ACROP REP</u>
<u><i>Centaurea ragusina</i> L.</u> (Synonym: <i>Centaurea candidissima</i> hort., non Lam.)	Asteraceae [Compositae]	<u>CENTA RAG</u>
<u><i>Centaurea scabiosa</i> L.</u>	Asteraceae [Compositae]	<u>CENTA SCA</u>
<u><i>Centaurea solstitialis</i> L.</u>	Asteraceae [Compositae]	<u>CENTA SOL</u>
<u><i>Centaurea squarrosa</i> Willd., non Roth</u> included in <u><i>Centaurea virgata</i> Lam.</u>	Asteraceae [Compositae]	<u>CENTA VIR SQU</u>
<u><i>Centaurea stoebe</i> L.</u> (Including: <i>Centaurea maculosa</i> auct. Amer., non Lam.)	Asteraceae [Compositae]	<u>CENTA STO</u>
<u><i>Centaurea virgata</i> Lam.</u> (Including: <i>Centaurea squarrosa</i> Willd., non Roth)	Asteraceae [Compositae]	<u>CENTA VIR</u>
<u><i>Centrapalus pauciflorus</i> (Willd.) H. Rob.</u> (Synonym: <i>Vernonia galamensis</i> (Cass.) Less.)	Asteraceae [Compositae]	<u>VERNO GAL</u>
<u><i>Centrosema macrocarpum</i> Benth.</u>	Fabaceae [Leguminosae]	<u>CNTRS MAC</u>
<u><i>Centrosema molle</i> Mart. ex Benth.</u> (Synonym: <i>Centrosema pubescens</i> auct., non Benth.)	Fabaceae [Leguminosae]	<u>CNTRS PUB</u>
<u><i>Centrosema pascuorum</i> Mart. ex Benth.</u>	Fabaceae [Leguminosae]	<u>CNTRS PAS</u>
<u><i>Centrosema plumieri</i> (Turpin ex Pers.) Benth.</u>	Fabaceae [Leguminosae]	<u>CNTRS PLU</u>
<u><i>Centrosema pubescens</i> auct., non Benth.</u> = <u><i>Centrosema molle</i> Mart. ex Benth.</u>	Fabaceae [Leguminosae]	<u>CNTRS PUB</u>
<u><i>Cephaelis ipecacuanha</i> (Brot.) Willd.</u> = <u><i>Carapichea ipecacuanha</i> (Brot.) L. Andersson</u>	Rubiaceae	<u>CPHLS IPE</u>
<u><i>Cephalaria syriaca</i> (L.) Roem. & Schult.</u>	Caprifoliaceae (Dipsacaceae)	<u>CPHLR SYR</u>
<u><i>Cephalocereus dybowski</i> (Rol.-Goss.) Britton & Rose</u> = <u><i>Espostoopsis dybowski</i> (Rol.-Goss.) Buxb.</u>	Cactaceae	<u>AUSTR DYB</u>
<u><i>Cephalocereus senilis</i> (Haw.) Pfeiff.</u>	Cactaceae	<u>CPHLC SEN</u>
<u><i>Cerastium arvense</i> L.</u>	Caryophyllaceae	<u>CERAS ARV</u>
<u><i>Cerastium tomentosum</i> L.</u>	Caryophyllaceae	<u>CERAS TOM</u>
<u><i>Cerasus prostrata</i> (Labill.) Ser.</u> = <u><i>Prunus prostrata</i> Labill.</u>	Rosaceae	<u>PRUNU PRO</u>
<u><i>Cerasus vulgaris</i> Mill.</u> = <u><i>Prunus cerasus</i> L.</u>	Rosaceae	<u>PRUNU CSS</u>
<u><i>Ceratonia siliqua</i> L.</u>	Fabaceae [Leguminosae]	<u>CERTN SIL</u>
<u><i>Ceratophyllum demersum</i> L.</u>	Ceratophyllaceae	<u>CERTP DEM</u>
<u><i>Ceratostigma plumbaginoides</i> Bunge</u>	Plumbaginaceae	<u>CERTS PLU</u>
<u><i>Cereus giganteus</i> Engelm.</u> = <u><i>Carnegiea gigantea</i> (Engelm.) Britton & Rose</u>	Cactaceae	<u>CARNE GIG</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Cestrum aurantiacum</i> Lindl.</u>	Solanaceae	<u>CESTR_AUR</u>
<u><i>Cestrum parqui</i> L'Hér.</u>	Solanaceae	<u>CESTR_PAR</u>
<u><i>Chaerophyllum dasycarpum</i> (J. M. Coult. & Rose) Nutt. ex Bush</u>	Apiaceae [Umbelliferae]	<u>CHAER_DAS</u>
<u><i>Chamaecrista rotundifolia</i> (Pers.) Greene</u> (Synonym: <i>Cassia rotundifolia</i> Pers.)	Fabaceae [Leguminosae]	<u>CHMCR_ROT</u>
<u><i>Chamaecyparis lawsoniana</i> (A. Murray bis) Parl.</u>	Cupressaceae	<u>CHMCP_LAW</u>
<u><i>Chamaecyparis nootkatensis</i> (D. Don) Spach</u> = <u><i>Cupressus nootkatensis</i> D. Don</u>	Cupressaceae	<u>CUPRE_NOO</u>
<u><i>Chamaecyparis obtusa</i> (Siebold & Zucc.) Endl.</u>	Cupressaceae	<u>CHMCP_OBT</u>
<u><i>Chamaecyparis pisifera</i> (Siebold & Zucc.) Endl.</u>	Cupressaceae	<u>CHMCP_PIS</u>
<u><i>Chamaecyparis thyoides</i> (L.) Britton et al.</u>	Cupressaceae	<u>CHMCP_THY</u>
<u><i>Chamaedorea cataractarum</i> Mart.</u>	Arecaceae [Palmae]	<u>CHMDR_CAT</u>
<u><i>Chamaedorea elegans</i> Mart.</u> (Synonym: <i>Neanthe bella</i> hort.)	Arecaceae [Palmae]	<u>CHMDR_ELE</u>
<u><i>Chamaedorea seifrizii</i> Burret</u>	Arecaceae [Palmae]	<u>CHMDR_SEI</u>
<u><i>Chamaemelum nobile</i> (L.) All.</u>	Asteraceae [Compositae]	<u>CHMML_NOB</u>
<u><i>Chamaerops excelsa</i> hort., non Thunb.</u> = <u><i>Trachycarpus fortunei</i> (Hook.) H. Wendl.</u>	Arecaceae [Palmae]	<u>TRCYC_FOR</u>
<u><i>Chamomilla recutita</i> (L.) Rauschert</u> = <u><i>Matricaria chamomilla</i> L.</u>	Asteraceae [Compositae]	<u>MATRI_REC</u>
<u><i>Chaptalia nutans</i> (L.) Pol.</u>	Asteraceae [Compositae]	<u>CHAPT_NUT</u>
<u><i>Cheiranthus</i> × <i>allionii</i> hort.</u> = <u><i>Erysimum</i> × <i>marshallii</i> (Henfr.) Bois</u>	Brassicaceae [Cruciferae]	<u>ERYSI_ALL</u>
<u><i>Cheiranthus cheiri</i> L.</u> = <u><i>Erysimum cheiri</i> (L.) Crantz</u>	Brassicaceae [Cruciferae]	<u>ERYSI_CHI</u>
<u><i>Cheiranthus maritimus</i> L.</u> = <u><i>Malcolmia maritima</i> (L.) W. T. Aiton</u>	Brassicaceae [Cruciferae]	<u>ERYSI_ALL</u>
<u><i>Chelidonium majus</i> L.</u>	Papaveraceae	<u>CHELI_MAJ</u>
<u><i>Chelone barbata</i> Cav.</u> = <u><i>Penstemon barbatus</i> (Cav.) Roth</u>	Plantaginaceae (Scrophulariaceae)	<u>PENST_BAR</u>
<u><i>Chenopodium hybridum</i> (L.) S. Fuentes et al.</u> = <u><i>Chenopodium hybridum</i> L.</u>	Chenopodiaceae (Amaranthaceae)	<u>CHENO_HYB</u>
<u><i>Chenopodium murale</i> (L.) S. Fuentes et al.</u> = <u><i>Chenopodium murale</i> L.</u>	Chenopodiaceae (Amaranthaceae)	<u>CHENO_MUR</u>
<u><i>Chenopodium album</i> L.</u>	Chenopodiaceae (Amaranthaceae)	<u>CHENO_ALB</u>
<u><i>Chenopodium ambrosioides</i> L.</u> = <u><i>Dysphania ambrosioides</i> (L.) Mosyakin & Clemants</u>	Chenopodiaceae (Amaranthaceae)	<u>CHENO_AMB</u>
<u><i>Chenopodium ficifolium</i> Sm.</u>	Chenopodiaceae (Amaranthaceae)	<u>CHENO_FIC</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Chenopodium hybridum L.</u> (Synonym: <i>Chenopodiastrum hybridum</i> (L.) S. Fuentes et al.)	Chenopodiaceae (Amaranthaceae)	<u>CHENO_HYB</u>
<u>Chenopodium murale L.</u> (Synonym: <i>Chenopodiastrum murale</i> (L.) S. Fuentes et al.)	Chenopodiaceae (Amaranthaceae)	<u>CHENO_MUR</u>
<u>Chenopodium pallidicaule Aellen</u>	Chenopodiaceae (Amaranthaceae)	<u>CHENO_PAL</u>
<u>Chenopodium quinoa Willd.</u>	Chenopodiaceae (Amaranthaceae)	<u>CHENO_QUI</u>
<u>Chionodoxa luciliae Boiss.</u> (Synonym: <i>Scilla luciliae</i> (Boiss.) Speta)	Asparagaceae (Hyacinthaceae)	<u>CHION_LUC</u>
<u>Chionodoxa sardensis Whittall ex Barr & Sugden</u> (Synonym: <i>Scilla sardensis</i> (Whittall ex Barr & Sugden) Speta)	Asparagaceae (Hyacinthaceae)	<u>CHION_SAR</u>
<u>Chloranthus glaber (Thunb.) Makino</u> = <u>Sarcandra glabra (Thunb.) Nakai</u>	Chloranthaceae	<u>SARCA_GLA</u>
<u>Chloris divaricata R. Br.</u>	Poaceae [Gramineae]	<u>CHLRS_DIV</u>
<u>Chloris gayana Kunth</u>	Poaceae [Gramineae]	<u>CHLRS_GAY</u>
<u>Chlorocardium rodiei (M. R. Schomb.) Rohwer et al.</u> (Synonym: <i>Ocotea rodiei</i> (M. R. Schomb.) Mez)	Lauraceae	<u>OCOTE_ROD</u>
<u>Chloroxylon swietenia DC.</u>	Rutaceae	<u>CHLRX_SWI</u>
<u>Chondrilla juncea L.</u>	Asteraceae [Compositae]	<u>CHOND_JUN</u>
<u>Chorispora tenella (Pall.) DC.</u>	Brassicaceae [Cruciferae]	<u>CHORS_TEN</u>
<u>Chromolaena odorata (L.) R. M. King & H. Rob.</u> (Synonym: <i>Eupatorium odoratum</i> L.)	Asteraceae [Compositae]	<u>EUPAT_ODO</u>
<u>Chrozophora plicata (Vahl) A. Juss. ex Spreng.</u>	Euphorbiaceae	<u>CHROZ_PLI</u>
<u>Chrysalidocarpus lutescens H. Wendl.</u> = <u>Dypsis lutescens (H. Wendl.) Beentje & J. Dransf.</u>	Arecaceae [Palmae]	<u>CHRSL_LUT</u>
<u>Chrysanthemum achilleifolium (M. Bieb.) Kuntze</u> = <u>Tanacetum achilleifolium (M. Bieb.) Sch. Bip.</u>	Asteraceae [Compositae]	<u>TANAC_ACH</u>
<u>Chrysanthemum carinatum Schousb.</u> = <u>Glebionis carinata (Schousb.) Tzvelev</u>	Asteraceae [Compositae]	<u>GLEBI_CAR</u>
<u>Chrysanthemum cinerariifolium (Trevir.) Vis.</u> = <u>Tanacetum cinerariifolium (Trevir.) Sch. Bip.</u>	Asteraceae [Compositae]	<u>TANAC_CIN</u>
<u>Chrysanthemum coccineum Willd.</u> = <u>Tanacetum coccineum (Willd.) Grierson</u>	Asteraceae [Compositae]	<u>TANAC_COC</u>
<u>Chrysanthemum coronarium L.</u> = <u>Glebionis coronaria (L.) Cass. ex Spach</u>	Asteraceae [Compositae]	<u>GLEBI_COR</u>
<u>Chrysanthemum frutescens L.</u> = <u>Argyranthemum frutescens (L.) Sch. Bip.</u>	Asteraceae [Compositae]	<u>ARGYR_FRU</u>
<u>Chrysanthemum indicum L.</u> (Synonym: <i>Dendranthema indicum</i> (L.) Des Moul.)	Asteraceae [Compositae]	<u>CHRYS_IND</u>
<u>Chrysanthemum leucanthemum L.</u> = <u>Leucanthemum vulgare Lam.</u>	Asteraceae [Compositae]	<u>LEUCA_VUL</u>
<u>Chrysanthemum maximum hort., non Ramond</u> = <u>Leucanthemum × superbum (Bergmans ex J. W. Ingram) D. H. Kent</u>	Asteraceae [Compositae]	<u>LEUCA_SUP</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Chrysanthemum maximum</i> Ramond</u> = <u><i>Leucanthemum maximum</i> (Ramond) DC.</u>	Asteraceae [Compositae]	LEUCA_MAX
<u><i>Chrysanthemum</i> × <i>morifolium</i> Ramat.</u> (Synonyms: <i>Dendranthema</i> × <i>grandiflorum</i> (Ramat.) Kitam.; <i>Dendranthema</i> × <i>morifolium</i> (Ramat.) Tzvelev)	Asteraceae [Compositae]	CHRYS_MOR
<u><i>Chrysanthemum multicaule</i> Desf.</u> = <u><i>Coleostephus multicaulis</i> (Desf.) Durieu</u>	Asteraceae [Compositae]	COLEO_MUL
<u><i>Chrysanthemum nivellei</i> hort., non Braun-Blang. & Maire</u> = <u><i>Heteranthemis viscidehirta</i> Schott</u>	Asteraceae [Compositae]	HTRNT_VIS
<u><i>Chrysanthemum paludosum</i> Poir.</u> = <u><i>Mauranthemum paludosum</i> (Poir.) Vogt & Oberpr.</u>	Asteraceae [Compositae]	LEUCA_PAL
<u><i>Chrysanthemum parthenium</i> (L.) Bernh.</u> = <u><i>Tanacetum parthenium</i> (L.) Sch. Bip.</u>	Asteraceae [Compositae]	TANAC_PTN
<u><i>Chrysanthemum segetum</i> L.</u> = <u><i>Glebionis segetum</i> (L.) Fourr.</u>	Asteraceae [Compositae]	CHRYS_SEG
<u><i>Chrysojasminum humile</i> (L.) Banfi</u> (Synonyms: <i>Jasminum humile</i> L.; <i>Jasminum wallichianum</i> Lindl.)	Oleaceae	JASMI_HUM
<u><i>Chrysolaela flexuosa</i> (Sims) H. Rob.</u> (Synonym: <i>Vernonia flexuosa</i> Sims)	Asteraceae [Compositae]	VERNO_FLE
<u><i>Chrysophyllum cainito</i> L.</u>	Sapotaceae	CHRSP_CAI
<u><i>Chrysopogon aciculatus</i> (Retz.) Trin.</u>	Poaceae [Gramineae]	CHRPG_ACI
<u><i>Chrysopogon zizanioides</i> (L.) Roberty</u> (Synonym: <i>Vetiveria zizanioides</i> (L.) Nash)	Poaceae [Gramineae]	CHRPG_ZIZ
<u><i>Cicer arietinum</i> L.</u>	Fabaceae [Leguminosae]	CICER_ARI
<u><i>Cichorium endivia</i> L.</u>	Asteraceae [Compositae]	CICHO_END
<u><i>Cichorium intybus</i> L.</u>	Asteraceae [Compositae]	CICHO_INT
<u><i>Cinchona calisaya</i> Wedd.</u> (Synonym: <i>Cinchona officinalis</i> auct. mult., non L.)	Rubiaceae	CINCH_CAL
<u><i>Cinchona officinalis</i> auct. mult., non L.</u> = <u><i>Cinchona calisaya</i> Wedd.</u>	Rubiaceae	CINCH_CAL
<u><i>Cinchona pitayensis</i> (Wedd.) Wedd.</u>	Rubiaceae	CINCH_PIT
<u><i>Cinchona pubescens</i> Vahl</u>	Rubiaceae	CINCH_PUB
<u><i>Cineraria lyratiformis</i> Cron</u>	Asteraceae [Compositae]	CINER_LYR
<u><i>Cinnamomum micranthum</i> (Hayata) Hayata</u>	Lauraceae	CINNA_MIC
<u><i>Cinnamomum verum</i> J. Presl</u> (Synonym: <i>Cinnamomum zeylanicum</i> Blume)	Lauraceae	CINNA_VER
<u><i>Cinnamomum zeylanicum</i> Blume</u> = <u><i>Cinnamomum verum</i> J. Presl</u>	Lauraceae	CINNA_VER
<u><i>Cirsium arvense</i> (L.) Scop.</u>	Asteraceae [Compositae]	CIRSI_ARV
<u><i>Cirsium palustre</i> (L.) Scop.</u>	Asteraceae [Compositae]	CIRSI_PAL

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Cirsium vulgare</i> (Savi) Ten.</u>	Asteraceae [Compositae]	CIRSI_VUL
<u><i>Citrullus lanatus</i> (Thunb.) Matsum. & Nakai</u> (Synonym: <i>Citrullus vulgaris</i> Schrad.)	Cucurbitaceae	CTRLS_LAN
<u><i>Citrullus naudinianus</i> (Sond.) Hook. f.</u> (Synonym: <i>Acanthosicyos naudinianus</i> (Sond.) C. Jeffrey)	Cucurbitaceae	CTRLS_NAU
<u><i>Citrullus vulgaris</i> Schrad.</u> = <u><i>Citrullus lanatus</i> (Thunb.) Matsum. & Nakai</u>	Cucurbitaceae	CTRLS_LAN
<u><i>Citrus × aurantiifolia</i> (Christm.) Swingle</u> [<i>C. medica</i> L. × <i>C. micrantha</i> Wester]	Rutaceae	CITRU_AUR
<u><i>Citrus japonica</i> Thunb.</u> (Synonyms: <i>Fortunella hindsii</i> (Champ. ex Benth.) Swingle; <i>Fortunella japonica</i> (Thunb.) Swingle; <i>Fortunella margarita</i> (Lour.) Swingle)	Rutaceae	FORTU_JAP
<u><i>Citrus × limon</i> (L.) Osbeck</u> [<i>C. × aurantium</i> L. [= <i>C. maxima</i> (Burm.) Merr. × <i>C. reticulata</i> Blanco] × <i>C. medica</i> L.]	Rutaceae	CITRU_LIM
<u><i>Citrus medica</i> L.</u>	Rutaceae	CITRU_MED
<u><i>Citrus × paradisi</i> Macfad.</u> [<i>C. × aurantium</i> Grapefruit Group] [<i>C. maxima</i> (Burm.) Merr. × <i>C. × sinensis</i> (L.) Osbeck]	Rutaceae	CITRU_PAR
<u><i>Citrus reticulata</i> Blanco</u>	Rutaceae	CITRU_RET
<u><i>Citrus × sinensis</i> (L.) Osbeck</u> [<i>C. × aurantium</i> Sweet Orange Group]	Rutaceae	CITRU_SIN
<u><i>Clarkia amoena</i> (Lehm.) A. Nelson & J. F. Macbr.</u> (Synonym: <i>Godetia amoena</i> (Lehm.) G. Don; including <i>Godetia grandiflora</i> Lindl.)	Onagraceae	CLARK_AMO
<u><i>Clarkia elegans</i> Douglas ex Lindl., non Poir.</u> = <u><i>Clarkia unguiculata</i> Lindl.</u>	Onagraceae	CLARK_UNG
<u><i>Clarkia pulchella</i> Pursh</u>	Onagraceae	CLARK_PUL
<u><i>Clarkia unguiculata</i> Lindl.</u> (Synonym: <i>Clarkia elegans</i> Douglas ex Lindl., non Poir.)	Onagraceae	CLARK_UNG
<u><i>Claytonia perfoliata</i> Donn ex Willd.</u> (Synonym: <i>Montia perfoliata</i> (Donn ex Willd.) Howell)	Montiaceae	CLAYT_PER
<u><i>Clematis patens</i> C. Morren & Decne.</u>	Ranunculaceae	CLEMA_PAT
<u><i>Cleome gynandra</i> L.</u> = <u><i>Gynandropsis gynandra</i> (L.) Briq.</u>	Cleomaceae	GYNAN_GYN
<u><i>Cleome hassleriana</i> Chodat</u> = <u><i>Tarenaya houtteana</i> (Schltdl.) Soares Neto & Roalson</u>	Cleomaceae	CLEOM_HAS
<u><i>Cleome pungens</i> auct., non Willd.</u> = <u><i>Tarenaya houtteana</i> (Schltdl.) Soares Neto & Roalson</u>	Cleomaceae	TARNY_HAS
<u><i>Cleome spinosa</i> auct., non Jacq.</u> = <u><i>Tarenaya houtteana</i> (Schltdl.) Soares Neto & Roalson</u>	Cleomaceae	TARNY_HAS
<u><i>Cleome viscosa</i> L.</u> = <u><i>Arivela viscosa</i> (L.) Raf.</u>	Cleomaceae	ARIVE_VIS
<u><i>Cleretum bellidiforme</i> (Burm. f.) G. D. Rowley</u> (Synonyms: <i>Dorotheanthus bellidiformis</i> (Burm. f.) N. E. Br.; <i>Mesembryanthemum criniflorum</i> L. f.)	Aizoaceae	DOROT_BEL

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Clethra acuminata</i> Michx.</u>	Clethraceae	<u>CLETH ACU</u>
<u><i>Clethra alnifolia</i> L.</u>	Clethraceae	<u>CLETH ALN</u>
<u><i>Clethra barbinervis</i> Siebold & Zucc.</u>	Clethraceae	<u>CLETH BAR</u>
<u><i>Clethra fargesii</i> Franch.</u>	Clethraceae	<u>CLETH FAR</u>
<u><i>Clethra tomentosa</i> Lam.</u>	Clethraceae	<u>CLETH ALN TOM</u>
<u><i>Clanthus formosus</i> (G. Don) Ford & Vickery</u> = <u><i>Swainsona formosa</i> (G. Don) Joy Thomps.</u>	Fabaceae [Leguminosae]	<u>SWAIN FOR</u>
<u><i>Clidemia hirta</i> (L.) D. Don</u> = <u><i>Miconia crenata</i> (Vahl) Michelang.</u>	Melastomataceae	<u>CLIDE HIR</u>
<u><i>Clitoria ternatea</i> L.</u>	Fabaceae [Leguminosae]	<u>CLITO TER</u>
<u><i>Cnicus benedictus</i> L.</u> = <u><i>Centaurea benedicta</i> (L.) L.</u>	Asteraceae [Compositae]	<u>CENTA BEN</u>
<u><i>Cobaea scandens</i> Cav.</u>	Polemoniaceae	<u>COBAE SCA</u>
<u><i>Coccinia cordifolia</i> auct., non Cogn.</u> = <u><i>Coccinia grandis</i> (L.) Voigt</u>	Cucurbitaceae	<u>COCCI GRA</u>
<u><i>Coccinia grandis</i> (L.) Voigt</u> (Synonym: <i>Coccinia cordifolia</i> auct., non Cogn.)	Cucurbitaceae	<u>COCCI GRA</u>
<u><i>Coccoloba uvifera</i> (L.) L.</u>	Polygonaceae	<u>COCCO UVI</u>
<u><i>Cochlospermum gossypium</i> (L.) DC.</u> = <u><i>Cochlospermum religiosum</i> (L.) Alston</u>	Bixaceae	<u>COCHL REL</u>
<u><i>Cochlospermum religiosum</i> (L.) Alston</u> (Synonym: <i>Cochlospermum gossypium</i> (L.) DC.)	Bixaceae	<u>COCHL REL</u>
<u><i>Cocos nucifera</i> L.</u>	Arecaceae [Palmae]	<u>COCOS NUC</u>
<u><i>Cocos weddelliana</i> H. Wendl.</u> = <u><i>Syagrus weddelliana</i> (H. Wendl.) Becc.</u>	Arecaceae [Palmae]	<u>MICRC WED</u>
<u><i>Coffea arabica</i> L.</u>	Rubiaceae	<u>COFFE ARA</u>
<u><i>Coffea canephora</i> Pierre ex A. Froehner</u>	Rubiaceae	<u>COFFE CAN</u>
<u><i>Coix lacryma-jobi</i> L.</u>	Poaceae [Gramineae]	<u>COIXX LAC</u>
<u><i>Cola acuminata</i> (P. Beauv.) Schott & Endl.</u>	Malvaceae (Sterculiaceae)	<u>COLAA ACU</u>
<u><i>Cola nitida</i> (Vent.) Schott & Endl.</u>	Malvaceae (Sterculiaceae)	<u>COLAA NIT</u>
<u><i>Colchicum autumnale</i> L.</u>	Colchicaceae	<u>COLCH AUT</u>
<u><i>Colchicum byzantinum</i> Ker Gawl.</u>	Colchicaceae	<u>COLCH BYZ</u>
<u><i>Coldenia procumbens</i> L.</u>	Coldeniaceae (Boraginaceae)	<u>COLDE PRO</u>
<u><i>Coleostephus multicaulis</i> (Desf.) Durieu</u> (Synonym: <i>Chrysanthemum multicaule</i> Desf.)	Asteraceae [Compositae]	<u>COLEO MUL</u>
<u><i>Coleus blumei</i> Benth.</u> = <u><i>Coleus scutellarioides</i> (L.) Benth.</u>	Lamiaceae [Labiatae]	<u>PLECT SCU</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Coleus rotundifolius (Poir.) A. Chev. & Perrot</u> (Synonyms: <i>Plectranthus rotundifolius</i> (Poir.) Spreng.; <i>Solenostemon rotundifolius</i> (Poir.) J. K. Morton)	Lamiaceae [Labiatae]	SOLEN_ROT
<u>Coleus scutellarioides (L.) Benth.</u> (Synonyms: <i>Coleus blumei</i> Benth.; <i>Plectranthus scutellarioides</i> (L.) R. Br.)	Lamiaceae [Labiatae]	PLECT_SCU
<u>Collinsia heterophylla Graham</u>	Plantaginaceae (Scrophulariaceae)	COLLI_HET
<u>Colocasia esculenta (L.) Schott</u>	Araceae	COLOC_ESC
<u>Commelina benghalensis L.</u>	Commelinaceae	COMME_BEN
<u>Commelina virginica L.</u>	Commelinaceae	COMME_VIR
<u>Commiphora erythraea (Ehrenb.) Engl.</u> = <u>Commiphora kataf (Forssk.) Engl.</u>	Burseraceae	COMMI_ERY
<u>Commiphora kataf (Forssk.) Engl.</u> (Synonym: <i>Commiphora erythraea</i> (Ehrenb.) Engl.)	Burseraceae	COMMI_ERY
<u>Conium maculatum L.</u>	Apiaceae [Umbelliferae]	CONIU_MAC
<u>Consolida ajacis (L.) Schur</u> (Synonyms: <i>Consolida ambigua</i> auct., non P. Ball & Heyw.; <i>Delphinium ajacis</i> L.)	Ranunculaceae	CONSO_AJA
<u>Consolida ambigua</u> auct., non P. Ball & Heyw. = <u>Consolida ajacis (L.) Schur</u>	Ranunculaceae	CONSO_AJA
<u>Consolida regalis Gray</u> (Synonym: <i>Delphinium consolida</i> L.)	Ranunculaceae	CONSO_REG
<u>Convolvulus arvensis L.</u>	Convolvulaceae	CONVO_ARV
<u>Convolvulus sepium L.</u> = <u>Calystegia sepium (L.) R. Br.</u>	Convolvulaceae	CALYS_SEP
<u>Convolvulus tricolor L.</u>	Convolvulaceae	CONVO_TRI
<u>Conyza bonariensis (L.) Cronquist</u> = <u>Erigeron bonariensis L.</u>	Asteraceae [Compositae]	ERIGE_BON
<u>Copaifera epunctata Amshoff</u> (Synonym: <i>Copaifera reticulata</i> Ducke)	Fabaceae [Leguminosae]	COPAI_RET
<u>Copaifera guyanensis Desf.</u>	Fabaceae [Leguminosae]	COPAI_GUY
<u>Copaifera martii Hayne</u>	Fabaceae [Leguminosae]	COPAI_MAR
<u>Copaifera multijuga Hayne</u>	Fabaceae [Leguminosae]	COPAI_MUL
<u>Copaifera reticulata Ducke</u> = <u>Copaifera epunctata Amshoff</u>	Fabaceae [Leguminosae]	COPAI_RET
<u>Corchorus capsularis L.</u>	Malvaceae (Tiliaceae)	CORCH_CAP
<u>Corchorus olitorius L.</u>	Malvaceae (Tiliaceae)	CORCH_OLI
<u>Corchorus tridens L.</u>	Malvaceae (Tiliaceae)	CORCH_TRI
<u>Cordia alliodora (Ruiz & Pav.) Oken</u>	Cordiaceae (Boraginaceae)	CORDI_ALL

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Cordia goeldiana</i> Huber</u>	Cordiaceae (Boraginaceae)	<u>CORDI GOE</u>
<u><i>Cordyline australis</i> (G. Forst.) Endl.</u>	Asparagaceae (Laxmanniaceae)	<u>CORDY AUS</u>
<u><i>Cordyline fruticosa</i> (L.) A. Chev.</u> (Synonym: <i>Cordyline terminalis</i> Kunth)	Asparagaceae (Laxmanniaceae)	<u>CORDY FRU</u>
<u><i>Cordyline indivisa</i> (G. Forst.) Steud.</u>	Asparagaceae (Laxmanniaceae)	<u>CORDY IND</u>
<u><i>Cordyline terminalis</i> Kunth</u> = <u><i>Cordyline fruticosa</i> (L.) A. Chev.</u>	Asparagaceae (Laxmanniaceae)	<u>CORDY FRU</u>
<u><i>Coreopsis basalis</i> (A. Dietr.) S. F. Blake</u> (Synonym: <i>Coreopsis drummondii</i> (D. Don) Torr. & A. Gray)	Asteraceae [Compositae]	<u>COREO BAS</u>
<u><i>Coreopsis cardaminifolia</i> (DC.) Nutt.</u> = <u><i>Coreopsis tinctoria</i> Nutt.</u>	Asteraceae [Compositae]	<u>COREO TIN</u>
<u><i>Coreopsis drummondii</i> (D. Don) Torr. & A. Gray</u> = <u><i>Coreopsis basalis</i> (A. Dietr.) S. F. Blake</u>	Asteraceae [Compositae]	<u>COREO BAS</u>
<u><i>Coreopsis grandiflora</i> Hogg ex Sweet</u>	Asteraceae [Compositae]	<u>COREO GRA</u>
<u><i>Coreopsis lanceolata</i> L.</u>	Asteraceae [Compositae]	<u>COREO LAN</u>
<u><i>Coreopsis maritima</i> (Nutt.) Hook. f.</u>	Asteraceae [Compositae]	<u>COREO MAR</u>
<u><i>Coreopsis nuecensis</i> A. Heller</u>	Asteraceae [Compositae]	<u>COREO NUE</u>
<u><i>Coreopsis tinctoria</i> Nutt.</u> (Synonym: <i>Coreopsis cardaminifolia</i> (DC.) Nutt.)	Asteraceae [Compositae]	<u>COREO TIN</u>
<u><i>Coriandrum sativum</i> L.</u>	Apiaceae [Umbelliferae]	<u>CORIA SAT</u>
<u><i>Cornus alba</i> L.</u> (Including: <i>Cornus sibirica</i> hort. ex Raf.)	Cornaceae	<u>CORNU ALB</u>
<u><i>Cornus controversa</i> Hemsl.</u>	Cornaceae	<u>CORNU CON</u>
<u><i>Cornus florida</i> L.</u>	Cornaceae	<u>CORNU FLO</u>
<u><i>Cornus kousa</i> Bürger ex Hance</u>	Cornaceae	<u>CORNU KOU</u>
<u><i>Cornus mas</i> L.</u>	Cornaceae	<u>CORNU MAS</u>
<u><i>Cornus nuttallii</i> Audubon</u>	Cornaceae	<u>CORNU NUT</u>
<u><i>Cornus sanguinea</i> L.</u>	Cornaceae	<u>CORNU SAN</u>
<u><i>Cornus sericea</i> L. subsp. <i>sericea</i></u>	Cornaceae	<u>CORNU SER SER</u>
<u><i>Cornus sibirica</i> hort. ex Raf.</u> included in <u><i>Cornus alba</i> L.</u>	Cornaceae	<u>CORNU ALB</u>
<u><i>Coronilla scorpioides</i> (L.) W. D. J. Koch</u>	Fabaceae [Leguminosae]	<u>CORON SCO</u>
<u><i>Coronilla varia</i> L.</u> = <u><i>Securigera varia</i> (L.) Lassen</u>	Fabaceae [Leguminosae]	<u>CORON VAR</u>
<u><i>Cortaderia selloana</i> (Schult. & Schult. f.) Asch. & Graebn.</u>	Poaceae [Gramineae]	<u>CORTA SEL</u>
<u><i>Corylus avellana</i> L.</u>	Betulaceae	<u>CRYLS AVE</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Corylus maxima</i> Mill.</u>	Betulaceae	<u>CRYLS AVE</u>
<u><i>Corymbia citriodora</i> (Hook.) K. D. Hill & L. A. S. Johnson</u> (Synonym: <i>Eucalyptus citriodora</i> Hook.)	Myrtaceae	<u>CORYM CIT</u>
<u><i>Corymbia ficifolia</i> (F. Muell.) K. D. Hill & L. A. S. Johnson</u> (Synonym: <i>Eucalyptus ficifolia</i> F. Muell.)	Myrtaceae	<u>CORYM FIC</u>
<u><i>Corymbia maculata</i> (Hook.) K. D. Hill & L. A. S. Johnson</u> (Synonym: <i>Eucalyptus maculata</i> Hook.)	Myrtaceae	<u>CORYM MAC</u>
<u><i>Corynabutilon ochsenii</i> (Phil.) Kearney</u> (Synonym: <i>Abutilon ochsenii</i> (Phil.) Reiche)	Malvaceae	<u>ABUTI OCH</u>
<u><i>Corynabutilon vitifolium</i> (Cav.) Kearney</u> (Synonym: <i>Abutilon vitifolium</i> (Cav.) C. Presl)	Malvaceae	<u>ABUTI VIT</u>
<u><i>Cosmos bipinnatus</i> Cav.</u> (Synonym: <i>Bidens formosa</i> (Bonato) Sch. Bip.)	Asteraceae [Compositae]	<u>COSMO BIP</u>
<u><i>Cosmos sulphureus</i> Cav.</u>	Asteraceae [Compositae]	<u>COSMO SUL</u>
<u><i>Cota austriaca</i> (Jacq.) Sch. Bip.</u> (Synonym: <i>Anthemis austriaca</i> Jacq.)	Asteraceae [Compositae]	<u>ANTHM AUS</u>
<u><i>Cota tinctoria</i> (L.) J. Gay</u> (Synonym: <i>Anthemis tinctoria</i> L.)	Asteraceae [Compositae]	<u>ANTHM TIN</u>
<u><i>Cotoneaster</i></u>	Rosaceae	<u>COTON</u>
<u><i>Crambe abyssinica</i> Hochst. ex R. E. Fr.</u> = <u><i>Crambe hispanica</i> L. subsp. <i>abyssinica</i> (Hochst. ex R. E. Fr.) Prina</u>	Brassicaceae [Cruciferae]	<u>CRAMB ABY</u>
<u><i>Crambe hispanica</i> L. subsp. <i>abyssinica</i> (Hochst. ex R. E. Fr.) Prina</u> (Synonym: <i>Crambe abyssinica</i> Hochst. ex R. E. Fr.)	Brassicaceae [Cruciferae]	<u>CRAMB ABY</u>
<u><i>Crambe maritima</i> L.</u>	Brassicaceae [Cruciferae]	<u>CRAMB MAR</u>
<u><i>Crassocephalum crepidioides</i> (Benth.) S. Moore</u>	Asteraceae [Compositae]	<u>CRSSO CRE</u>
<u><i>Crataegus mollis</i> (Torr. & A. Gray) Scheele</u>	Rosaceae	<u>CRATA MOL</u>
<u><i>Crataegus monogyna</i> Jacq.</u>	Rosaceae	<u>CRATA MON</u>
<u><i>Crepis biennis</i> L.</u>	Asteraceae [Compositae]	<u>CREPI BIE</u>
<u><i>Crepis capillaris</i> (L.) Wallr.</u>	Asteraceae [Compositae]	<u>CREPI CAP</u>
<u><i>Crepis rubra</i> L.</u>	Asteraceae [Compositae]	<u>CREPI RUB</u>
<u><i>Crepis tectorum</i> L.</u>	Asteraceae [Compositae]	<u>CREPI TEC</u>
<u><i>Crescentia cujete</i> L.</u>	Bignoniaceae	<u>CRESC CUJ</u>
<u><i>Crocus sativus</i> L.</u>	Iridaceae	<u>CROCU SAT</u>
<u><i>Crocus speciosus</i> M. Bieb.</u>	Iridaceae	<u>CROCU SPE</u>
<u><i>Crocus tommasinianus</i> Herb.</u>	Iridaceae	<u>CROCU TOM</u>
<u><i>Crossandra infundibuliformis</i> (L.) Nees</u>	Acanthaceae	<u>CROSS INF</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Crotalaria anagyroides</i> Kunth</u> = <u><i>Crotalaria micans</i> Link</u>	Fabaceae [Leguminosae]	<u>CROTA_MIC</u>
<u><i>Crotalaria brevidens</i> Benth.</u> (Including: <i>Crotalaria intermedia</i> Kotschy)	Fabaceae [Leguminosae]	<u>CROTA_BRE</u>
<u><i>Crotalaria breviflora</i> DC.</u>	Fabaceae [Leguminosae]	<u>CROTA_BRV</u>
<u><i>Crotalaria intermedia</i> Kotschy</u> included in <u><i>Crotalaria brevidens</i> Benth.</u>	Fabaceae [Leguminosae]	<u>CROTA_BRE_INT</u>
<u><i>Crotalaria juncea</i> L.</u>	Fabaceae [Leguminosae]	<u>CROTA_JUN</u>
<u><i>Crotalaria lanceolata</i> E. Mey.</u>	Fabaceae [Leguminosae]	<u>CROTA_LAN</u>
<u><i>Crotalaria medicaginea</i> Lam.</u>	Fabaceae [Leguminosae]	<u>CROTA_MED</u>
<u><i>Crotalaria micans</i> Link</u> (Synonym: <i>Crotalaria anagyroides</i> Kunth)	Fabaceae [Leguminosae]	<u>CROTA_MIC</u>
<u><i>Crotalaria mucronata</i> Desv.</u> = <u><i>Crotalaria pallida</i> Aiton</u>	Fabaceae [Leguminosae]	<u>CROTA_PAL</u>
<u><i>Crotalaria ochroleuca</i> G. Don</u>	Fabaceae [Leguminosae]	<u>CROTA_OCH</u>
<u><i>Crotalaria pallida</i> Aiton</u> (Synonym: <i>Crotalaria mucronata</i> Desv.)	Fabaceae [Leguminosae]	<u>CROTA_PAL</u>
<u><i>Crotalaria paulina</i> Schrank</u>	Fabaceae [Leguminosae]	<u>CROTA_PAU</u>
<u><i>Crotalaria spectabilis</i> Roth</u>	Fabaceae [Leguminosae]	<u>CROTA_SPE</u>
<u><i>Croton bonplandianus</i> Baill.</u> (Synonym: <i>Croton sparsiflorus</i> Morong)	Euphorbiaceae	<u>CROTO_BON</u>
<u><i>Croton glandulosus</i> L.</u>	Euphorbiaceae	<u>CROTO_GLA</u>
<u><i>Croton lundianus</i> Müll. Arg.</u>	Euphorbiaceae	<u>CROTO_LUN</u>
<u><i>Croton sparsiflorus</i> Morong</u> = <u><i>Croton bonplandianus</i> Baill.</u>	Euphorbiaceae	<u>CROTO_BON</u>
<u><i>Croton tiglium</i> L.</u>	Euphorbiaceae	<u>CROTO_TIG</u>
<u><i>Crupina vulgaris</i> Cass.</u>	Asteraceae [Compositae]	<u>CRUPI_VUL</u>
<u><i>Crypsis aculeata</i> (L.) Aiton</u> = <u><i>Sporobolus aculeatus</i> (L.) P. M. Peterson</u>	Poaceae [Gramineae]	<u>SPORO_ACU</u>
<u><i>Cryptomeria japonica</i> (L. f.) D. Don</u>	Cupressaceae	<u>CRPTM_JAP</u>
<u><i>Cryptostegia grandiflora</i> R. Br.</u>	Apocynaceae	<u>CRPTG_GRA</u>
<u><i>Cryptotaenia canadensis</i> (L.) DC.</u>	Apiaceae [Umbelliferae]	<u>CRPTT_CAN</u>
<u><i>Cucumis anguria</i> L.</u>	Cucurbitaceae	<u>CUCUM_ANG</u>
<u><i>Cucumis melo</i> L.</u>	Cucurbitaceae	<u>CUCUM_MEL</u>
<u><i>Cucumis myriocarpus</i> Naudin</u>	Cucurbitaceae	<u>CUCUM_MYR</u>
<u><i>Cucumis sativus</i> L.</u>	Cucurbitaceae	<u>CUCUM_SAT</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Cucurbita argyrosperma C. Huber</u> (Synonym: <i>Cucurbita mixta</i> Pangalo)	Cucurbitaceae	CUCUR_ARG
<u>Cucurbita ficifolia Bouché</u>	Cucurbitaceae	CUCUR_FIC
<u>Cucurbita hybrids</u>	Cucurbitaceae	CUCUR
<u>Cucurbita maxima Duchesne</u>	Cucurbitaceae	CUCUR_MAX
<u>Cucurbita mixta Pangalo</u> = <u>Cucurbita argyrosperma C. Huber</u>	Cucurbitaceae	CUCUR_ARG
<u>Cucurbita moschata Duchesne</u>	Cucurbitaceae	CUCUR_MOS
<u>Cucurbita pepo L.</u>	Cucurbitaceae	CUCUR_PEP
<u>Cullen corylifolium (L.) Medik.</u> (Synonym: <i>Psoralea corylifolia</i> L.)	Fabaceae [Leguminosae]	PSORA_COR
<u>Cuminum cyminum L.</u>	Apiaceae [Umbelliferae]	CUMIN_CYM
<u>Cuphea ignea A. DC.</u>	Lythraceae	CUPHE_IGN
<u>Cuphea llavea Lex.</u> (Synonym: <i>Cuphea miniata</i> Brongn.)	Lythraceae	CUPHE_LLA
<u>Cuphea miniata Brongn.</u> = <u>Cuphea llavea Lex.</u>	Lythraceae	CUPHE_LLA_MIN
<u>Cupressus arizonica Greene</u> (Synonym: <i>Hesperocyparis arizonica</i> (Greene) Bartel)	Cupressaceae	CUPRE_ARI
<u>Cupressus lusitanica Mill.</u> (Synonym: <i>Hesperocyparis lusitanica</i> (Mill.) Bartel)	Cupressaceae	CUPRE_LUS
<u>Cupressus macrocarpa Hartw.</u> (Synonym: <i>Hesperocyparis macrocarpa</i> (Hartw.) Bartel)	Cupressaceae	CUPRE_MAC
<u>Cupressus nootkatensis D. Don</u> (Synonyms: <i>Callitropsis nootkatensis</i> (D. Don) Oerst.; <i>Chamaecyparis nootkatensis</i> (D. Don) Spach; <i>Xanthocyparis nootkatensis</i> (D. Don) Farjon & D. K. Harder)	Cupressaceae	CUPRE_NOO
<u>Cupressus sempervirens L.</u>	Cupressaceae	CUPRE_SEM
<u>Cupressus torulosa D. Don</u>	Cupressaceae	CUPRE_TOR
<u>Curcuma amada Roxb.</u>	Zingiberaceae	CURCU_AMA
<u>Curcuma longa L.</u>	Zingiberaceae	CURCU_LON
<u>Cuscuta arvensis Beyr. ex Engelm.</u> = <u>Cuscuta pentagona Engelm.</u>	Convolvulaceae	CUSCA_PEN
<u>Cuscuta australis R. Br.</u>	Convolvulaceae	CUSCA_AUS
<u>Cuscuta campestris Yunck.</u>	Convolvulaceae	CUSCA_CAM
<u>Cuscuta epilinum Weihe ex Boenn.</u>	Convolvulaceae	CUSCA_EPL
<u>Cuscuta epithymum (L.) L.</u>	Convolvulaceae	CUSCA_EPT
<u>Cuscuta europaea L.</u>	Convolvulaceae	CUSCA_EUR
<u>Cuscuta indecora Choisy</u>	Convolvulaceae	CUSCA_IND

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Cuscuta pentagona Engelm.</u> (Synonym: <i>Cuscuta arvensis</i> Beyr. ex Engelm.)	Convolvulaceae	CUSCA PEN
<u>Cuscuta planiflora Ten.</u>	Convolvulaceae	CUSCA PLA
<u>Cuscuta reflexa Roxb.</u>	Convolvulaceae	CUSCA REF
<u>Cyamopsis psoraloides (Lam.) DC.</u> = <u>Cyamopsis tetragonoloba (L.) Taub.</u>	Fabaceae [Leguminosae]	CYAMO TET
<u>Cyamopsis tetragonoloba (L.) Taub.</u> (Synonym: <i>Cyamopsis psoraloides</i> (Lam.) DC.)	Fabaceae [Leguminosae]	CYAMO TET
<u>Cyanotis axillaris (L.) D. Don ex Sweet</u>	Commelinaceae	CYANO AXI
<u>Cyathula achyranthoides (Kunth) Moq.</u>	Amaranthaceae	CYTHU ACH
<u>Cybistax donnell-smithii (Rose) Seibert</u> = <u>Roseodendron donnell-smithii (Rose) Miranda</u>	Bignoniaceae	TABEB DON
<u>Cyclachaena xanthiifolia (Nutt.) Fresen.</u> (Synonym: <i>Iva xanthiifolia</i> Nutt.)	Asteraceae [Compositae]	IVAAA ANT
<u>Cyclamen africanum Boiss. & Reut.</u>	Primulaceae	CYCLA AFR
<u>Cyclamen persicum Mill.</u>	Primulaceae	CYCLA PER
<u>Cyclospermum leptophyllum (Pers.) Sprague ex Britton & P. Wilson</u> (Synonym: <i>Apium leptophyllum</i> (Pers.) F. Muell. ex Benth.)	Apiaceae [Umbelliferae]	CYCLS LEP
<u>Cydonia oblonga Mill.</u>	Rosaceae	CYDON OBL
<u>Cymbalaria muralis G. Gaertn. et al.</u> (Synonym: <i>Linaria cymbalaria</i> (L.) Mill.)	Plantaginaceae (Scrophulariaceae)	CYMBA MUR
<u>Cymbopogon citratus (DC.) Stapf</u>	Poaceae [Gramineae]	CYMBO CIT
<u>Cymbopogon refractus (R. Br.) A. Camus</u>	Poaceae [Gramineae]	CYMBO REF
<u>Cynara cardunculus L.</u> (Synonym: <i>Cynara scolymus</i> L.)	Asteraceae [Compositae]	CYNAR CAR
<u>Cynara scolymus L.</u> = <u>Cynara cardunculus L.</u>	Asteraceae [Compositae]	CYNAR CAR
<u>Cynodon dactylon (L.) Pers.</u>	Poaceae [Gramineae]	CYNOD DAC
<u>Cynodon plectostachyus (K. Schum.) Pilg.</u>	Poaceae [Gramineae]	CYNOD PLE
<u>Cynoglossum amabile Stapf & J. R. Drumm.</u>	Boraginaceae	CYNOG AMA
<u>Cynoglossum officinale L.</u>	Boraginaceae	CYNOG OFF
<u>Cynosurus cristatus L.</u>	Poaceae [Gramineae]	CYNOS CRI
<u>Cynosurus echinatus L.</u>	Poaceae [Gramineae]	CYNOS ECH
<u>Cyperus alternifolius L.</u>	Cyperaceae	CYPER ALT
<u>Cyperus compressus L.</u>	Cyperaceae	CYPER COM
<u>Cyperus esculentus L.</u>	Cyperaceae	CYPER ESC

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Cyperus flavidus Retz.</u> (Synonym: <i>Pycreus flavidus</i> (Retz.) T. Koyama)	Cyperaceae	CYPER_FLA
<u>Cyperus iria L.</u>	Cyperaceae	CYPER_IRI
<u>Cyperus melanospermus (Nees) Valck. Sur.</u> (Synonym: <i>Kyllinga melanosperma</i> Nees)	Cyperaceae	CYPER_MEL
<u>Cyperus rotundus L.</u>	Cyperaceae	CYPER_ROT
<u>Cyphomandra betacea (Cav.) Sendtn.</u> = <u>Solanum betaceum Cav.</u>	Solanaceae	SOLAN_BET
<u>Cytisus scoparius (L.) Link</u> (Synonym: <i>Sarothamnus scoparius</i> (L.) Wimm. ex W. D. J. Koch)	Fabaceae [Leguminosae]	CYTIS_SCO

D

<u>Dactylis glomerata L.</u>	Poaceae [Gramineae]	DCTLS_GLO
<u>Dactyloctenium aegyptium (L.) Willd.</u>	Poaceae [Gramineae]	DCTLC_AEG
<u>Dahlia pinnata Cav.</u> (Synonym: <i>Dahlia variabilis</i> (Willd.) Desf.)	Asteraceae [Compositae]	DAHLI_PIN
<u>Dahlia variabilis (Willd.) Desf.</u> = <u>Dahlia pinnata Cav.</u>	Asteraceae [Compositae]	DAHLI_PIN
<u>Dalbergia latifolia Roxb.</u>	Fabaceae [Leguminosae]	DALBE_LAT
<u>Dalbergia nigra (Vell.) Allemão ex Benth.</u>	Fabaceae [Leguminosae]	DALBE_NIG
<u>Dalbergia retusa Hemsl.</u>	Fabaceae [Leguminosae]	DALBE_RET
<u>Dalbergia sissoo Roxb. ex DC.</u>	Fabaceae [Leguminosae]	DALBE_SIS
<u>Dalbergia stevensonii Standl.</u>	Fabaceae [Leguminosae]	DALBE_STE
<u>Danthonia spicata (L.) P. Beauv. ex Roem. & Schult.</u>	Poaceae [Gramineae]	DANTH_SPI
<u>Daphne odora Thunb.</u>	Thymelaeaceae	DAPHN_ODO
<u>Dasiphora fruticosa (L.) Rydb.</u> (Synonym: <i>Potentilla fruticosa</i> L.)	Rosaceae	DASIP_FRU
<u>Datura arborea L.</u> = <u>Brugmansia arborea (L.) Sweet</u>	Solanaceae	BRUGM_ARB
<u>Datura fastuosa L.</u> = <u>Datura metel L.</u>	Solanaceae	DATUR_MET
<u>Datura innoxia Mill.</u>	Solanaceae	DATUR_INO
<u>Datura metel L.</u> (Synonym: <i>Datura fastuosa</i> L.)	Solanaceae	DATUR_MET
<u>Datura stramonium L.</u>	Solanaceae	DATUR_STR
<u>Daucus carota L.</u>	Apiaceae [Umbelliferae]	DAUCU_CAR

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Delonix regia (Bojer) Raf.</u>	Fabaceae [Leguminosae]	<u>DELON REG</u>
<u>Delphinium ajacis L.</u> = <u>Consolida ajacis (L.) Schur</u>	Ranunculaceae	<u>CONSO AJA</u>
<u>Delphinium × belladonna hort. ex Bergmans</u> [<i>D. elatum</i> L. × <i>D. grandiflorum</i> L.]	Ranunculaceae	<u>DELPH BEL</u>
<u>Delphinium cardinale Hook.</u>	Ranunculaceae	<u>DELPH CAR</u>
<u>Delphinium consolida L.</u> = <u>Consolida regalis Gray</u>	Ranunculaceae	<u>CONSO REG</u>
<u>Delphinium cultorum Voss</u>	Ranunculaceae	<u>DELPH CUL</u>
<u>Delphinium elatum L.</u>	Ranunculaceae	<u>DELPH ELA</u>
<u>Delphinium formosum Boiss. & A. Huet</u>	Ranunculaceae	<u>DELPH FOR</u>
<u>Delphinium grandiflorum L.</u>	Ranunculaceae	<u>DELPH GRA</u>
<u>Dendranthema × grandiflorum (Ramat.) Kitam.</u> = <u>Chrysanthemum × morifolium Ramat.</u>	Asteraceae [Compositae]	<u>CHRYM MOR</u>
<u>Dendranthema indicum (L.) Des Moul.</u> = <u>Chrysanthemum indicum L.</u>	Asteraceae [Compositae]	<u>CHRYM IND</u>
<u>Dendranthema × morifolium (Ramat.) Tzvelev</u> = <u>Chrysanthemum × morifolium Ramat.</u>	Asteraceae [Compositae]	<u>CHRYM MOR</u>
<u>Dendrocalamus strictus (Roxb.) Nees</u>	Poaceae [Gramineae]	<u>DNDRC STR</u>
<u>Derris elliptica (Wall.) Benth.</u> (Synonym: <i>Paraderris elliptica</i> (Wall.) Adema)	Fabaceae [Leguminosae]	<u>DERRI ELL</u>
<u>Derris trifoliata Lour.</u>	Fabaceae [Leguminosae]	<u>DERRI TRI</u>
<u>Deschampsia cespitosa (L.) P. Beauv.</u>	Poaceae [Gramineae]	<u>DESCH CES</u>
<u>Deschampsia flexuosa (L.) Trin.</u> = <u>Avenella flexuosa (L.) Parl.</u>	Poaceae [Gramineae]	<u>AVENE FLE</u>
<u>Descurainia pinnata (Walter) Britton</u>	Brassicaceae [Cruciferae]	<u>DESCU PIN</u>
<u>Descurainia sophia (L.) Webb ex Prantl</u>	Brassicaceae [Cruciferae]	<u>DESCU SOP</u>
<u>Desmodium canum (J. F. Gmel.) Schinz & Thell.</u> = <u>Desmodium incanum (Sw.) DC.</u>	Fabaceae [Leguminosae]	<u>DESMD INC</u>
<u>Desmodium incanum (Sw.) DC.</u> (Synonym: <i>Desmodium canum</i> (J. F. Gmel.) Schinz & Thell.)	Fabaceae [Leguminosae]	<u>DESMD INC</u>
<u>Desmodium intortum (Mill.) Urb.</u>	Fabaceae [Leguminosae]	<u>DESMD INT</u>
<u>Desmodium tortuosum (Sw.) DC.</u>	Fabaceae [Leguminosae]	<u>DESMD TOR</u>
<u>Desmodium uncinatum (Jacq.) DC.</u>	Fabaceae [Leguminosae]	<u>DESMD UNC</u>
<u>Desmostachya bipinnata (L.) Stapf</u>	Poaceae [Gramineae]	<u>DESMS BIP</u>
<u>Dianthus × allwoodii Bowles et al.</u>	Caryophyllaceae	<u>DIANT ALL</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Dianthus barbatus</i> L.</u>	Caryophyllaceae	DIANT BAR
<u><i>Dianthus caryophyllus</i> L.</u>	Caryophyllaceae	DIANT CAR
<u><i>Dianthus chinensis</i> L.</u>	Caryophyllaceae	DIANT CHI
<u><i>Dianthus deltoides</i> L.</u>	Caryophyllaceae	DIANT DEL
<u><i>Dianthus plumarius</i> L.</u>	Caryophyllaceae	DIANT PLU
<u><i>Dichanthium annulatum</i> (Forssk.) Stapf</u>	Poaceae [Gramineae]	DICHA ANN
<u><i>Dichanthium aristatum</i> (Poir.) C. E. Hubb.</u>	Poaceae [Gramineae]	DICHA ARI
<u><i>Dichanthium caricosum</i> (L.) A. Camus</u>	Poaceae [Gramineae]	DICHA CAR
<u><i>Dichanthium ischaemum</i> (L.) Roberty</u> = <u><i>Bothriochloa ischaemum</i> (L.) Keng</u>	Poaceae [Gramineae]	BOTHR ISC
<u><i>Dichondra micrantha</i> Urb.</u> (Synonym: <i>Dichondra repens</i> auct., non J. R. Forst. & G. Forst.)	Convolvulaceae	DCHND REP
<u><i>Dichondra repens</i> auct., non J. R. Forst & G. Forst.</u> = <u><i>Dichondra micrantha</i> Urb.</u>	Convolvulaceae	DCHND REP
<u><i>Dicorynia guianensis</i> Amshoff</u>	Fabaceae [Leguminosae]	DCRYN GUI
<u><i>Dicorynia paraensis</i> Benth.</u>	Fabaceae [Leguminosae]	DCRYN PAR
<u><i>Dictamnus albus</i> L.</u>	Rutaceae	DICTA ALB
<u><i>Dictyosperma album</i> (Bory) H. Wendl. & Drude ex Scheff.</u> (Synonym: <i>Areca alba</i> Bory)	Arecaceae [Palmae]	DICTY ALB
<u><i>Didiscus coeruleus</i> (Graham) DC.</u> = <u><i>Trachymene coerulea</i> Graham</u>	Araliaceae (Apiaceae)	TRCYM COE
<u><i>Digera muricata</i> (L.) Mart.</u>	Amaranthaceae	DIGER MUR
<u><i>Digitalis lanata</i> Ehrh.</u>	Plantaginaceae (Scrophulariaceae)	DGTLS LAN
<u><i>Digitalis purpurea</i> L.</u>	Plantaginaceae (Scrophulariaceae)	DGTLS PUR
<u><i>Digitaria abyssinica</i> (Hochst. ex A. Rich.) Stapf</u> (Synonym: <i>Digitaria scalarum</i> (Schweinf.) Chiov.)	Poaceae [Gramineae]	DGTRA SCA
<u><i>Digitaria ciliaris</i> (Retz.) Koeler</u>	Poaceae [Gramineae]	DGTRA CIL
<u><i>Digitaria decumbens</i> Stent</u> = <u><i>Digitaria eriantha</i> Steud.</u>	Poaceae [Gramineae]	DGTRA ERI
<u><i>Digitaria eriantha</i> Steud.</u> (Synonyms: <i>Digitaria decumbens</i> Stent; <i>Digitaria smutsii</i> Stent)	Poaceae [Gramineae]	DGTRA ERI
<u><i>Digitaria exilis</i> (Kippist) Stapf</u>	Poaceae [Gramineae]	DGTRA EXI
<u><i>Digitaria insularis</i> (L.) Fedde</u>	Poaceae [Gramineae]	DGTRA INS
<u><i>Digitaria sanguinalis</i> (L.) Scop.</u>	Poaceae [Gramineae]	DGTRA SAN

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Digitaria scalarum</i> (Schweinf.) Chiov.</u> = <u><i>Digitaria abyssinica</i> (Hochst. ex A. Rich.) Stapf</u>	Poaceae [Gramineae]	<u>DGTRA_SCA</u>
<u><i>Digitaria smutsii</i> Stent</u> = <u><i>Digitaria eriantha</i> Steud.</u>	Poaceae [Gramineae]	<u>DGTRA_ERI</u>
<u><i>Digitaria velutina</i> (Forssk.) P. Beauv.</u>	Poaceae [Gramineae]	<u>DGTRA_VEL</u>
<u><i>Dillenia indica</i> L.</u>	Dilleniaceae	<u>DILLE_IND</u>
<u><i>Dimorphotheca aurantiaca</i> DC.</u> = <u><i>Dimorphotheca tragus</i> (Aiton) DC.</u>	Asteraceae [Compositae]	<u>DIMOR_TRA</u>
<u><i>Dimorphotheca aurantiaca</i> hort., non DC.</u> = <u><i>Dimorphotheca sinuata</i> DC.</u>	Asteraceae [Compositae]	<u>DIMOR_SIN</u>
<u><i>Dimorphotheca ecklonis</i> DC.</u> (Synonym: <i>Osteospermum ecklonis</i> (DC.) Norl.)	Asteraceae [Compositae]	<u>DIMOR_ECL</u>
<u><i>Dimorphotheca pluvialis</i> (L.) Moench</u>	Asteraceae [Compositae]	<u>DIMOR_PLU</u>
<u><i>Dimorphotheca sinuata</i> DC.</u> (Synonym: <i>Dimorphotheca aurantiaca</i> hort., non DC.)	Asteraceae [Compositae]	<u>DIMOR_SIN</u>
<u><i>Dimorphotheca tragus</i> (Aiton) DC.</u> (Synonyms: <i>Castalis tragus</i> (Aiton) Norl.; <i>Dimorphotheca aurantiaca</i> DC.)	Asteraceae [Compositae]	<u>DIMOR_TRA</u>
<u><i>Dinebra chinensis</i> (L.) P. M. Peterson & N. Snow</u> (Synonym: <i>Leptochloa chinensis</i> (L.) Nees)	Poaceae [Gramineae]	<u>LPTOC_CHI</u>
<u><i>Dinebra retroflexa</i> (Vahl) Panz.</u>	Poaceae [Gramineae]	<u>DINEB_RET</u>
<u><i>Diodia ocymifolia</i> (Willd.) Bremek.</u> (Synonym: <i>Hemidiodia ocymifolia</i> (Willd.) K. Schum.)	Rubiaceae	<u>DIODI_OCY</u>
<u><i>Diodia teres</i> Walter</u> = <u><i>Hexasepalum teres</i> (Walter) J. H. Kirkbr.</u>	Rubiaceae	<u>HEXAS_TER</u>
<u><i>Dioscorea alata</i> L.</u>	Dioscoreaceae	<u>DIOSC_ALA</u>
<u><i>Dioscorea bulbifera</i> L.</u>	Dioscoreaceae	<u>DIOSC_BUL</u>
<u><i>Dioscorea cayenensis</i> Lam.</u>	Dioscoreaceae	<u>DIOSC_CAY</u>
<u><i>Dioscorea esculenta</i> (Lour.) Burkill</u>	Dioscoreaceae	<u>DIOSC_ESC</u>
<u><i>Dioscorea hispida</i> Dennst.</u>	Dioscoreaceae	<u>DIOSC_HIS</u>
<u><i>Dioscorea trifida</i> L. f.</u>	Dioscoreaceae	<u>DIOSC_TRI</u>
<u><i>Diplotaxis eruroides</i> (L.) DC.</u>	Brassicaceae [Cruciferae]	<u>DIPLO_ERU</u>
<u><i>Diplotaxis muralis</i> (L.) DC.</u>	Brassicaceae [Cruciferae]	<u>DIPLO_MUR</u>
<u><i>Diplotaxis tenuifolia</i> (L.) DC.</u> (Synonym: <i>Sisymbrium tenuifolium</i> L.)	Brassicaceae [Cruciferae]	<u>DIPLO_TEN</u>
<u><i>Diplotaxis viminea</i> (L.) DC.</u>	Brassicaceae [Cruciferae]	<u>DIPLO_VIM</u>
<u><i>Dipterocarpus alatus</i> Roxb. ex G. Don</u>	Dipterocarpaceae	<u>DPTRC_ALA</u>
<u><i>Dipterocarpus angustifolius</i> Wight & Arn.</u> = <u><i>Dipterocarpus costatus</i> C. F. Gaertn.</u>	Dipterocarpaceae	<u>DPTRC_COS</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Dipterocarpus costatus C. F. Gaertn.</u> (Synonym: <i>Dipterocarpus angustifolius</i> Wight & Arn.)	Dipterocarpaceae	DPTRC COS
<u>Dipterocarpus grandiflorus (Blanco) Blanco</u>	Dipterocarpaceae	DPTRC GRA
<u>Dipterocarpus turbinatus C. F. Gaertn.</u>	Dipterocarpaceae	DPTRC TUR
<u>Dipterocarpus zeylanicus Thwaites</u>	Dipterocarpaceae	DPTRC ZEY
<u>Dipteryx odorata (Aubl.) Forsyth f.</u>	Fabaceae [Leguminosae]	DPTRX ODO
<u>Distemonanthus benthamianus Baill.</u>	Fabaceae [Leguminosae]	DISTE BEN
<u>Distimake cissoides (Lam.) Simões & Staples</u> (Synonym: <i>Merremia cissoides</i> (Lam.) Hall. f.)	Convolvulaceae	DISTM CIS
<u>Dittrichia graveolens (L.) Greuter</u> (Synonym: <i>Inula graveolens</i> (L.) Desf.)	Asteraceae [Compositae]	DITTR GRA
<u>Dizygotheca elegantissima (hort. Veitch ex Mast.) R. Vig. & Guillaumin</u> = <u>Plerandra elegantissima (hort. Veitch ex Mast.) Lowry et al.</u>	Araliaceae	SCHEF ELE
<u>Dodonaea viscosa Jacq.</u>	Sapindaceae	DODON VIS
<u>Dolichos biflorus L.</u> included in <u>Vigna unguiculata (L.) Walp.</u>	Fabaceae [Leguminosae]	VIGNA UNG CYL
<u>Dolichos lablab L.</u> = <u>Lablab purpureus (L.) Sweet</u>	Fabaceae [Leguminosae]	LABLA PUR
<u>Doronicum caucasicum M. Bieb.</u> = <u>Doronicum orientale Hoffm.</u>	Asteraceae [Compositae]	DORON ORI
<u>Doronicum orientale Hoffm.</u> (Synonym: <i>Doronicum caucasicum</i> M. Bieb.)	Asteraceae [Compositae]	DORON ORI
<u>Dorotheanthus bellidiformis (Burm. f.) N. E. Br.</u> = <u>Cleretum bellidiforme (Burm. f.) G. D. Rowley</u>	Aizoaceae	DOROT BEL
<u>Dovyalis hebecarpa (Gardner) Warb.</u>	Salicaceae (Flacourtiaceae)	DOVYA HEB
<u>Dracaena draco (L.) L.</u>	Asparagaceae (Ruscaceae)	DRACA DRA
<u>Dracaena roxburghiana (Schult. & Schult. f.) Byng & Christenh.</u> = <u>Sansevieria roxburghiana Schult. & Schult. f.</u>	Asparagaceae (Ruscaceae)	SANSE ROX
<u>Dracocephalum moldavica L.</u>	Lamiaceae [Labiatae]	DRCCP MOL
<u>Dracocephalum parviflorum Nutt.</u>	Lamiaceae [Labiatae]	DRCCP PAR
<u>Dracontomelon dao (Blanco) Merr. & Rolfe</u>	Anacardiaceae	DRCTM DAO
<u>Drimia maritima (L.) Stearn</u> (Synonym: <i>Urginea maritima</i> (L.) Baker)	Asparagaceae (Hyacinthaceae)	URGIN MAR
<u>Dryas octopetala L.</u>	Rosaceae	DRYAS OCT
<u>Drymaria arenarioides Humb. & Bonpl. ex Willd.</u>	Caryophyllaceae	DRYMA ARE
<u>Drymaria cordata (L.) Willd. ex Schult.</u>	Caryophyllaceae	DRYMA COR
<u>Duboisia leichhardtii (F. Muell.) F. Muell.</u>	Solanaceae	DUBOI LEI

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Durio zibethinus L.</u>	Malvaceae (Bombacaceae)	<u>DURIO_ZIB</u>
<u>Dypsis lutescens (H. Wendl.) Beentje & J. Dransf.</u> (Synonyms: <i>Areca lutescens</i> hort., non Bory; <i>Chrysalidocarpus lutescens</i> H. Wendl.)	Arecaceae [Palmae]	<u>CHRS_LUT</u>
<u>Dysphania ambrosioides (L.) Mosyakin & Clemants</u> (Synonym: <i>Chenopodium ambrosioides</i> L.)	Chenopodiaceae (Amaranthaceae)	<u>CHENO_AMB</u>

E

<u>Eccremocarpus scaber Ruiz & Pav.</u>	Bignoniaceae	<u>ECCRE_SCA</u>
<u>Echinacea purpurea (L.) Moench</u> (Synonym: <i>Rudbeckia purpurea</i> L.)	Asteraceae [Compositae]	<u>ECNCE_PUR</u>
<u>Echinochloa colona (L.) Link</u>	Poaceae [Gramineae]	<u>ECNCL_COL</u>
<u>Echinochloa crus-galli (L.) P. Beauv.</u> (Synonym: <i>Panicum crus-galli</i> L.)	Poaceae [Gramineae]	<u>ECNCL_CRU</u>
<u>Echinochloa esculenta (A. Braun) H. Scholz</u> [<i>E. crus-galli</i> Esculenta Group] (Synonym: <i>Echinochloa utilis</i> Ohwi & Yabuno)	Poaceae [Gramineae]	<u>ECNCL_ESC</u>
<u>Echinochloa stagnina (Retz.) P. Beauv.</u>	Poaceae [Gramineae]	<u>ECNCL_STA</u>
<u>Echinochloa utilis Ohwi & Yabuno</u> = <u>Echinochloa esculenta (A. Braun) H. Scholz</u>	Poaceae [Gramineae]	<u>ECNCL_ESC</u>
<u>Echinops ritro L.</u>	Asteraceae [Compositae]	<u>ECHNP_RIT</u>
<u>Echium candicans L. f.</u> (Synonym: <i>Echium fastuosum</i> J. Jacq., non Salisb.)	Boraginaceae	<u>ECHUM_CAN</u>
<u>Echium fastuosum J. Jacq., non Salisb.</u> = <u>Echium candicans L. f.</u>	Boraginaceae	<u>ECHUM_CAN</u>
<u>Echium italicum L.</u>	Boraginaceae	<u>ECHUM_ITA</u>
<u>Echium plantagineum L.</u>	Boraginaceae	<u>ECHUM_PLA</u>
<u>Echium vulgare L.</u>	Boraginaceae	<u>ECHUM_VUL</u>
<u>Ehrharta calycina Sm.</u>	Poaceae [Gramineae]	<u>EHRHA_CAL</u>
<u>Eichhornia azurea (Sw.) Kunth</u> = <u>Pontederia azurea Sw.</u>	Pontederiaceae	<u>EICHH_AZU</u>
<u>Eichhornia crassipes (Mart.) Solms</u> = <u>Pontederia crassipes Mart.</u>	Pontederiaceae	<u>EICHH_CRA</u>
<u>Elaeagnus angustifolia L.</u>	Elaeagnaceae	<u>ELAEA_ANG</u>
<u>Elaeis guineensis Jacq.</u>	Arecaceae [Palmae]	<u>ELAEI_GUI</u>
<u>Elaeis oleifera (Kunth) Cortés</u>	Arecaceae [Palmae]	<u>ELAEI_OLE</u>
<u>Elatostema monandrum (Buch.-Ham. ex D. Don) H. Hara</u> (Synonym: <i>Elatostema surculosum</i> Wight)	Urticaceae	<u>ELATO_SUR</u>
<u>Elatostema surculosum Wight</u> = <u>Elatostema monandrum (Buch.-Ham. ex D. Don) H. Hara</u>	Urticaceae	<u>ELATO_SUR</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Elephantopus scaber</i> L.</u>	Asteraceae [Compositae]	ELEPH_SCA
<u><i>Elettaria cardamomum</i> (L.) Maton</u>	Zingiberaceae	ELETT_CAR
<u><i>Eleusine coracana</i> (L.) Gaertn.</u>	Poaceae [Gramineae]	ELEUS_COR
<u><i>Eleusine indica</i> (L.) Gaertn.</u>	Poaceae [Gramineae]	ELEUS_IND
<u><i>Elodea canadensis</i> Michx.</u>	Hydrocharitaceae	ELODE_CAN
<u><i>Elymus canadensis</i> L.</u>	Poaceae [Gramineae]	ELYMU_CAN
<u><i>Elymus caput-medusae</i> L.</u> = <u><i>Taeniatherum caput-medusae</i> (L.) Nevski</u>	Poaceae [Gramineae]	TAENI_CAP
<u><i>Elymus elongatus</i> (Host) Runemark</u> = <u><i>Thinopyrum elongatum</i> (Host) D. R. Dewey</u>	Poaceae [Gramineae]	THINO_ELO
<u><i>Elymus hispidus</i> (Opiz) Melderis subsp. <i>barbulatus</i> (Schur) Melderis</u> = <u><i>Thinopyrum intermedium</i> (Host) Barkworth & D. R. Dewey</u> <u>subsp. <i>barbulatum</i> (Schur) Barkworth & D. R. Dewey</u>	Poaceae [Gramineae]	THINO_INT_BAR
<u><i>Elymus hispidus</i> (Opiz) Melderis subsp. <i>hispidus</i></u> = <u><i>Thinopyrum intermedium</i> (Host) Barkworth & D. R. Dewey</u> <u>subsp. <i>intermedium</i></u>	Poaceae [Gramineae]	THINO_INT_INT
<u><i>Elymus junceus</i> Fisch.</u> = <u><i>Psathyrostachys juncea</i> (Fisch.) Nevski</u>	Poaceae [Gramineae]	PSATH_JUN
<u><i>Elymus lanceolatus</i> (Scribn. & J. G. Sm.) Gould</u>	Poaceae [Gramineae]	ELYMU_LAN
<u><i>Elymus lanceolatus</i> (Scribn. & J. G. Sm.) Gould subsp. <i>lanceolatus</i></u> (Synonym: <i>Agropyron dasystachyum</i> (Hook.) Scribn.)	Poaceae [Gramineae]	ELYMU_LAN
<u><i>Elymus lanceolatus</i> (Scribn. & J. G. Sm.) Gould subsp. <i>riparius</i></u> <u>(Scribn. & J. G. Sm.) Barkworth</u> (Synonym: <i>Agropyron riparium</i> Scribn. & J. G. Sm.)	Poaceae [Gramineae]	ELYMU_LAN
<u><i>Elymus pauciflorus</i> (Schwein.) Gould, non Lam.</u> = <u><i>Elymus trachycaulus</i> (Link) Gould</u>	Poaceae [Gramineae]	ELYMU_TRA
<u><i>Elymus repens</i> (L.) Gould</u> (Synonyms: <i>Agropyron repens</i> (L.) P. Beauv.; <i>Elytrigia repens</i> (L.) Desv. ex Nevski)	Poaceae [Gramineae]	ELYMU_REP
<u><i>Elymus smithii</i> (Rydb.) Gould</u> = <u><i>Pascopyrum smithii</i> (Rydb.) Barkworth & D. R. Dewey</u>	Poaceae [Gramineae]	PASCO_SMI
<u><i>Elymus trachycaulus</i> (Link) Gould</u> (Synonyms: <i>Agropyron trachycaulum</i> (Link) Malte ex H. F. Lewis; <i>Elymus pauciflorus</i> (Schwein.) Gould, non Lam.)	Poaceae [Gramineae]	ELYMU_TRA
<u><i>Elytrigia elongata</i> (Host) Nevski</u> = <u><i>Thinopyrum elongatum</i> (Host) D. R. Dewey</u>	Poaceae [Gramineae]	THINO_ELO
<u><i>Elytrigia intermedia</i> (Host) Nevski</u> = <u><i>Thinopyrum intermedium</i> (Host) Barkworth & D. R. Dewey</u> <u>subsp. <i>intermedium</i></u>	Poaceae [Gramineae]	THINO_INT_INT
<u><i>Elytrigia repens</i> (L.) Desv. ex Nevski</u> = <u><i>Elymus repens</i> (L.) Gould</u>	Poaceae [Gramineae]	ELYMU_REP_REP
<u><i>Elytrophorus spicatus</i> (Willd.) A. Camus</u>	Poaceae [Gramineae]	ELYTR_SPI
<u><i>Emex australis</i> Steinh.</u> = <u><i>Rumex hypogaeus</i> T. M. Schust. & Reveal</u>	Polygonaceae	EMEXX_AUS

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Emex spinosa</i> (L.) Campd.</u> = <u><i>Rumex spinosus</i> L.</u>	Polygonaceae	EMEXX_SPI
<u><i>Emilia coccinea</i> (Sims) G. Don</u> (Synonyms: <i>Emilia javanica</i> auct., non C. B. Rob.; <i>Emilia sagittata</i> DC.)	Asteraceae [Compositae]	EMILI_COC
<u><i>Emilia javanica</i> auct., non C. B. Rob.</u> = <u><i>Emilia coccinea</i> (Sims) G. Don</u>	Asteraceae [Compositae]	EMILI_COC
<u><i>Emilia sagittata</i> DC.</u> = <u><i>Emilia coccinea</i> (Sims) G. Don</u>	Asteraceae [Compositae]	EMILI_COC
<u><i>Emilia sonchifolia</i> (L.) DC.</u>	Asteraceae [Compositae]	EMILI_SON
<u><i>Endiandra palmerstonii</i> C. T. White</u>	Lauraceae	ENDIA_PAL
<u><i>Endospermum peltatum</i> Merr.</u>	Euphorbiaceae	ENDOS_PEL
<u><i>Ensete ventricosum</i> (Welw.) Cheesman</u> (Synonym: <i>Musa arnoldiana</i> De Wild.)	Musaceae	ENSET_VEN
<u><i>Entandrophragma angolense</i> (Welw. ex B. A. Alves) C. DC.</u>	Meliaceae	ENTAN_ANG
<u><i>Entandrophragma cylindricum</i> (Sprague) Sprague</u>	Meliaceae	ENTAN_CYL
<u><i>Entandrophragma utile</i> (Dawe & Sprague) Sprague</u>	Meliaceae	ENTAN_UTI
<u><i>Enterolobium cyclocarpum</i> (Jacq.) Griseb.</u>	Fabaceae [Leguminosae]	ENTER_CYC
<u><i>Ephedra equisetina</i> Bunge</u>	Ephedraceae	EPHED_EQU
<u><i>Eragrostis amabilis</i> (L.) Wight & Arn.</u> = <u><i>Eragrostis tenella</i> (L.) P. Beauv. ex Roem. & Schult.</u>	Poaceae [Gramineae]	ERAGR_AMA
<u><i>Eragrostis cilianensis</i> (All.) Vignolo ex Janch.</u>	Poaceae [Gramineae]	ERAGR_CIL
<u><i>Eragrostis curvula</i> (Schrud.) Nees</u>	Poaceae [Gramineae]	ERAGR_CUR
<u><i>Eragrostis lehmanniana</i> Nees</u>	Poaceae [Gramineae]	ERAGR_LEH
<u><i>Eragrostis nigra</i> Nees</u>	Poaceae [Gramineae]	ERAGR_NIG
<u><i>Eragrostis pilosa</i> (L.) P. Beauv.</u>	Poaceae [Gramineae]	ERAGR_PIL
<u><i>Eragrostis plana</i> Nees</u>	Poaceae [Gramineae]	ERAGR_PLA
<u><i>Eragrostis superba</i> Peyr.</u>	Poaceae [Gramineae]	ERAGR_SUP
<u><i>Eragrostis tef</i> (Zuccagni) Trotter</u>	Poaceae [Gramineae]	ERAGR_TEF
<u><i>Eragrostis tenella</i> (L.) P. Beauv. ex Roem. & Schult.</u> (Synonym: <i>Eragrostis amabilis</i> (L.) Wight & Arn.)	Poaceae [Gramineae]	ERAGR_AMA
<u><i>Eragrostis trichodes</i> (Nutt.) Alph. Wood</u>	Poaceae [Gramineae]	ERAGR_TRI
<u><i>Eranthis hyemalis</i> (L.) Salisb.</u>	Ranunculaceae	ERANT_HYE
<u><i>Erica arborea</i> L.</u>	Ericaceae	ERICA_ARB

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Erica australis L.</u>	Ericaceae	<u>ERICA AUS</u>
<u>Erica carnea L.</u> (Synonym: <i>Erica herbacea</i> L.)	Ericaceae	<u>ERICA CAR</u>
<u>Erica ciliaris L.</u> (Including: <i>Erica maweana</i> Backh. f.)	Ericaceae	<u>ERICA CIL</u>
<u>Erica cinerea L.</u>	Ericaceae	<u>ERICA CIN</u>
<u>Erica × darleyensis Bean</u> [<i>E. carnea</i> L. × <i>E. erigena</i> R. Ross]	Ericaceae	<u>ERICA DAR</u>
<u>Erica erigena R. Ross</u> (Synonym: <i>Erica mediterranea</i> auct., non L.)	Ericaceae	<u>ERICA ERI</u>
<u>Erica gracilis J. C. Wendl.</u>	Ericaceae	<u>ERICA GRA</u>
<u><i>Erica herbacea</i> L.</u> = <u>Erica carnea L.</u>	Ericaceae	<u>ERICA CAR</u>
<u>Erica lusitanica Rudolphi</u>	Ericaceae	<u>ERICA LUS</u>
<u>Erica mackayana Bab.</u>	Ericaceae	<u>ERICA MAC</u>
<u><i>Erica maweana</i> Backh. f.</u> included in <u>Erica ciliaris L.</u>	Ericaceae	<u>ERICA CIL</u>
<u><i>Erica mediterranea</i> auct., non L.</u> = <u>Erica erigena R. Ross</u>	Ericaceae	<u>ERICA ERI</u>
<u><i>Erica</i> × <i>praegei</i> Ostenf.</u> = <u>Erica × stuartii (Macfarl.) Mast.</u>	Ericaceae	<u>ERICA PRA</u>
<u>Erica scoparia L.</u>	Ericaceae	<u>ERICA SCO</u>
<u>Erica × stuartii (Macfarl.) Mast.</u> [<i>E. mackayana</i> Bab. × <i>E. tetralix</i> L.] (Synonym: <i>Erica</i> × <i>praegei</i> Ostenf.)	Ericaceae	<u>ERICA STU</u>
<u>Erica terminalis Salisb.</u>	Ericaceae	<u>ERICA TER</u>
<u>Erica tetralix L.</u>	Ericaceae	<u>ERICA TET</u>
<u>Erica vagans L.</u>	Ericaceae	<u>ERICA VAG</u>
<u>Erica × veitchii Bean</u> [<i>E. arborea</i> L. × <i>E. lusitanica</i> Rudolphi]	Ericaceae	<u>ERICA VEI</u>
<u>Erica × watsonii Benth.</u> [<i>E. ciliaris</i> L. × <i>E. tetralix</i> L.]	Ericaceae	<u>ERICA WAT</u>
<u>Erica × williamsii Druce</u> [<i>E. tetralix</i> L. × <i>E. vagans</i> L.]	Ericaceae	<u>ERICA WIL</u>
<u>Erigeron bonariensis L.</u> (Synonym: <i>Conyza bonariensis</i> (L.) Cronquist)	Asteraceae [Compositae]	<u>ERIGE BON</u>
<u>Erigeron caespitosus Nutt.</u>	Asteraceae [Compositae]	<u>ERIGE CAE</u>
<u>Erigeron speciosus (Lindl.) DC.</u>	Asteraceae [Compositae]	<u>ERIGE SPE</u>
<u>Erinus alpinus L.</u>	Plantaginaceae (Scrophulariaceae)	<u>ERINU ALP</u>
<u><i>Eriocereus martinii</i> (Labour.) Riccob.</u> = <u>Harrisia martinii (Labour.) Britton</u>	Cactaceae	<u>HARRI MAR</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Eriochloa polystachya Kunth</u> (Synonym: <i>Urochloa polystachya</i> (Kunth) Mabb.)	Poaceae [Gramineae]	ERIOC_POL
<u>Eriocoma hymenoides (Roem. & Schult.) Rydb.</u>	Poaceae [Gramineae]	ACHNA_HYM
<u>Erodium cicutarium (L.) L'Hér.</u>	Geraniaceae	ERODI_CIC
<u>Eruca sativa Mill.</u> = <u>Eruca vesicaria (L.) Cav. subsp. sativa (Mill.) Thell.</u>	Brassicaceae [Cruciferae]	ERUCA_SAT
<u>Eruca vesicaria (L.) Cav. subsp. sativa (Mill.) Thell.</u> (Synonym: <i>Eruca sativa</i> Mill.)	Brassicaceae [Cruciferae]	ERUCA_SAT
<u>Erucastrum gallicum (Willd.) O. E. Schulz</u>	Brassicaceae [Cruciferae]	ERCST_GAL
<u>Eryngium carlinae F. Delaroche</u>	Apiaceae [Umbelliferae]	ERYNG_CAR
<u>Eryngium giganteum M. Bieb.</u>	Apiaceae [Umbelliferae]	ERYNG_GIG
<u>Erysimum × allionii hort., non Kuntze</u> = <u>Erysimum × marshallii (Henfr.) Bois</u>	Brassicaceae [Cruciferae]	ERYSI_ALL
<u>Erysimum cheiranthoides L.</u>	Brassicaceae [Cruciferae]	ERYSI_CHE
<u>Erysimum cheiri (L.) Crantz</u> (Synonym: <i>Cheiranthus cheiri</i> L.)	Brassicaceae [Cruciferae]	ERYSI_CHI
<u>Erysimum diffusum Ehrh.</u>	Brassicaceae [Cruciferae]	ERYSI_DIF
<u>Erysimum × marshallii (Henfr.) Bois</u> (Synonyms: <i>Cheiranthus × allionii</i> hort.; <i>Erysimum × allionii</i> hort., non Kuntze)	Brassicaceae [Cruciferae]	ERYSI_ALL
<u>Erythranthe cardinalis (Douglas ex Benth.) Spach</u> (Synonym: <i>Mimulus cardinalis</i> Douglas ex Benth.)	Phrymaceae (Scrophulariaceae)	MIMUL_CAR
<u>Erythranthe cuprea (hort. ex Dombrain) G. L. Nesom</u> (Synonym: <i>Mimulus cupreus</i> hort. ex Dombrain)	Phrymaceae (Scrophulariaceae)	MIMUL_CUP
<u>Erythranthe guttata (DC.) G. L. Nesom</u> (Synonym: <i>Mimulus guttatus</i> DC.)	Phrymaceae (Scrophulariaceae)	MIMUL_GUT
<u>Erythranthe × hybrida (hort. ex Voss) Silverside</u> (Synonyms: <i>Mimulus × hybridus</i> hort. ex Voss; <i>Mimulus tigrinus</i> hort.)	Phrymaceae (Scrophulariaceae)	MIMUL_HYB
<u>Erythranthe lutea (L.) G. L. Nesom</u> (Synonym: <i>Mimulus luteus</i> L.)	Phrymaceae (Scrophulariaceae)	MIMUL_LUT
<u>Erythrina poeppigiana (Walp.) O. F. Cook</u>	Fabaceae [Leguminosae]	ERTHN_POE
<u>Erythroxylum coca Lam.</u>	Erythroxylaceae	ERTHX_COC
<u>Eschscholzia californica Cham.</u>	Papaveraceae	ESCHS_CAL
<u>Espostoa lanata (Kunth) Britton & Rose</u>	Cactaceae	ESPOS_LAN
<u>Espostoopsis dybowskii (Rol.-Goss.) Buxb.</u> (Synonyms: <i>Austrocephalocereus dybowskii</i> (Rol.-Goss.) Backeb.; <i>Cephalocereus dybowskii</i> (Rol.-Goss.) Britton & Rose)	Cactaceae	AUSTR_DYB
<u>Eucalyptus alba Reinw. ex Blume</u>	Myrtaceae	EUCAL_ALB
<u>Eucalyptus astringens (Maiden) Maiden</u>	Myrtaceae	EUCAL_AST

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Eucalyptus botryoides</i> Sm.</u>	Myrtaceae	EUCAL BOT
<u><i>Eucalyptus bridgesiana</i> R. T. Baker</u>	Myrtaceae	EUCAL BRI
<u><i>Eucalyptus camaldulensis</i> Dehnh.</u>	Myrtaceae	EUCAL CAM
<u><i>Eucalyptus cinerea</i> F. Muell. ex Benth.</u>	Myrtaceae	EUCAL CIN
<u><i>Eucalyptus citriodora</i> Hook.</u> = <u><i>Corymbia citriodora</i> (Hook.) K. D. Hill & L. A. S. Johnson</u>	Myrtaceae	CORYM CIT
<u><i>Eucalyptus cladocalyx</i> F. Muell.</u>	Myrtaceae	EUCAL CLA
<u><i>Eucalyptus cloeziana</i> F. Muell.</u>	Myrtaceae	EUCAL CLO
<u><i>Eucalyptus cypellocarpa</i> L. A. S. Johnson</u>	Myrtaceae	EUCAL CYP
<u><i>Eucalyptus dalrympleana</i> Maiden</u>	Myrtaceae	EUCAL DAL
<u><i>Eucalyptus deanei</i> Maiden</u>	Myrtaceae	EUCAL DEA
<u><i>Eucalyptus deglupta</i> Blume</u>	Myrtaceae	EUCAL DEG
<u><i>Eucalyptus delegatensis</i> R. T. Baker</u>	Myrtaceae	EUCAL DEL
<u><i>Eucalyptus diversicolor</i> F. Muell.</u>	Myrtaceae	EUCAL DIV
<u><i>Eucalyptus elata</i> Dehnh.</u>	Myrtaceae	EUCAL ELA
<u><i>Eucalyptus fastigata</i> H. Deane & Maiden</u>	Myrtaceae	EUCAL FAS
<u><i>Eucalyptus ficifolia</i> F. Muell.</u> = <u><i>Corymbia ficifolia</i> (F. Muell.) K. D. Hill & L. A. S. Johnson</u>	Myrtaceae	CORYM FIC
<u><i>Eucalyptus glaucescens</i> Maiden & Blakely</u>	Myrtaceae	EUCAL GLA
<u><i>Eucalyptus globulus</i> Labill.</u>	Myrtaceae	EUCAL GLO
<u><i>Eucalyptus gomphocephala</i> DC.</u>	Myrtaceae	EUCAL GOM
<u><i>Eucalyptus grandis</i> W. Hill ex Maiden</u>	Myrtaceae	EUCAL GRA
<u><i>Eucalyptus gunnii</i> Hook. f.</u>	Myrtaceae	EUCAL GUN
<u><i>Eucalyptus largiflorens</i> F. Muell.</u>	Myrtaceae	EUCAL LAR
<u><i>Eucalyptus leucoxylon</i> F. Muell.</u>	Myrtaceae	EUCAL LEU
<u><i>Eucalyptus macrorhyncha</i> F. Muell. ex Benth.</u>	Myrtaceae	EUCAL MCR
<u><i>Eucalyptus maculata</i> Hook.</u> = <u><i>Corymbia maculata</i> (Hook.) K. D. Hill & L. A. S. Johnson</u>	Myrtaceae	CORYM MAC
<u><i>Eucalyptus maidenii</i> F. Muell.</u>	Myrtaceae	EUCAL GLO MAI
<u><i>Eucalyptus mannifera</i> Mudie</u>	Myrtaceae	EUCAL MNN
<u><i>Eucalyptus marginata</i> Donn ex Sm.</u>	Myrtaceae	EUCAL MRG
<u><i>Eucalyptus melliodora</i> A. Cunn. ex Schauer</u>	Myrtaceae	EUCAL MEL
<u><i>Eucalyptus microcorys</i> F. Muell.</u>	Myrtaceae	EUCAL MCC
<u><i>Eucalyptus microtheca</i> F. Muell.</u>	Myrtaceae	EUCAL MCT

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Eucalyptus moluccana</i> Roxb.</u>	Myrtaceae	EUCAL MOL
<u><i>Eucalyptus muelleriana</i> A. W. Howitt</u>	Myrtaceae	EUCAL MUE
<u><i>Eucalyptus niphophila</i> Maiden & Blakely</u> included in <u><i>Eucalyptus pauciflora</i> Sieber ex Spreng.</u>	Myrtaceae	EUCAL PAU NIP
<u><i>Eucalyptus nitens</i> (H. Deane & Maiden) Maiden</u>	Myrtaceae	EUCAL NIT
<u><i>Eucalyptus obliqua</i> L'Hér.</u>	Myrtaceae	EUCAL OBL
<u><i>Eucalyptus occidentalis</i> Endl.</u>	Myrtaceae	EUCAL OCC
<u><i>Eucalyptus paniculata</i> Sm.</u>	Myrtaceae	EUCAL PAN
<u><i>Eucalyptus pauciflora</i> Sieber ex Spreng.</u> (Including: <i>Eucalyptus niphophila</i> Maiden & Blakely)	Myrtaceae	EUCAL PAU
<u><i>Eucalyptus pilularis</i> Sm.</u>	Myrtaceae	EUCAL PIL
<u><i>Eucalyptus polybractea</i> R. T. Baker</u>	Myrtaceae	EUCAL POL
<u><i>Eucalyptus pseudoglobulus</i> Naudin ex Maiden</u> (Synonym: <i>Eucalyptus saint-johnii</i> (R. T. Baker) R. T. Baker)	Myrtaceae	EUCAL GLO PSE
<u><i>Eucalyptus radiata</i> Sieber ex DC.</u>	Myrtaceae	EUCAL RAD
<u><i>Eucalyptus regnans</i> F. Muell.</u>	Myrtaceae	EUCAL REG
<u><i>Eucalyptus resinifera</i> Sm.</u>	Myrtaceae	EUCAL RES
<u><i>Eucalyptus robusta</i> Sm.</u>	Myrtaceae	EUCAL ROB
<u><i>Eucalyptus rudis</i> Endl.</u>	Myrtaceae	EUCAL RUD
<u><i>Eucalyptus saint-johnii</i> (R. T. Baker) R. T. Baker</u> = <u><i>Eucalyptus pseudoglobulus</i> Naudin ex Maiden</u>	Myrtaceae	EUCAL GLO PSE
<u><i>Eucalyptus saligna</i> Sm.</u>	Myrtaceae	EUCAL SAL
<u><i>Eucalyptus sideroxylon</i> A. Cunn. ex Wools</u>	Myrtaceae	EUCAL SID
<u><i>Eucalyptus sieberi</i> L. A. S. Johnson</u>	Myrtaceae	EUCAL SIE
<u><i>Eucalyptus smithii</i> R. T. Baker</u>	Myrtaceae	EUCAL SMI
<u><i>Eucalyptus tereticornis</i> Sm.</u>	Myrtaceae	EUCAL TER
<u><i>Eucalyptus viminalis</i> Labill.</u>	Myrtaceae	EUCAL VIM
<u><i>Euchlaena mexicana</i> Schrad.</u> = <u><i>Zea mays</i> L. subsp. <i>mexicana</i> (Schrad.) H. H. Iltis</u>	Poaceae [Gramineae]	ZEAAA MAY MEX
<u><i>Eucryphia cordifolia</i> Cav.</u>	Cunoniaceae	ECPHA COR
<u><i>Eucryphia glutinosa</i> (Poepp. & Endl.) Baill.</u>	Cunoniaceae	ECPHA GLU
<u><i>Eucryphia</i> × <i>intermedia</i> J. Bausch</u> [<i>E. glutinosa</i> (Poepp. & Endl.) Baill. × <i>E. lucida</i> (Labill.) Baill.]	Cunoniaceae	ECPHA INT
<u><i>Eucryphia lucida</i> (Labill.) Baill.</u>	Cunoniaceae	ECPHA LUC
<u><i>Eucryphia</i> × <i>nymansensis</i> J. Bausch</u> [<i>E. cordifolia</i> Cav. × <i>E. glutinosa</i> (Poepp. & Endl.) Baill.]	Cunoniaceae	ECPHA NYM

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Eugenia caryophyllus</i> (Spreng.) Bullock & S. G. Harrison</u> = <u><i>Syzygium aromaticum</i> (L.) Merr. & L. M. Perry</u>	Myrtaceae	<u>SYZYG ARO</u>
<u><i>Eugenia uniflora</i> L.</u>	Myrtaceae	<u>EUGEN UNI</u>
<u><i>Eulaliopsis binata</i> (Retz.) C. E. Hubb.</u>	Poaceae [Gramineae]	<u>EULAL BIN</u>
<u><i>Euonymus europaeus</i> L.</u>	Celastraceae	<u>EUONY EUR</u>
<u><i>Euonymus japonicus</i> Thunb.</u>	Celastraceae	<u>EUONY JAP</u>
<u><i>Eupatorium adenophorum</i> Spreng.</u> = <u><i>Ageratina adenophora</i> (Spreng.) R. M. King & H. Rob.</u>	Asteraceae [Compositae]	<u>EUPAT ADE</u>
<u><i>Eupatorium buniifolium</i> Hook. & Arn.</u> = <u><i>Acanthostyles buniifolius</i> (Hook. & Arn.) R. M. King & H. Rob.</u>	Asteraceae [Compositae]	<u>EUPAT BUN</u>
<u><i>Eupatorium cannabinum</i> L.</u>	Asteraceae [Compositae]	<u>EUPAT CAN</u>
<u><i>Eupatorium odoratum</i> L.</u> = <u><i>Chromolaena odorata</i> (L.) R. M. King & H. Rob.</u>	Asteraceae [Compositae]	<u>EUPAT ODO</u>
<u><i>Euphorbia dracunculoides</i> Lam.</u>	Euphorbiaceae	<u>EUPHO DRA</u>
<u><i>Euphorbia esula</i> L.</u>	Euphorbiaceae	<u>EUPHO ESU</u>
<u><i>Euphorbia exigua</i> L.</u>	Euphorbiaceae	<u>EUPHO EXI</u>
<u><i>Euphorbia fulgens</i> Karw. ex Klotzsch</u>	Euphorbiaceae	<u>EUPHO FUL</u>
<u><i>Euphorbia helioscopia</i> L.</u>	Euphorbiaceae	<u>EUPHO HEL</u>
<u><i>Euphorbia heterophylla</i> L.</u> (Synonym: <i>Euphorbia prunifolia</i> Jacq.)	Euphorbiaceae	<u>EUPHO HET</u>
<u><i>Euphorbia lathyris</i> L.</u>	Euphorbiaceae	<u>EUPHO LAT</u>
<u><i>Euphorbia lucida</i> Waldst. & Kit.</u>	Euphorbiaceae	<u>EUPHO LUC</u>
<u><i>Euphorbia marginata</i> Pursh</u>	Euphorbiaceae	<u>EUPHO MAR</u>
<u><i>Euphorbia milii</i> Des Moul.</u>	Euphorbiaceae	<u>EUPHO MIL</u>
<u><i>Euphorbia peplus</i> L.</u>	Euphorbiaceae	<u>EUPHO PEP</u>
<u><i>Euphorbia prunifolia</i> Jacq.</u> = <u><i>Euphorbia heterophylla</i> L.</u>	Euphorbiaceae	<u>EUPHO PRU</u>
<u><i>Euphorbia pulcherrima</i> Willd. ex Klotzsch</u>	Euphorbiaceae	<u>EUPHO PUL</u>
<u><i>Euphorbia segetalis</i> L.</u>	Euphorbiaceae	<u>EUPHO SEG</u>
<u><i>Euphorbia terracina</i> L.</u>	Euphorbiaceae	<u>EUPHO TER</u>
<u><i>Euploca ovalifolia</i> (Forssk.) Diane & Hilger</u> (Synonym: <i>Heliotropium ovalifolium</i> Forssk.)	Heliotropiaceae (Boraginaceae)	<u>HLTRP OVA</u>
<u><i>Eustoma exaltatum</i> (L.) Salisb. ex G. Don</u>	Gentianaceae	<u>EUSTO EXA</u>
<u><i>Euterpe edulis</i> Mart.</u>	Arecaceae [Palmae]	<u>EUTER EDU</u>
<u><i>Exacum affine</i> Balf. f.</u>	Gentianaceae	<u>EXACU AFF</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Exogonium purga</i> (Wender.) Benth.</u> = <u><i>Ipomoea purga</i> (Wender.) Hayne</u>	Convolvulaceae	IPOMO_PRG
---	----------------	---------------------------

F

<u><i>Fagopyrum esculentum</i> Moench</u> (Synonym: <i>Fagopyrum sagittatum</i> Gilib., nom. inval.)	Polygonaceae	FAGOP_ESC
<u><i>Fagopyrum sagittatum</i> Gilib., nom. inval.</u> = <u><i>Fagopyrum esculentum</i> Moench</u>	Polygonaceae	FAGOP_ESC
<u><i>Fagopyrum tataricum</i> (L.) Gaertn.</u>	Polygonaceae	FAGOP_TAT
<u><i>Fagus orientalis</i> Lipsky</u> (Synonym: <i>Fagus sylvatica</i> L. subsp. <i>orientalis</i> (Lipsky) Greuter & Burdet)	Fagaceae	FAGUS_ORI
<u><i>Fagus sylvatica</i> L.</u>	Fagaceae	FAGUS_SYL
<u><i>Fagus sylvatica</i> L. subsp. <i>orientalis</i> (Lipsky) Greuter & Burdet</u> = <u><i>Fagus orientalis</i> Lipsky</u>	Fagaceae	FAGUS_ORI
<u><i>Falcataria moluccana</i> (Miq.) Barneby & J. W. Grimes</u> (Synonym: <i>Albizia falcata</i> auct., non Backer; <i>Albizia falcataria</i> (L.) Fosberg; <i>Paraserianthes falcataria</i> (L.) I. C. Nielsen)	Fabaceae [Leguminosae]	FALCA_MOL
<u><i>Fallopia convolvulus</i> (L.) Á. Löve</u> (Synonym: <i>Polygonum convolvulus</i> L.)	Polygonaceae	PLYGN_CON
<u><i>Fatsia japonica</i> (Thunb.) Decne. & Planch.</u> (Synonym: <i>Aralia japonica</i> Thunb.)	Araliaceae	FATSI_JAP
<u><i>Felicia amelloides</i> (L.) Voss</u>	Asteraceae [Compositae]	FELIC_AME
<u><i>Felicia bergeriana</i> (Spreng.) O. Hoffm.</u>	Asteraceae [Compositae]	FELIC_BER
<u><i>Felicia heterophylla</i> (Cass.) Grau</u>	Asteraceae [Compositae]	FELIC_HET
<u><i>Ferocactus wislizeni</i> (Engelm.) Britton & Rose</u>	Cactaceae	FEROC_WIS
<u><i>Festuca arundinacea</i> Schreb.</u> (Synonyms: <i>Festuca elatior</i> L.; <i>Lolium arundinaceum</i> (Schreb.) Darbysh.; <i>Schedonorus arundinaceus</i> (Schreb.) Dumort.)	Poaceae [Gramineae]	FESTU_ARU
<u><i>Festuca brevipila</i> R. Tracey</u> = <u><i>Festuca trachyphylla</i> (Hack.) R. P. Murray</u>	Poaceae [Gramineae]	FESTU_BRE
<u><i>Festuca bromoides</i> L.</u> = <u><i>Vulpia bromoides</i> (L.) Gray</u>	Poaceae [Gramineae]	FESTU_BRM
<u><i>Festuca danthonii</i> Asch. & Graebn.</u> = <u><i>Vulpia ciliata</i> Dumort.</u>	Poaceae [Gramineae]	FESTU_DAN
<u><i>Festuca elatior</i> auct. Amer., non L.</u> = <u><i>Festuca pratensis</i> Huds.</u>	Poaceae [Gramineae]	FESTU_PRA
<u><i>Festuca elatior</i> L.</u> = <u><i>Festuca arundinacea</i> Schreb.</u>	Poaceae [Gramineae]	FESTU_ARU
<u><i>Festuca fasciculata</i> Forssk.</u> = <u><i>Vulpia fasciculata</i> (Forssk.) Fritsch</u>	Poaceae [Gramineae]	FESTU_FAS
<u><i>Festuca filiformis</i> Pourr.</u> (Synonym: <i>Festuca tenuifolia</i> Sibth.)	Poaceae [Gramineae]	FESTU_FIL
<u><i>Festuca heterophylla</i> Lam.</u>	Poaceae [Gramineae]	FESTU_HET

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Festuca myuros</i> L.</u> = <u><i>Vulpia myuros</i> (L.) C. C. Gmel.</u>	Poaceae [Gramineae]	<u>FESTU_MYU</u>
<u><i>Festuca ovina</i> L., s.l.</u>	Poaceae [Gramineae]	<u>FESTU_OVI</u>
<u><i>Festuca pratensis</i> Huds.</u> (Synonym: <i>Festuca elatior</i> auct. Amer., non L.; <i>Lolium pratense</i> (Huds.) Darbysh.)	Poaceae [Gramineae]	<u>FESTU_PRA</u>
<u><i>Festuca rubra</i> L., s.l.</u>	Poaceae [Gramineae]	<u>FESTU_RUB</u>
<u><i>Festuca tenuifolia</i> Sibth.</u> = <u><i>Festuca filiformis</i> Pourr.</u>	Poaceae [Gramineae]	<u>FESTU_FIL</u>
<u><i>Festuca trachyphylla</i> (Hack.) R. P. Murray</u> (Synonym: <i>Festuca brevipila</i> R. Tracey)	Poaceae [Gramineae]	<u>FESTU_BRE</u>
<u>×<i>Festulolium</i></u> [<i>Festuca</i> × <i>Lolium</i>]	Poaceae [Gramineae]	<u>FESTL</u>
<u><i>Ficus benghalensis</i> L.</u>	Moraceae	<u>FICUS_BNG</u>
<u><i>Ficus benjamina</i> L.</u>	Moraceae	<u>FICUS_BNJ</u>
<u><i>Ficus carica</i> L.</u>	Moraceae	<u>FICUS_CAR</u>
<u><i>Ficus elastica</i> Roxb. ex Hornem.</u>	Moraceae	<u>FICUS_ELA</u>
<u><i>Ficus macrophylla</i> Pers.</u>	Moraceae	<u>FICUS_MAC</u>
<u><i>Ficus microcarpa</i> L. f.</u> (Synonym: <i>Ficus retusa</i> auct., non L.)	Moraceae	<u>FICUS_MIC</u>
<u><i>Ficus religiosa</i> L.</u>	Moraceae	<u>FICUS_REL</u>
<u><i>Ficus retusa</i> auct., non L.</u> = <u><i>Ficus microcarpa</i> L. f.</u>	Moraceae	<u>FICUS_MIC</u>
<u><i>Fitzroya cupressoides</i> (Molina) I. M. Johnst.</u>	Cupressaceae	<u>FITZR_CUP</u>
<u><i>Flacourtia indica</i> (Burm. f.) Merr.</u>	Salicaceae (Flacourtiaceae)	<u>FLACO_IND</u>
<u><i>Flaveria australasica</i> Hook.</u> = <u><i>Flaveria trinervia</i> (Spreng.) C. Mohr</u>	Asteraceae [Compositae]	<u>FLAVE_AUS</u>
<u><i>Flaveria trinervia</i> (Spreng.) C. Mohr</u> (Synonym: <i>Flaveria australasica</i> Hook.)	Asteraceae [Compositae]	<u>FLAVE_AUS</u>
<u><i>Fleroya ledermannii</i> (K. Krause) Y. F. Deng</u> = <u><i>Mitragyna ledermannii</i> (K. Krause) Ridsdale</u>	Rubiaceae	<u>MITRA_CIL</u>
<u><i>Foeniculum vulgare</i> Mill.</u>	Apiaceae [Umbelliferae]	<u>FOENI_VUL</u>
<u><i>Fortunella hindsii</i> (Champ. ex Benth.) Swingle</u> = <u><i>Citrus japonica</i> Thunb.</u>	Rutaceae	<u>FORTU_HIN</u>
<u><i>Fortunella japonica</i> (Thunb.) Swingle</u> = <u><i>Citrus japonica</i> Thunb.</u>	Rutaceae	<u>FORTU_JAP</u>
<u><i>Fortunella margarita</i> (Lour.) Swingle</u> = <u><i>Citrus japonica</i> Thunb.</u>	Rutaceae	<u>FORTU_MAR</u>
<u><i>Fragaria vesca</i> L.</u>	Rosaceae	<u>FRAGA_VES</u>
<u><i>Frangula purshiana</i> (DC.) A. Gray</u> (Synonym: <i>Rhamnus purshiana</i> DC.)	Rhamnaceae	<u>RHAMN_PUR</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Franseria discolor</i> Nutt.</u> = <u><i>Ambrosia tomentosa</i> Nutt.</u>	Asteraceae [Compositae]	AMBRO TOM
<u><i>Franseria tomentosa</i> A. Gray</u> = <u><i>Ambrosia grayi</i> (A. Nelson) Shinnery</u>	Asteraceae [Compositae]	AMBRO GRA
<u><i>Fraxinus americana</i> L.</u>	Oleaceae	FRAXI AME
<u><i>Fraxinus excelsior</i> L.</u>	Oleaceae	FRAXI EXC
<u><i>Fraxinus latifolia</i> Benth.</u>	Oleaceae	FRAXI LAT
<u><i>Fraxinus mandshurica</i> Rupr.</u>	Oleaceae	FRAXI MAN
<u><i>Fraxinus nigra</i> Marshall</u>	Oleaceae	FRAXI NIG
<u><i>Freesia refracta</i> (Jacq.) Klatt</u>	Iridaceae	FREES REF
<u><i>Fritillaria imperialis</i> L.</u>	Liliaceae	FRITI IMP
<u><i>Fritillaria meleagris</i> L.</u>	Liliaceae	FRITI MEL
<u><i>Fuchsia magellanica</i> Lam.</u>	Onagraceae	FUCHS MAG
<u><i>Fumaria bastardii</i> Boreau</u>	Papaveraceae	FUMAR BAS
<u><i>Fumaria densiflora</i> DC.</u>	Papaveraceae	FUMAR DEN
<u><i>Fumaria officinalis</i> L.</u>	Papaveraceae	FUMAR OFF
<u><i>Funtumia elastica</i> (P. Preuss) Stapf</u>	Apocynaceae	FUNTU ELA
<u><i>Furcraea cabuya</i> Trel.</u>	Asparagaceae (Agavaceae)	FURCR CAB

G

<u><i>Gaillardia aristata</i> Pursh</u>	Asteraceae [Compositae]	GAILL ARI
<u><i>Gaillardia pulchella</i> Foug.</u>	Asteraceae [Compositae]	GAILL PUL
<u><i>Galactia striata</i> (Jacq.) Urb.</u>	Fabaceae [Leguminosae]	GALAC STR
<u><i>Galanthus nivalis</i> L.</u>	Amaryllidaceae	GALAN NIV
<u><i>Galega officinalis</i> L.</u>	Fabaceae [Leguminosae]	GALEG OFF
<u><i>Galega orientalis</i> Lam.</u>	Fabaceae [Leguminosae]	GALEG ORI
<u><i>Galeopsis ochroleuca</i> Lam.</u> = <u><i>Galeopsis segetum</i> Neck.</u>	Lamiaceae [Labiatae]	GALEO SEG
<u><i>Galeopsis segetum</i> Neck.</u> (Synonym: <i>Galeopsis ochroleuca</i> Lam.)	Lamiaceae [Labiatae]	GALEO SEG
<u><i>Galeopsis speciosa</i> Mill.</u>	Lamiaceae [Labiatae]	GALEO SPE
<u><i>Galeopsis tetrahit</i> L.</u>	Lamiaceae [Labiatae]	GALEO TET

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Galinsoga parviflora</i> Cav.</u>	Asteraceae [Compositae]	<u>GALIN PAR</u>
<u><i>Galium aparine</i> L.</u>	Rubiaceae	<u>GALIU APA</u>
<u><i>Galium asprellum</i> Michx.</u>	Rubiaceae	<u>GALIU ASP</u>
<u><i>Galium mollugo</i> L.</u>	Rubiaceae	<u>GALIU MOL</u>
<u><i>Galium spurium</i> L.</u>	Rubiaceae	<u>GALIU SPU</u>
<u><i>Galium verum</i> L.</u>	Rubiaceae	<u>GALIU VER</u>
<u><i>Garcinia mangostana</i> L.</u>	Clusiaceae [Guttiferae]	<u>GARCI MAN</u>
<u><i>Gardenia jasminoides</i> J. Ellis</u>	Rubiaceae	<u>GARDE JAS</u>
<u><i>Garrya elliptica</i> Douglas ex Lindl.</u>	Garryaceae	<u>GARRY ELL</u>
<u><i>Garrya × thuretii</i> Carrière</u> [<i>G. elliptica</i> Douglas ex Lindl. × <i>G. fadyenii</i> Hook.]	Garryaceae	<u>GARRY THU</u>
<u><i>Gaura coccinea</i> Pursh</u> = <u><i>Oenothera suffrutescens</i> (Ser.) W. L. Wagner & Hoch</u>	Onagraceae	<u>OENOT COC</u>
<u><i>Gaura drummondii</i> (Spach) Torr. & A. Gray</u> = <u><i>Oenothera hispida</i> (Benth.) W. L. Wagner et al.</u>	Onagraceae	<u>OENOT XEN</u>
<u><i>Gaura odorata</i> auct., non Sesse ex Lag.</u> = <u><i>Oenothera hispida</i> (Benth.) W. L. Wagner et al.</u>	Onagraceae	<u>OENOT XEN</u>
<u><i>Gaura sinuata</i> Nutt. ex Ser.</u> = <u><i>Oenothera sinuosa</i> W. L. Wagner & Hoch</u>	Onagraceae	<u>OENOT SNU</u>
<u><i>Gaura villosa</i> Torr.</u> = <u><i>Oenothera cinerea</i> (Wooton & Standl.) W. L. Wagner & Hoch</u>	Onagraceae	<u>OENOT CIN</u>
<u><i>Gazania rigens</i> (L.) Gaertn.</u> (Synonym: <i>Gazania splendens</i> hort. ex Hend. & A. A. Hend.)	Asteraceae [Compositae]	<u>GAZAN RIG</u>
<u><i>Gazania splendens</i> hort. ex Hend. & A. A. Hend.</u> = <u><i>Gazania rigens</i> (L.) Gaertn.</u>	Asteraceae [Compositae]	<u>GAZAN RIG</u>
<u><i>Gentiana acaulis</i> L.</u>	Gentianaceae	<u>GENTI ACA</u>
<u><i>Gentiana dahurica</i> Fisch.</u>	Gentianaceae	<u>GENTI DAH</u>
<u><i>Gentiana lutea</i> L.</u>	Gentianaceae	<u>GENTI LUT</u>
<u><i>Gentiana septemfida</i> Pall.</u>	Gentianaceae	<u>GENTI SEP</u>
<u><i>Geranium columbinum</i> L.</u>	Geraniaceae	<u>GERAN COL</u>
<u><i>Geranium dissectum</i> L.</u>	Geraniaceae	<u>GERAN DIS</u>
<u><i>Geranium hybrids</i></u>	Geraniaceae	<u>GERAN</u>
<u><i>Geranium molle</i> L.</u>	Geraniaceae	<u>GERAN MOL</u>
<u><i>Geranium nepalense</i> Sweet</u>	Geraniaceae	<u>GERAN NEP</u>
<u><i>Geranium pusillum</i> L.</u>	Geraniaceae	<u>GERAN PUS</u>
<u><i>Geranium robertianum</i> L.</u>	Geraniaceae	<u>GERAN ROB</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Gerbera jamesonii</u> Adlam	Asteraceae [Compositae]	GERBE_JAM
<u>Geum borisii</u> hort., non Kellerer ex Sünd. = <u>Geum coccineum</u> Sm.	Rosaceae	GEUMM_COC
<u>Geum chilense</u> hort. = <u>Geum quellyon</u> Sweet	Rosaceae	GEUMM_QUE
<u>Geum coccineum</u> Sm. (Synonym: <i>Geum borisii</i> hort., non Kellerer ex Sünd.)	Rosaceae	GEUMM_COC
<u>Geum quellyon</u> Sweet (Synonym: <i>Geum chilense</i> hort.)	Rosaceae	GEUMM_QUE
<u>Geum urbanum</u> L.	Rosaceae	GEUMM_URB
<u>Gilia capitata</u> Sims	Polemoniaceae	GILIA_CAP
<u>Gilia tricolor</u> Benth.	Polemoniaceae	GILIA_TRI
<u>Ginkgo biloba</u> L.	Ginkgoaceae	GINKG_BIL
<u>Gladiolus murielae</u> Kelway (Synonym: <i>Acidanthera bicolor</i> Hochst.)	Iridaceae	GLADI_MUR
<u>Glandularia canadensis</u> (L.) Nutt. (Synonyms: <i>Verbena aubletii</i> Jacq.; <i>Verbena canadensis</i> (L.) Britton)	Verbenaceae	GLAND_CAN
<u>Glandularia × hybrida</u> (hort. ex Groenl. & Rümpler) G. L. Nesom & Pruski (Synonyms: <i>Verbena × hybrida</i> hort. ex Groenl. & Rümpler; <i>Verbena</i> Hybrida Group)	Verbenaceae	GLAND_HYB
<u>Glandularia laciniata</u> (L.) Schnack & Covas (Synonyms: <i>Verbena erinoides</i> Lam.; <i>Verbena laciniata</i> (L.) Briq.)	Verbenaceae	GLAND_LAC
<u>Glaucium flavum</u> Crantz	Papaveraceae	GLAUC_FLA
<u>Glebionis carinata</u> (Schousb.) Tzvelev (Synonyms: <i>Chrysanthemum carinatum</i> Schousb.; <i>Ismelia carinata</i> (Schousb.) Sch. Bip.)	Asteraceae [Compositae]	GLEBI_CAR
<u>Glebionis coronaria</u> (L.) Cass. ex Spach (Synonym: <i>Chrysanthemum coronarium</i> L.)	Asteraceae [Compositae]	GLEBI_COR
<u>Glebionis segetum</u> (L.) Fourr. (Synonym: <i>Chrysanthemum segetum</i> L.)	Asteraceae [Compositae]	CHRYG_SEG
<u>Glechoma hederacea</u> L.	Lamiaceae [Labiatae]	GLECH_HED
<u>Gleditsia triacanthos</u> L.	Fabaceae [Leguminosae]	GLEDI_TRI
<u>Gliricidia sepium</u> (Jacq.) Kunth	Fabaceae [Leguminosae]	GLIRI_SEP
<u>Gloriosa rothschildiana</u> O'Brien included in <u>Gloriosa superba</u> L.	Colchicaceae	GLORI_SUP_ROT
<u>Gloriosa superba</u> L. (Including: <i>Gloriosa rothschildiana</i> O'Brien)	Colchicaceae	GLORI_SUP
<u>Glyceria fluitans</u> (L.) R. Br.	Poaceae [Gramineae]	GLYCR_FLU
<u>Glyceria maxima</u> (Hartm.) Holmb.	Poaceae [Gramineae]	GLYCR_MAX

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Glycine javanica</i> auct., non L.</u> = <i>Neonotonia wightii</i> (Wight & Arn.) J. A. Lackey	Fabaceae [Leguminosae]	NEONO WIG
<u><i>Glycine max</i> (L.) Merr.</u> (Synonym: <i>Soja hispida</i> Moench)	Fabaceae [Leguminosae]	GLYCI_MAX
<u><i>Glycyrrhiza glabra</i> L.</u>	Fabaceae [Leguminosae]	GLYCY_GLA
<u><i>Gmelina arborea</i> Roxb.</u>	Lamiaceae [Labiatae]	GMELI_ARB
<u><i>Godetia amoena</i> (Lehm.) G. Don</u> = <i>Clarkia amoena</i> (Lehm.) A. Nelson & J. F. Macbr.	Onagraceae	CLARK_AMO
<u><i>Godetia grandiflora</i> Lindl.</u> included in <i>Clarkia amoena</i> (Lehm.) A. Nelson & J. F. Macbr.	Onagraceae	CLARK_AMO
<u><i>Gomphocarpus fruticosus</i> (L.) W. T. Aiton</u> (Synonym: <i>Asclepias fruticosa</i> L.)	Apocynaceae	ASCLE_FRU
<u><i>Gomphocarpus physocarpus</i> E. Mey.</u> (Synonym: <i>Asclepias physocarpa</i> (E. Mey.) Schltr.)	Apocynaceae	GMPHC_PHY
<u><i>Gomphrena decumbens</i> Jacq.</u> = <i>Gomphrena serrata</i> L.	Amaranthaceae	GOMPH_SER
<u><i>Gomphrena globosa</i> L.</u>	Amaranthaceae	GOMPH_GLO
<u><i>Gomphrena serrata</i> L.</u> (Synonym: <i>Gomphrena decumbens</i> Jacq.)	Amaranthaceae	GOMPH_SER
<u><i>Goniolimon tataricum</i> (L.) Boiss.</u> (Synonym: <i>Limonium tataricum</i> (L.) Mill.)	Plumbaginaceae	GONIO_TAT
<u><i>Gonystylus bancanus</i> (Miq.) Kurz</u>	Thymelaeaceae	GONYS_BAN
<u><i>Gossweilerodendron balsamiferum</i> (Vermoesen) Harms</u> = <i>Prioria balsamifera</i> (Vermoesen) Breteler	Fabaceae [Leguminosae]	GOSSW_BAL
<u><i>Gossypium anomalum</i> Wawra</u>	Malvaceae	GOSSY_ANO
<u><i>Gossypium arboreum</i> L.</u>	Malvaceae	GOSSY_ARB
<u><i>Gossypium herbaceum</i> L.</u>	Malvaceae	GOSSY_HER
<u><i>Gossypium hirsutum</i> L.</u>	Malvaceae	GOSSY_HIR
<u><i>Gossypium klotzschianum</i> Andersson</u>	Malvaceae	GOSSY_KLO
<u><i>Gossypium tomentosum</i> Nutt. ex Seem.</u>	Malvaceae	GOSSY_TOM
<u><i>Gossypium trilobum</i> (DC.) Skovst.</u>	Malvaceae	GOSSY_TRI
<u><i>Grangea maderaspatana</i> (L.) Poir.</u>	Asteraceae [Compositae]	GRANG_MAD
<u><i>Grevillea robusta</i> A. Cunn. ex R. Br.</u>	Proteaceae	GREVI_ROB
<u><i>Guarea cedrata</i> (A. Chev.) Pellegr.</u> = <i>Leplaea cedrata</i> (A. Chev.) E. J. M. Koenen & J. J. de Wilde	Meliaceae	GUARE_CED
<u><i>Guarea thompsonii</i> Sprague & Hutch.</u> = <i>Leplaea thompsonii</i> (Sprague & Hutch.) E. J. M. Koenen & J. J. de Wilde	Meliaceae	GUARE_THO
<u><i>Guibourtia arnoldiana</i> (De Wild. & T. Durand) J. Léonard</u>	Fabaceae [Leguminosae]	GUIBO_ARN
<u><i>Guizotia abyssinica</i> (L. f.) Cass.</u>	Asteraceae [Compositae]	GUIZO_ABY

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Gymnanthemum amygdalinum (Delile) Sch. Bip.</u> (Synonym: <i>Vernonia amygdalina</i> Delile)	Asteraceae [Compositae]	VERNO_AMY
<u>Gymnanthemum coloratum (Willd.) H. Rob. & B. Kahn</u> (Synonym: <i>Vernonia colorata</i> (Willd.) Drake)	Asteraceae [Compositae]	VERNO_COL
<u>Gymnocalycium neocumingii (Backeb.) Hutchison</u> = <u>Weingartia neocumingii Backeb.</u>	Cactaceae	GYMNO_NEO
<u>Gynandropsis gynandra (L.) Briq.</u> (Synonym: <i>Cleome gynandra</i> L.)	Cleomaceae	GYNAN_GYN
<u>Gypsophila carminea hort. ex R. H. Pearson</u> = <u>Gypsophila elegans M. Bieb.</u>	Caryophyllaceae	GYPSO_ELE
<u>Gypsophila elegans M. Bieb.</u> (Synonym: <i>Gypsophila carminea</i> hort. ex R. H. Pearson)	Caryophyllaceae	GYPSO_ELE
<u>Gypsophila pacifica Kom.</u>	Caryophyllaceae	GYPSO_PAC
<u>Gypsophila paniculata L.</u>	Caryophyllaceae	GYPSO_PAN
<u>Gypsophila repens L.</u>	Caryophyllaceae	GYPSO_REP
<u>Gypsophila vaccaria (L.) Sm.</u> (Synonyms: <i>Saponaria vaccaria</i> L.; <i>Vaccaria hispanica</i> (Mill.) Rauschert; <i>Vaccaria pyramidata</i> Medik.)	Caryophyllaceae	GYPSO_VAC

H

<u>Haematoxylum campechianum L.</u>	Fabaceae [Leguminosae]	HAEMA_CAM
<u>Haldina cordifolia (Roxb.) Ridsdale</u> = <u>Adina cordifolia (Roxb.) Hook. f. & Benth.</u>	Rubiaceae	HALDI_COR
<u>Halogeton glomeratus (M. Bieb.) Ledeb.</u>	Chenopodiaceae (Amaranthaceae)	HALOG_GLO
<u>Hamamelis virginiana L.</u>	Hamamelidaceae	HAMAM_VIR
<u>Handroanthus serratifolius (Vahl) S. Grose</u> (Synonym: <i>Tabebuia serratifolia</i> (Vahl) G. Nicholson)	Bignoniaceae	HANDR_SER
<u>Harpephyllum afrum Bernh. ex C. Krauss</u> (Synonym: <i>Harpephyllum caffrum</i> Bernh. ex C. Krauss, orth. var.)	Anacardiaceae	HARPE_CAF
<u>Harpephyllum caffrum Bernh. ex C. Krauss, orth. var.</u> = <u>Harpephyllum afrum Bernh. ex C. Krauss</u>	Anacardiaceae	HARPE_CAF
<u>Harrisia martinii (Labour.) Britton</u> (Synonym: <i>Eriocereus martinii</i> (Labour.) Riccob.)	Cactaceae	HARRI_MAR
<u>Hedeoma pulegioides (L.) Pers.</u>	Lamiaceae [Labiatae]	HEDEO_PUL
<u>Hedysarum coronarium L.</u> = <u>Sulla coronaria (L.) B. H. Choi & H. Ohashi</u>	Fabaceae [Leguminosae]	HEDYS_COR
<u>Helenium amarum (Raf.) H. Rock</u> (Synonym: <i>Helenium tenuifolium</i> Nutt.)	Asteraceae [Compositae]	HELEN_AMA
<u>Helenium autumnale L.</u>	Asteraceae [Compositae]	HELEN_AUT
<u>Helenium tenuifolium Nutt.</u> = <u>Helenium amarum (Raf.) H. Rock</u>	Asteraceae [Compositae]	HELEN_AMA
<u>Helianthemum nummularium (L.) Mill.</u>	Cistaceae	HLNTM_NUM

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Helianthus annuus</i> L.</u>	Asteraceae [Compositae]	<u>HLNTS ANN</u>
<u><i>Helianthus ciliaris</i> DC.</u>	Asteraceae [Compositae]	<u>HLNTS CIL</u>
<u><i>Helianthus debilis</i> Nutt.</u>	Asteraceae [Compositae]	<u>HLNTS DEB</u>
<u><i>Helianthus tuberosus</i> L.</u>	Asteraceae [Compositae]	<u>HLNTS TUB</u>
<u><i>Helichrysum bracteatum</i> (Vent.) Andrews</u> = <u><i>Xerochrysum bracteatum</i> (Vent.) Tzvelev</u>	Asteraceae [Compositae]	<u>XEROC BRA</u>
<u><i>Heliopsis helianthoides</i> (L.) Sweet</u>	Asteraceae [Compositae]	<u>HLOPS HEL</u>
<u><i>Heliotropium amplexicaule</i> Vahl</u>	Heliotropiaceae (Boraginaceae)	<u>HLTRP AMP</u>
<u><i>Heliotropium arborescens</i> L.</u>	Heliotropiaceae (Boraginaceae)	<u>HLTRP ARB</u>
<u><i>Heliotropium europaeum</i> L.</u>	Heliotropiaceae (Boraginaceae)	<u>HLTRP EUR</u>
<u><i>Heliotropium indicum</i> L.</u>	Heliotropiaceae (Boraginaceae)	<u>HLTRP IND</u>
<u><i>Heliotropium ovalifolium</i> Forssk.</u> = <u><i>Euploca ovalifolia</i> (Forssk.) Diane & Hilger</u>	Heliotropiaceae (Boraginaceae)	<u>HLTRP OVA</u>
<u><i>Helipterum humboldtianum</i> (Gaudich.) DC.</u> = <u><i>Rhodanthe humboldtiana</i> (Gaudich.) Paul G. Wilson</u>	Asteraceae [Compositae]	<u>RHODA HUM</u>
<u><i>Helipterum manglesii</i> (Lindl.) F. Muell. ex Benth.</u> = <u><i>Rhodanthe manglesii</i> Lindl.</u>	Asteraceae [Compositae]	<u>RHODA MAN</u>
<u><i>Helipterum roseum</i> (Hook.) Benth.</u> included in <u><i>Rhodanthe chlorocephala</i> (Turcz.) Paul G. Wilson</u>	Asteraceae [Compositae]	<u>RHODA CHL ROS</u>
<u><i>Helleborus niger</i> L.</u>	Ranunculaceae	<u>HELLE NIG</u>
<u><i>Helminthotheca echioides</i> (L.) Holub</u> (Synonym: <i>Picris echioides</i> L.)	Asteraceae [Compositae]	<u>PICRI ECH</u>
<u><i>Hemidiodia ocymifolia</i> (Willd.) K. Schum.</u> = <u><i>Diodia ocymifolia</i> (Willd.) Bremek.</u>	Rubiaceae	<u>DIODI OCY</u>
<u><i>Heptapleurum actinophyllum</i> (Endl.) Lowry & G. M. Plunkett</u> (Synonyms: <i>Brassaia actinophylla</i> Endl.; <i>Schefflera actinophylla</i> (Endl.) Harms)	Araliaceae	<u>SCHEF ACT</u>
<u><i>Heptapleurum arboricola</i> Hayata</u> (Synonym: <i>Schefflera arboricola</i> (Hayata) Hayata ex Merr.)	Araliaceae	<u>SCHEF ARB</u>
<u><i>Heracleum mantegazzianum</i> Sommier & Levier</u>	Apiaceae [Umbelliferae]	<u>HERAC MAN</u>
<u><i>Heracleum pubescens</i> (Hoffm.) M. Bieb.</u>	Apiaceae [Umbelliferae]	<u>HERAC PUB</u>
<u><i>Heracleum sphondylium</i> L.</u>	Apiaceae [Umbelliferae]	<u>HERAC SPH</u>
<u><i>Herbertia pulchella</i> Sweet</u>	Iridaceae	<u>HERBR PUL</u>
<u><i>Heritiera utilis</i> (Sprague) Sprague</u> (Synonym: <i>Tarrietia utilis</i> (Sprague) Sprague)	Malvaceae (Sterculiaceae)	<u>HERIT UTI</u>
<u><i>Hesperis matronalis</i> L.</u>	Brassicaceae [Cruciferae]	<u>HESPE MAT</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Hesperocyparis arizonica</i> (Greene) Bartel</u> = <u><i>Cupressus arizonica</i> Greene</u>	Cupressaceae	CUPRE_ARI
<u><i>Hesperocyparis lusitanica</i> (Mill.) Bartel</u> = <u><i>Cupressus lusitanica</i> Mill.</u>	Cupressaceae	CUPRE_LUS
<u><i>Hesperocyparis macrocarpa</i> (Hartw.) Bartel</u> = <u><i>Cupressus macrocarpa</i> Hartw.</u>	Cupressaceae	CUPRE_MAC
<u><i>Hesperostipa comata</i> (Trin. & Rupr.) Barkworth</u>	Poaceae [Gramineae]	STIPA_COM
<u><i>Heteranthemis viscidiflora</i> Schott</u> (Synonym: <i>Chrysanthemum nivellei</i> hort.)	Asteraceae [Compositae]	HTRNT_VIS
<u><i>Heteropogon contortus</i> (L.) P. Beauv.</u>	Poaceae [Gramineae]	HTRPG_CON
<u><i>Heuchera sanguinea</i> Engelm.</u>	Saxifragaceae	HEUCH_SAN
<u><i>Hevea brasiliensis</i> (Willd. ex A. Juss.) Müll. Arg.</u>	Euphorbiaceae	HEVEA_BRA
<u><i>Hexasepalum teres</i> (Walter) J. H. Kirkbr.</u> (Synonym: <i>Diodia teres</i> Walter)	Rubiaceae	HEXAS_TER
<u><i>Hibiscus cannabinus</i> L.</u>	Malvaceae	HIBIS_CAN
<u><i>Hibiscus elatus</i> Sw.</u> (Synonym: <i>Talipariti elatum</i> (Sw.) Fryxell)	Malvaceae	HIBIS_ELA
<u><i>Hibiscus esculentus</i> L.</u> = <u><i>Abelmoschus esculentus</i> (L.) Moench</u>	Malvaceae	ABELM_ESC
<u><i>Hibiscus panduriformis</i> Burm. f.</u>	Malvaceae	HIBIS_PAN
<u><i>Hibiscus sabdariffa</i> L.</u>	Malvaceae	HIBIS_SAB
<u><i>Hibiscus sinosyrriacus</i> L. H. Bailey</u>	Malvaceae	HIBIS_SIN
<u><i>Hibiscus syriacus</i> L.</u>	Malvaceae	HIBIS_SYR
<u><i>Hibiscus trionum</i> L.</u>	Malvaceae	HIBIS_TRI
<u><i>Hippeastrum hybrids</i></u> (Synonym: <i>Hippeastrum</i> × <i>hybridum</i> hort.)	Amaryllidaceae	HIPPE
<u><i>Hippeastrum</i> × <i>hybridum</i> hort.</u> = <u><i>Hippeastrum hybrids</i></u>	Amaryllidaceae	HIPPE
<u><i>Hippobroma longiflora</i> (L.) G. Don</u>	Campanulaceae	HIPPO_LON
<u><i>Hirschfeldia incana</i> (L.) Lagr.-Foss.</u>	Brassicaceae [Cruciferae]	HIRSC_INC
<u><i>Holcus lanatus</i> L.</u>	Poaceae [Gramineae]	HOLCU_LAN
<u><i>Holcus mollis</i> L.</u>	Poaceae [Gramineae]	HOLCU_MOL
<u><i>Homeria miniata</i> (Andrews) Sweet</u> = <u><i>Moraea miniata</i> Andrews</u>	Iridaceae	MORAE_MIN
<u><i>Hopea odorata</i> Roxb.</u>	Dipterocarpaceae	HOPEA_ODO
<u><i>Hopia obtusa</i> (Kunth) Zuloaga & Morrone</u> (Synonym: <i>Panicum obtusum</i> Kunth)	Poaceae [Gramineae]	PANIC_OBT
<u><i>Hordeum jubatum</i> L.</u>	Poaceae [Gramineae]	HORDE_JUB

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Hordeum murinum</i> L.</u>	Poaceae [Gramineae]	<u>HORDE_MUR</u>
<u><i>Hordeum murinum</i> L. subsp. <i>leporinum</i> (Link) Arcang.</u>	Poaceae [Gramineae]	<u>HORDE_MUR_LEP</u>
<u><i>Hordeum murinum</i> L. subsp. <i>murinum</i></u>	Poaceae [Gramineae]	<u>HORDE_MUR</u>
<u><i>Hordeum spontaneum</i> K. Koch</u> = <u><i>Hordeum vulgare</i> L. subsp. <i>spontaneum</i> (K. Koch) Thell.</u>	Poaceae [Gramineae]	<u>HORDE_SPO</u>
<u><i>Hordeum vulgare</i> L.</u>	Poaceae [Gramineae]	<u>HORDE_VUL</u>
<u><i>Hordeum vulgare</i> L. subsp. <i>spontaneum</i> (K. Koch) Thell.</u> (Synonym: <i>Hordeum spontaneum</i> K. Koch)	Poaceae [Gramineae]	<u>HORDE_SPO</u>
<u><i>Hordeum vulgare</i> L. subsp. <i>vulgare</i></u>	Poaceae [Gramineae]	<u>HORDE_VUL_VUL</u>
<u><i>Howea forsteriana</i> (C. Moore & F. Muell.) Becc.</u> (Synonym: <i>Kentia forsteriana</i> C. Moore & F. Muell.)	Arecaceae [Palmae]	<u>HOWEA_FOR</u>
<u><i>Humulus japonicus</i> Siebold & Zucc.</u> (Synonym: <i>Humulus scandens</i> auct., non Merr.)	Cannabaceae	<u>HUMUL_JAP</u>
<u><i>Humulus lupulus</i> L.</u>	Cannabaceae	<u>HUMUL_LUP</u>
<u><i>Humulus scandens</i> auct., non Merr.</u> = <u><i>Humulus japonicus</i> Siebold & Zucc.</u>	Cannabaceae	<u>HUMUL_JAP</u>
<u><i>Hunnemannia fumariifolia</i> Sweet</u>	Papaveraceae	<u>HUNNE_FUM</u>
<u><i>Hura crepitans</i> L.</u>	Euphorbiaceae	<u>HURAA_CRE</u>
<u><i>Hyacinthus orientalis</i> L.</u>	Asparagaceae (Hyacinthaceae)	<u>HYACI_ORI</u>
<u><i>Hyacinthus parviflorus</i> (Desf.) Pers.</u> = <u><i>Muscari parviflorum</i> Desf.</u>	Asparagaceae (Hyacinthaceae)	<u>MUSCA_PAR</u>
<u><i>Hydrangea macrophylla</i> (Thunb.) Ser.</u>	Hydrangeaceae	<u>HYDRN_MAC</u>
<u><i>Hydrangea paniculata</i> Siebold</u>	Hydrangeaceae	<u>HYDRN_PAN</u>
<u><i>Hydrastis canadensis</i> L.</u>	Ranunculaceae	<u>HYDRS_CAN</u>
<u><i>Hydrilla verticillata</i> (L. f.) Royle</u>	Hydrocharitaceae	<u>HDRLL_VER</u>
<u><i>Hydrocotyle javanica</i> Thunb.</u>	Araliaceae	<u>HYDRC_JAV</u>
<u><i>Hydrocotyle umbellata</i> L.</u>	Araliaceae	<u>HYDRC_UMB</u>
<u><i>Hydrolea spinosa</i> L.</u>	Hydroleaceae	<u>HYDRL_SPI</u>
<u><i>Hydrolea zeylanica</i> (L.) Vahl</u>	Hydroleaceae	<u>HYDRL_ZEY</u>
<u><i>Hygrophila polysperma</i> (Roxb.) T. Anderson</u>	Acanthaceae	<u>HYGRO_POL</u>
<u><i>Hylotelephium cauticola</i> (Praeger) H. Ohba</u> (Synonym: <i>Sedum cauticola</i> Praeger)	Crassulaceae	<u>HYLOT_CAU</u>
<u><i>Hymenaea courbaril</i> L.</u>	Fabaceae [Leguminosae]	<u>HYMEN_COU</u>
<u><i>Hyoscyamus muticus</i> L.</u>	Solanaceae	<u>HYOSC_MUT</u>
<u><i>Hyoscyamus niger</i> L.</u>	Solanaceae	<u>HYOSC_NIG</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Hyparrhenia hirta</i> (L.) Stapf</u>	Poaceae [Gramineae]	<u>HYPAR_HIR</u>
<u><i>Hyparrhenia rufa</i> (Nees) Stapf</u>	Poaceae [Gramineae]	<u>HYPAR_RUF</u>
<u><i>Hypericum androsaemum</i> L.</u>	Hypericaceae	<u>HYPER_AND</u>
<u><i>Hypericum calycinum</i> L.</u>	Hypericaceae	<u>HYPER_CAL</u>
<u><i>Hypericum perforatum</i> L.</u>	Hypericaceae	<u>HYPER_PER</u>
<u><i>Hypericum tetrapterum</i> Fr.</u>	Hypericaceae	<u>HYPER_TET</u>
<u><i>Hypochaeris radicata</i> L.</u>	Asteraceae [Compositae]	<u>HYPOC_RAD</u>
<u><i>Hypoestes phyllostachya</i> Baker</u>	Acanthaceae	<u>HYPOE_PHY</u>
<u><i>Hypoxis baurii</i> Baker</u> (Synonym: <i>Rhodohypoxis baurii</i> (Baker) Nel)	Hypoxidaceae	<u>RHODH_BAU</u>
<u><i>Hyptis capitata</i> Jacq.</u>	Lamiaceae [Labiatae]	<u>HYPTI_CAP</u>
<u><i>Hyptis pectinata</i> (L.) Poit.</u> = <u><i>Mesosphaerum pectinatum</i> (L.) Kuntze</u>	Lamiaceae [Labiatae]	<u>HYPTI_PEC</u>
<u><i>Hyptis suaveolens</i> (L.) Poit.</u> = <u><i>Mesosphaerum suaveolens</i> (L.) Kuntze</u>	Lamiaceae [Labiatae]	<u>HYPTI_SUA</u>
<u><i>Hyssopus officinalis</i> L.</u>	Lamiaceae [Labiatae]	<u>HYSSO_OFF</u>

I

<u><i>Iberis amara</i> L.</u>	Brassicaceae [Cruciferae]	<u>IBERI_AMA</u>
<u><i>Iberis gibraltarica</i> L.</u>	Brassicaceae [Cruciferae]	<u>IBERI_GIB</u>
<u><i>Iberis sempervirens</i> L.</u>	Brassicaceae [Cruciferae]	<u>IBERI_SEM</u>
<u><i>Iberis umbellata</i> L.</u>	Brassicaceae [Cruciferae]	<u>IBERI_UMB</u>
<u><i>Ibicella lutea</i> (Lindl.) Van Eselt.</u> (Synonyms: <i>Martynia lutea</i> Lindl.; <i>Proboscidea lutea</i> (Lindl.) Stapf)	Martyniaceae	<u>IBICE_LUT</u>
<u><i>Ilex aquifolium</i> L.</u>	Aquifoliaceae	<u>ILEXX_AQU</u>
<u><i>Ilex paraquariensis</i> A. St.-Hil.</u>	Aquifoliaceae	<u>ILEXX_PAR</u>
<u><i>Impatiens balsamina</i> L.</u>	Balsaminaceae	<u>IMPAT_BAL</u>
<u><i>Impatiens glandulifera</i> Royle</u>	Balsaminaceae	<u>IMPAT_GLA</u>
<u><i>Impatiens holstii</i> Engl. & Warb.</u> = <u><i>Impatiens walleriana</i> Hook. f.</u>	Balsaminaceae	<u>IMPAT_WAL</u>
<u><i>Impatiens radiata</i> Hook. f.</u>	Balsaminaceae	<u>IMPAT_RAD</u>
<u><i>Impatiens scabrida</i> DC.</u>	Balsaminaceae	<u>IMPAT_SCA</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Impatiens sultani</i> Hook. f.</u> = <u><i>Impatiens walleriana</i> Hook. f.</u>	Balsaminaceae	IMPAT_WAL
<u><i>Impatiens walleriana</i> Hook. f.</u> (Synonyms: <i>Impatiens holstii</i> Engl. & Warb.; <i>Impatiens sultani</i> Hook. f.)	Balsaminaceae	IMPAT_WAL
<u><i>Imperata brasiliensis</i> Trin.</u>	Poaceae [Gramineae]	IMPER_BRA
<u><i>Imperata cylindrica</i> (L.) Raeusch.</u>	Poaceae [Gramineae]	IMPER_CYL
<u><i>Incarvillea delavayi</i> Bureau & Franch.</u>	Bignoniaceae	INCAR_DEL
<u><i>Indigofera amblyantha</i> Craib</u>	Fabaceae [Leguminosae]	INDIG_AMB
<u><i>Indigofera bungeana</i> Walp.</u> (Synonym: <i>Indigofera pseudotinctoria</i> Matsum.)	Fabaceae [Leguminosae]	INDIG_PSE
<u><i>Indigofera decora</i> Lindl.</u>	Fabaceae [Leguminosae]	INDIG_DEC
<u><i>Indigofera hirsuta</i> L.</u>	Fabaceae [Leguminosae]	INDIG_HIR
<u><i>Indigofera kirilowii</i> Maxim. ex Palib.</u>	Fabaceae [Leguminosae]	INDIG_KIR
<u><i>Indigofera potaninii</i> Craib</u>	Fabaceae [Leguminosae]	INDIG_POT
<u><i>Indigofera pseudotinctoria</i> Matsum.</u> = <u><i>Indigofera bungeana</i> Walp.</u>	Fabaceae [Leguminosae]	INDIG_PSE
<u><i>Indigofera tinctoria</i> L.</u>	Fabaceae [Leguminosae]	INDIG_TIN
<u><i>Inocarpus edulis</i> J. R. Forst. & G. Forst.</u> = <u><i>Inocarpus fagiferus</i> (Parkinson) Fosberg</u>	Fabaceae [Leguminosae]	INOCA_FAG
<u><i>Inocarpus fagiferus</i> (Parkinson) Fosberg</u> (Synonym: <i>Inocarpus edulis</i> J. R. Forst. & G. Forst.)	Fabaceae [Leguminosae]	INOCA_FAG
<u><i>Intsia bakeri</i> (Prain) Prain</u> = <u><i>Intsia palembanica</i> Miq.</u>	Fabaceae [Leguminosae]	INTSI_PAL
<u><i>Intsia palembanica</i> Miq.</u> (Synonym:)	Fabaceae [Leguminosae]	INTSI_PAL
<u><i>Inula graveolens</i> (L.) Desf.</u> = <u><i>Dittrichia graveolens</i> (L.) Greuter</u>	Asteraceae [Compositae]	DITTR_GRA
<u><i>Inula helenium</i> L.</u>	Asteraceae [Compositae]	INULA_HEL
<u><i>Inula orientalis</i> Lam.</u> = <u><i>Pentanema orientale</i> (Lam.) D. Gut. Larr. et al.</u>	Asteraceae [Compositae]	PENTN_ORI
<u><i>Ipomoea alba</i> L.</u> (Synonym: <i>Calonyction album</i> (L.) House)	Convolvulaceae	IPOMO_ALB
<u><i>Ipomoea aquatica</i> Forssk.</u>	Convolvulaceae	IPOMO_AQU
<u><i>Ipomoea batatas</i> (L.) Lam.</u>	Convolvulaceae	IPOMO_BAT
<u><i>Ipomoea biflora</i> (L.) Pers.</u> (Synonym: <i>Ipomoea plebeia</i> R. Br.)	Convolvulaceae	IPOMO_PLE
<u><i>Ipomoea hirsutula</i> J. Jacq.</u> = <u><i>Ipomoea purpurea</i> (L.) Roth</u>	Convolvulaceae	IPOMO_PUR

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Ipomoea marginata</i> (Desr.) Manitz</u> = <u><i>Ipomoea sagittifolia</i> Burm. f.</u>	Convolvulaceae	IPOMO MAR
<u><i>Ipomoea nil</i> (L.) Roth</u> (Synonym: <i>Pharbitis nil</i> (L.) Choisy)	Convolvulaceae	IPOMO NIL
<u><i>Ipomoea pes-tigridis</i> L.</u>	Convolvulaceae	IPOMO PES
<u><i>Ipomoea plebeia</i> R. Br.</u> = <u><i>Ipomoea biflora</i> (L.) Pers.</u>	Convolvulaceae	IPOMO PLE
<u><i>Ipomoea purga</i> (Wender.) Hayne</u> (Synonym: <i>Exogonium purga</i> (Wender.) Benth.)	Convolvulaceae	IPOMO PRG
<u><i>Ipomoea purpurea</i> (L.) Roth</u> (Synonyms: <i>Ipomoea hirsutula</i> J. Jacq.; <i>Pharbitis purpurea</i> (L.) Voigt)	Convolvulaceae	IPOMO PUR
<u><i>Ipomoea quamoclit</i> L.</u> (Synonym: <i>Quamoclit vulgaris</i> Choisy)	Convolvulaceae	IPOMO QUA
<u><i>Ipomoea sagittifolia</i> Burm. f.</u> (Synonyms: <i>Ipomoea marginata</i> (Desr.) Manitz; <i>Ipomoea sepiaria</i> J. Koenig ex Roxb.)	Convolvulaceae	IPOMO MAR
<u><i>Ipomoea sepiaria</i> J. Koenig ex Roxb.</u> = <u><i>Ipomoea sagittifolia</i> Burm. f.</u>	Convolvulaceae	IPOMO MAR
<u><i>Ipomoea tricolor</i> Cav.</u>	Convolvulaceae	IPOMO TRC
<u><i>Ipomoea triloba</i> L.</u>	Convolvulaceae	IPOMO TRL
<u><i>Iris domestica</i> Goldblatt & Mabb.</u> (Synonym: <i>Belamcanda chinensis</i> (L.) Redouté)	Iridaceae	IRISS DOM
<u><i>Iris ensata</i> Thunb.</u> (Synonym: <i>Iris kaempferi</i> Siebold ex Lem.)	Iridaceae	IRISS ENS
<u><i>Iris florentina</i> hort., non L.</u> = <u><i>Iris</i> × <i>germanica</i> L. var. <i>florentina</i> Dykes</u>	Iridaceae	IRISS FLO
<u><i>Iris</i> × <i>germanica</i> L. var. <i>florentina</i> Dykes</u> (Synonym: <i>Iris florentina</i> hort., non L.)	Iridaceae	IRISS FLO
<u><i>Iris kaempferi</i> Siebold ex Lem.</u> = <u><i>Iris ensata</i> Thunb.</u>	Iridaceae	IRISS ENS
<u><i>Iris pallida</i> Lam.</u>	Iridaceae	IRISS PAL
<u><i>Iris reticulata</i> M. Bieb.</u>	Iridaceae	IRISS RET
<u><i>Iris xiphium</i> L.</u>	Iridaceae	IRISS XIP
<u><i>Ischaemum aristatum</i> auct., non L.</u> = <u><i>Ischaemum ciliare</i> Retz.</u>	Poaceae [Gramineae]	ISCHA CIL
<u><i>Ischaemum ciliare</i> Retz.</u> (Synonym: <i>Ischaemum aristatum</i> auct., non L.)	Poaceae [Gramineae]	ISCHA CIL
<u><i>Ischaemum rugosum</i> Salisb.</u>	Poaceae [Gramineae]	ISCHA RUG
<u><i>Ischaemum timorense</i> Kunth</u>	Poaceae [Gramineae]	ISCHA TIM
<u><i>Iseilema prostratum</i> (L.) Andersson</u>	Poaceae [Gramineae]	ISEIL PRO
<u><i>Ismelia carinata</i> (Schousb.) Sch. Bip.</u> = <u><i>Glebionis carinata</i> (Schousb.) Tzvelev</u>	Asteraceae [Compositae]	GLEBI CAR

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Iva axillaris</i> Pursh</u>	Asteraceae [Compositae]	<u>IVAAA_AXI</u>
<u><i>Iva xanthiifolia</i> Nutt.</u> = <u><i>Cyclachaena xanthiifolia</i> (Nutt.) Fresen.</u>	Asteraceae [Compositae]	<u>IVAAA_ANT</u>
<u><i>Ixophorus unisetus</i> (J. Presl) Schldl.</u>	Poaceae [Gramineae]	<u>IXOPH_UNI</u>

J

<u><i>Jacaranda mimosifolia</i> D. Don</u>	Bignoniaceae	<u>JACAR_MIM</u>
<u><i>Jacobaea maritima</i> (L.) Pelser & Meijden</u> (Synonyms: <i>Senecio cineraria</i> DC.; including <i>Senecio bicolor</i> (Willd.) Tod., non. Viv.)	Asteraceae [Compositae]	<u>JACOB_MAR</u>
<u><i>Jacobaea vulgaris</i> Gaertn.</u> (Synonym: <i>Senecio jacobaea</i> L.)	Asteraceae [Compositae]	<u>JACOB_VUL</u>
<u><i>Jasminum beesianum</i> Forrest & Diels</u>	Oleaceae	<u>JASMI_BEE</u>
<u><i>Jasminum grandiflorum</i> L.</u>	Oleaceae	<u>JASMI_GRA</u>
<u><i>Jasminum humile</i> L.</u> = <u><i>Chrysojasminum humile</i> (L.) Banfi</u>	Oleaceae	<u>JASMI_HUM</u>
<u><i>Jasminum nudiflorum</i> Lindl.</u>	Oleaceae	<u>JASMI_NUD</u>
<u><i>Jasminum officinale</i> L.</u>	Oleaceae	<u>JASMI_OFF</u>
<u><i>Jasminum</i> × <i>stephanense</i> Lemoine</u> [<i>J. beesianum</i> Forrest & Diels × <i>J. officinale</i> L.]	Oleaceae	<u>JASMI_STE</u>
<u><i>Jasminum wallichianum</i> Lindl.</u> = <u><i>Chrysojasminum humile</i> (L.) Banfi</u>	Oleaceae	<u>JASMI_HUM</u>
<u><i>Jatropha curcas</i> L.</u>	Euphorbiaceae	<u>JATRO_CUR</u>
<u><i>Jatropha gossypifolia</i> L.</u>	Euphorbiaceae	<u>JATRO_GOS</u>
<u><i>Juglans nigra</i> L.</u>	Juglandaceae	<u>JUGLA_NIG</u>
<u><i>Juglans regia</i> L.</u>	Juglandaceae	<u>JUGLA_REG</u>
<u><i>Juncus articulatus</i> L.</u>	Juncaceae	<u>JUNCU_ART</u>
<u><i>Juncus decipiens</i> (Buchenau) Nakai</u>	Juncaceae	<u>JUNCU_EFF_DEC</u>
<u><i>Juncus effusus</i> L.</u>	Juncaceae	<u>JUNCU_EFF</u>
<u><i>Juniperus communis</i> L.</u>	Cupressaceae	<u>JUNIP_COM</u>
<u><i>Juniperus procera</i> Hochst. ex Endl.</u>	Cupressaceae	<u>JUNIP_PRO</u>
<u><i>Juniperus scopulorum</i> Sarg.</u>	Cupressaceae	<u>JUNIP_SCO</u>
<u><i>Juniperus virginiana</i> L.</u>	Cupressaceae	<u>JUNIP_VIR</u>
<u><i>Justicia quinqueangularis</i> J. Koenig ex Roxb.</u>	Acanthaceae	<u>JUSTI_QUI</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

K

<u><i>Kalanchoe blossfeldiana</i> Poelln.</u>	Crassulaceae	<u>KALAN_BLO</u>
<u><i>Kalanchoe crenata</i> (Andrews) Haw.</u>	Crassulaceae	<u>KALAN_CRE</u>
<u><i>Kalanchoe globulifera</i> H. Perrier</u>	Crassulaceae	<u>KALAN_GLO</u>
<u><i>Kalopanax pictus</i> Nakai</u> = <u><i>Kalopanax septemlobus</i> (Thunb.) Koidz.</u>	Araliaceae	<u>KALOP_SEP</u>
<u><i>Kalopanax septemlobus</i> (Thunb.) Koidz.</u> (Synonym: <i>Kalopanax pictus</i> Nakai)	Araliaceae	<u>KALOP_SEP</u>
<u><i>Kentia forsteriana</i> C. Moore & F. Muell.</u> = <u><i>Howea forsteriana</i> (C. Moore & F. Muell.) Becc.</u>	Arecaceae [Palmae]	<u>HOWEA_FOR</u>
<u><i>Kerria japonica</i> (L.) DC.</u>	Rosaceae	<u>KERRI_JAP</u>
<u><i>Khaya anthotheca</i> (Welw.) C. DC.</u>	Meliaceae	<u>KHAYA_ANT</u>
<u><i>Khaya grandifoliola</i> C. DC.</u>	Meliaceae	<u>KHAYA_GRA</u>
<u><i>Khaya ivorensis</i> A. Chev.</u>	Meliaceae	<u>KHAYA_IVO</u>
<u><i>Khaya senegalensis</i> (Desr.) A. Juss.</u>	Meliaceae	<u>KHAYA_SEN</u>
<u><i>Knautia arvensis</i> (L.) Coult.</u>	Caprifoliaceae (Dipsacaceae)	<u>KNAUT_ARV</u>
<u><i>Kniphofia uvaria</i> (L.) Oken</u>	Asphodelaceae	<u>KNIPH_UVA</u>
<u><i>Kochia scoparia</i> (L.) Schrad.</u> = <u><i>Bassia scoparia</i> (L.) A. J. Scott</u>	Chenopodiaceae (Amaranthaceae)	<u>BASSI_SCO</u>
<u><i>Koeleria macrantha</i> (Ledeb.) Schult.</u>	Poaceae [Gramineae]	<u>KOELE_MAC</u>
<u><i>Koelreuteria paniculata</i> Laxm.</u>	Sapindaceae	<u>KOELR_PAN</u>
<u><i>Koompassia excelsa</i> (Becc.) Taub.</u>	Fabaceae [Leguminosae]	<u>KOOMP_EXC</u>
<u><i>Kummerowia stipulacea</i> (Maxim.) Makino</u> (Synonym: <i>Lespedeza stipulacea</i> Maxim.)	Fabaceae [Leguminosae]	<u>LESPE_STI</u>
<u><i>Kummerowia striata</i> (Thunb.) Schindl.</u> (Synonym: <i>Lespedeza striata</i> (Thunb.) Hook. & Arn.)	Fabaceae [Leguminosae]	<u>LESPE_STR</u>
<u><i>Kyllinga melanosperma</i> Nees</u> = <u><i>Cyperus melanospermus</i> (Nees) Valck. Sur.</u>	Cyperaceae	<u>CYPER_MEL</u>

L

<u><i>Lablab purpureus</i> (L.) Sweet</u> (Synonym: <i>Dolichos lablab</i> L.)	Fabaceae [Leguminosae]	<u>LABLA_PUR</u>
<u><i>Laburnum alpinum</i> (Mill.) J. Presl</u>	Fabaceae [Leguminosae]	<u>LABUR_ALP</u>
<u><i>Laburnum anagyroides</i> Medik.</u>	Fabaceae [Leguminosae]	<u>LABUR_ANA</u>
<u><i>Lactuca oblongifolia</i> Nutt.</u> included in <u><i>Lactuca tatarica</i> (L.) C. A. Mey.</u>	Asteraceae [Compositae]	<u>LACTU_TAT_PUL</u>
<u><i>Lactuca pulchella</i> (Pursh) DC.</u> included in <u><i>Lactuca tatarica</i> (L.) C. A. Mey.</u>	Asteraceae [Compositae]	<u>LACTU_TAT_PUL</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Lactuca sativa L.</u>	Asteraceae [Compositae]	<u>LACTU SAT</u>
<u>Lactuca serriola L.</u>	Asteraceae [Compositae]	<u>LACTU SER</u>
<u>Lactuca tatarica (L.) C. A. Mey.</u> (Synonym: <i>Lagedium tataricum</i> (L.) Soják; including <i>Lactuca oblongifolia</i> Nutt.; <i>Lactuca pulchella</i> (Pursh) DC.;)	Asteraceae [Compositae]	<u>LACTU TAT</u>
<u>Lagarosiphon major (Ridl.) Moss</u>	Hydrocharitaceae	<u>LAGAR MAJ</u>
<u>Lagascea mollis Cav.</u>	Asteraceae [Compositae]	<u>LAGAS MOL</u>
<u><i>Lagedium tataricum</i> (L.) Soják</u> = <u>Lactuca tatarica (L.) C. A. Mey.</u>	Asteraceae [Compositae]	<u>LACTU TAT</u>
<u>Lagenaria siceraria (Molina) Standl.</u>	Cucurbitaceae	<u>LAGEN SIC</u>
<u>Lagerstroemia indica L.</u>	Lythraceae	<u>LAGER IND</u>
<u>Lagerstroemia speciosa (L.) Pers.</u>	Lythraceae	<u>LAGER SPE</u>
<u>Lagurus ovatus L.</u>	Poaceae [Gramineae]	<u>LAGUR OVA</u>
<u>Lallemantia canescens (L.) Fisch. & C. A. Mey.</u>	Lamiaceae [Labiatae]	<u>LALLE CAN</u>
<u>Lamium album L.</u>	Lamiaceae [Labiatae]	<u>LAMIU ALB</u>
<u>Lamium amplexicaule L.</u>	Lamiaceae [Labiatae]	<u>LAMIU AMP</u>
<u>Lamium purpureum L.</u>	Lamiaceae [Labiatae]	<u>LAMIU PUR</u>
<u>Lansium domesticum Corrêa</u>	Meliaceae	<u>LANSI DOM</u>
<u>Lantana camara L.</u>	Verbenaceae	<u>LANTA CAM</u>
<u><i>Lantana hybrida</i> hort.</u> = <u>Lantana strigocamara R. W. Sanders</u>	Verbenaceae	<u>LANTA CAM</u>
<u>Lantana strigocamara R. W. Sanders</u> (Synonym: <i>Lantana hybrida</i> hort.)	Verbenaceae	<u>LANTA CAM</u>
<u>Lappula squarrosa (Retz.) Dumort.</u>	Boraginaceae	<u>LAPPU SQU</u>
<u>Lapsana communis L.</u>	Asteraceae [Compositae]	<u>LAPSA COM</u>
<u>Larix decidua Mill.</u>	Pinaceae	<u>LARIX DEC</u>
<u><i>Larix × eurolepis</i> A. Henry</u> = <u>Larix × marschlinsi Coaz</u>	Pinaceae	<u>LARIX EUR</u>
<u>Larix gmelinii (Rupr.) Rupr.</u>	Pinaceae	<u>LARIX GME</u>
<u>Larix kaempferi (Lamb.) Carrière</u> (Synonym: <i>Larix leptolepis</i> (Siebold & Zucc.) Gordon)	Pinaceae	<u>LARIX KAE</u>
<u>Larix laricina (Du Roi) K. Koch</u>	Pinaceae	<u>LARIX LAR</u>
<u><i>Larix leptolepis</i> (Siebold & Zucc.) Gordon</u> = <u>Larix kaempferi (Lamb.) Carrière</u>	Pinaceae	<u>LARIX KAE</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Larix × marschlinsi Coaz</u> [<i>L. decidua</i> Mill. × <i>L. kaempferi</i> (Lamb.) Carrière] (Synonym: <i>Larix × eurolepis</i> A. Henry)	Pinaceae	LARIX EUR
<u>Larix occidentalis Nutt.</u>	Pinaceae	LARIX OCC
<u>Larix sibirica Ledeb.</u> (Synonym: <i>Larix sukaczewii</i> Dylis)	Pinaceae	LARIX SIB
<u>Larix sukaczewii Dylis</u> = <u>Larix sibirica Ledeb.</u>	Pinaceae	LARIX SIB
<u>Lathyrus aphaca L.</u>	Fabaceae [Leguminosae]	LATHY APH
<u>Lathyrus articulatus L.</u> = <u>Lathyrus clymenum L.</u>	Fabaceae [Leguminosae]	LATHY CLY ART
<u>Lathyrus cicera L.</u>	Fabaceae [Leguminosae]	LATHY CIC
<u>Lathyrus clymenum L.</u> (Synonym: <i>Lathyrus articulatus</i> L.)	Fabaceae [Leguminosae]	LATHY CLY
<u>Lathyrus hirsutus L.</u>	Fabaceae [Leguminosae]	LATHY HIR
<u>Lathyrus latifolius L.</u>	Fabaceae [Leguminosae]	LATHY LAT
<u>Lathyrus ochrus (L.) DC.</u>	Fabaceae [Leguminosae]	LATHY OCH
<u>Lathyrus odoratus L.</u>	Fabaceae [Leguminosae]	LATHY ODO
<u>Lathyrus oleraceus Lam.</u> = <u>Pisum sativum L.</u>	Fabaceae [Leguminosae]	PISUM SAT
<u>Lathyrus pratensis L.</u>	Fabaceae [Leguminosae]	LATHY PRA
<u>Lathyrus sativus L.</u>	Fabaceae [Leguminosae]	LATHY SAT
<u>Lathyrus tingitanus L.</u>	Fabaceae [Leguminosae]	LATHY TIN
<u>Launaea aspleniifolia (Willd.) Hook. f.</u>	Asteraceae [Compositae]	LAUNA ASP
<u>Laurocerasus lusitanica (L.) M. Roem.</u> = <u>Prunus lusitanica L.</u>	Rosaceae	PRUNU LUS
<u>Laurocerasus officinalis M. Roem.</u> = <u>Prunus laurocerasus L.</u>	Rosaceae	PRUNU LAU
<u>Laurus nobilis L.</u>	Lauraceae	LAURU NOB
<u>Lavandula angustifolia Mill.</u> (Synonym: <i>Lavandula officinalis</i> Chaix; <i>Lavandula vera</i> DC.)	Lamiaceae [Labiatae]	LAVAN ANG
<u>Lavandula × burnatii Briq.</u> = <u>Lavandula × intermedia Emeric ex Loisel.</u>	Lamiaceae [Labiatae]	LAVAN INT
<u>Lavandula × intermedia Emeric ex Loisel.</u> [<i>L. angustifolia</i> Mill. × <i>L. latifolia</i> Medik.] (Synonym: <i>Lavandula × burnatii</i> Briq.)	Lamiaceae [Labiatae]	LAVAN INT
<u>Lavandula latifolia Medik.</u>	Lamiaceae [Labiatae]	LAVAN LAT
<u>Lavandula officinalis Chaix</u> = <u>Lavandula angustifolia Mill.</u>	Lamiaceae [Labiatae]	LAVAN ANG

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Lavandula vera</i> DC.</u> = <u><i>Lavandula angustifolia</i> Mill.</u>	Lamiaceae [Labiatae]	LAVAN ANG
<u><i>Lavatera trimestris</i> L.</u>	Malvaceae	LAVAT TRI
<u><i>Layia platyglossa</i> (Fisch. & C. A. Mey.) A. Gray</u>	Asteraceae [Compositae]	LAYIA PLA
<u><i>Leea coccinea</i> Planch.</u> = <u><i>Leea guineensis</i> G. Don</u>	Vitaceae	LEEAA GUI
<u><i>Leea guineensis</i> G. Don</u> (Synonym: <i>Leea coccinea</i> Planch.)	Vitaceae	LEEAA GUI
<u><i>Leersia hexandra</i> Sw.</u>	Poaceae [Gramineae]	LEERS HEX
<u><i>Legousia speculum-veneris</i> (L.) Chaix</u> (Synonym: <i>Campanula speculum-veneris</i> L.)	Campanulaceae	LEGOU SPE
<u><i>Lens culinaris</i> Medik.</u> (Synonyms: <i>Lens esculenta</i> Moench; <i>Vicia lens</i> (L.) Coss. & Germ.)	Fabaceae [Leguminosae]	LENSS CUL
<u><i>Lens esculenta</i> Moench</u> = <u><i>Lens culinaris</i> Medik.</u>	Fabaceae [Leguminosae]	LENSS CUL CUL
<u><i>Lens nigricans</i> (M. Bieb.) Webb & Berthel.</u> (Synonym: <i>Vicia lentoides</i> (Ten.) Coss. & Germ.)	Fabaceae [Leguminosae]	LENSS NIG
<u><i>Leontopodium alpinum</i> Cass.</u> = <u><i>Leontopodium nivale</i> (Ten.) Hand.-Mazz.</u>	Asteraceae [Compositae]	LEONT ALP
<u><i>Leontopodium nivale</i> (Ten.) Hand.-Mazz.</u> (Synonym: <i>Leontopodium alpinum</i> Cass.)	Asteraceae [Compositae]	LEONT NIV
<u><i>Leonurus cardiaca</i> L.</u>	Lamiaceae [Labiatae]	LEONU CAR
<u><i>Leonurus japonicus</i> Houtt.</u> (Synonym: <i>Leonurus sibiricus</i> auct., non L.)	Lamiaceae [Labiatae]	LEONU SIB
<u><i>Leonurus sibiricus</i> auct., non L.</u> = <u><i>Leonurus japonicus</i> Houtt.</u>	Lamiaceae [Labiatae]	LEONU SIB
<u><i>Lepidium appelianum</i> Al-Shehbaz</u> (Synonym: <i>Cardaria pubescens</i> (C. A. Mey.) Jarm.)	Brassicaceae [Cruciferae]	LEPID APP
<u><i>Lepidium campestre</i> (L.) W. T. Aiton</u>	Brassicaceae [Cruciferae]	LEPID CAM
<u><i>Lepidium draba</i> L.</u> (Synonym: <i>Cardaria draba</i> (L.) Desv.)	Brassicaceae [Cruciferae]	LEPID DRA
<u><i>Lepidium latifolium</i> L.</u>	Brassicaceae [Cruciferae]	LEPID LAT
<u><i>Lepidium sativum</i> L.</u>	Brassicaceae [Cruciferae]	LEPID SAT
<u><i>Lepidium virginicum</i> L.</u>	Brassicaceae [Cruciferae]	LEPID VIR
<u><i>Leplaea cedrata</i> (A. Chev.) E. J. M. Koenen & J. J. de Wilde</u> (Synonym: <i>Guarea cedrata</i> (A. Chev.) Pellegr.)	Meliaceae	GUARE CED
<u><i>Leplaea thompsonii</i> (Sprague & Hutch.) E. J. M. Koenen & J. J. de Wilde</u> (Synonym: <i>Guarea thompsonii</i> Sprague & Hutch.)	Meliaceae	GUARE THO
<u><i>Leptochloa chinensis</i> (L.) Nees</u> = <u><i>Dinebra chinensis</i> (L.) P. M. Peterson & N. Snow</u>	Poaceae [Gramineae]	LPTOC CHI
<u><i>Leptospermum scoparium</i> J. R. Forst. & G. Forst.</u>	Myrtaceae	LPTOS SCO

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Lespedeza cuneata</i> (Dum. Cours.) G. Don</u>	Fabaceae [Leguminosae]	<u>LESPE_CUN</u>
<u><i>Lespedeza hedysaroides</i> (Pall.) Kitag.</u> = <u><i>Lespedeza juncea</i> (L. f.) Pers.</u>	Fabaceae [Leguminosae]	<u>LESPE_JUN</u>
<u><i>Lespedeza juncea</i> (L. f.) Pers.</u> (Synonym: <i>Lespedeza hedysaroides</i> (Pall.) Kitag.)	Fabaceae [Leguminosae]	<u>LESPE_JUN</u>
<u><i>Lespedeza stipulacea</i> Maxim.</u> = <u><i>Kummerowia stipulacea</i> (Maxim.) Makino</u>	Fabaceae [Leguminosae]	<u>LESPE_STI</u>
<u><i>Lespedeza striata</i> (Thunb.) Hook. & Arn.</u> = <u><i>Kummerowia striata</i> (Thunb.) Schindl.</u>	Fabaceae [Leguminosae]	<u>LESPE_STR</u>
<u><i>Leucaena leucocephala</i> (Lam.) de Wit</u>	Fabaceae [Leguminosae]	<u>LEUCN_LEU</u>
<u><i>Leucanthemum maximum</i> (Ramond) DC.</u> (Synonym: <i>Chrysanthemum maximum</i> Ramond)	Asteraceae [Compositae]	<u>LEUCA_MAX</u>
<u><i>Leucanthemum paludosum</i> (Poir.) Pomel</u> = <u><i>Mauranthemum paludosum</i> (Poir.) Vogt & Oberpr.</u>	Asteraceae [Compositae]	<u>LEUCA_PAL</u>
<u><i>Leucanthemum</i> × <i>superbum</i> (Bergmans ex J. W. Ingram) D. H. Kent</u> [<i>L. lacustre</i> (Brot.) Samp. × <i>L. maximum</i> (Ramond) DC.] (Synonym: <i>Chrysanthemum maximum</i> hort.)	Asteraceae [Compositae]	<u>LEUCA_SUP</u>
<u><i>Leucanthemum vulgare</i> Lam.</u> (Synonym: <i>Chrysanthemum leucanthemum</i> L.)	Asteraceae [Compositae]	<u>LEUCA_VUL</u>
<u><i>Leucas aspera</i> (Willd.) Link</u>	Lamiaceae [Labiatae]	<u>LUCAS_ASP</u>
<u><i>Leucas urticifolia</i> (Vahl) Sm.</u>	Lamiaceae [Labiatae]	<u>LUCAS_ASP</u>
<u><i>Levisticum officinale</i> W. D. J. Koch</u>	Apiaceae [Umbelliferae]	<u>LEVIS_OFF</u>
<u><i>Liatris pycnostachya</i> Michx.</u>	Asteraceae [Compositae]	<u>LIATR_PYC</u>
<u><i>Liatris spicata</i> (L.) Willd.</u>	Asteraceae [Compositae]	<u>LIATR_SPI</u>
<u><i>Libidibia coriaria</i> (Jacq.) Schldtl.</u> (Synonym: <i>Caesalpinia coriaria</i> (Jacq.) Willd.)	Fabaceae [Leguminosae]	<u>CAESA_COR</u>
<u><i>Libocedrus decurrens</i> Torr.</u> = <u><i>Calocedrus decurrens</i> (Torr.) Florin</u>	Cupressaceae	<u>CALOC_DEC</u>
<u><i>Licania rigida</i> Benth.</u> = <u><i>Microdesmia rigida</i> (Benth.) Sothers & Prance</u>	Chrysobalanaceae	<u>LICAN_RIG</u>
<u><i>Ligularia dentata</i> (A. Gray) H. Hara</u>	Asteraceae [Compositae]	<u>LIGUL_DEN</u>
<u><i>Ligustrum ovalifolium</i> Hassk.</u>	Oleaceae	<u>LIGUS_OVA</u>
<u><i>Ligustrum vulgare</i> L.</u>	Oleaceae	<u>LIGUS_VUL</u>
<u><i>Lilium auratum</i> Lindl.</u>	Liliaceae	<u>LILIU_AUR</u>
<u><i>Lilium candidum</i> L.</u>	Liliaceae	<u>LILIU_CAN</u>
<u><i>Lilium davidii</i> Duch.</u>	Liliaceae	<u>LILIU_DAV</u>
<u><i>Lilium formosanum</i> Wallace</u>	Liliaceae	<u>LILIU_FOR</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Lilium hansonii Leichtlin ex D. D. T. Moore</u>	Liliaceae	<u>LILIU HAN</u>
<u>Lilium lancifolium Thunb.</u> (Synonym: <i>Lilium tigrinum</i> Ker Gawl.)	Liliaceae	<u>LILIU LAN</u>
<u>Lilium longiflorum Thunb.</u>	Liliaceae	<u>LILIU LON</u>
<u>Lilium maculatum Thunb.</u>	Liliaceae	<u>LILIU MAC</u>
<u>Lilium regale E. H. Wilson</u>	Liliaceae	<u>LILIU REG</u>
<u>Lilium speciosum Thunb.</u>	Liliaceae	<u>LILIU SPE</u>
<u>Lilium tigrinum Ker Gawl.</u> = <u>Lilium lancifolium Thunb.</u>	Liliaceae	<u>LILIU LAN</u>
<u>Limnanthes alba Hartw. ex Benth.</u>	Limnanthaceae	<u>LIMNA ALB</u>
<u>Limnophila sessiliflora Blume</u>	Plantaginaceae (Scrophulariaceae)	<u>LIMNO SES</u>
<u>Limonium bellidifolium (Gouan) Dumort.</u>	Plumbaginaceae	<u>LIMON BEL</u>
<u>Limonium bonduellei (T. Lestib.) Kuntze</u> = <u>Limonium sinuatum (L.) Mill. subsp. bonduellei (T. Lestib.)</u> <u>Sauvage & Vindt</u>	Plumbaginaceae	<u>LIMON BON</u>
<u>Limonium coriarium H. Arnaud</u> (Synonyms: <i>Limonium gerberi</i> Soldano; <i>Limonium latifolium</i> (Sm.) Kuntze, non Moench)	Plumbaginaceae	<u>LIMON GER</u>
<u>Limonium gerberi Soldano</u> = <u>Limonium coriarium H. Arnaud</u>	Plumbaginaceae	<u>LIMON GER</u>
<u>Limonium latifolium (Sm.) Kuntze, non Moench</u> = <u>Limonium coriarium H. Arnaud</u>	Plumbaginaceae	<u>LIMON GER</u>
<u>Limonium sinuatum (L.) Mill.</u>	Plumbaginaceae	<u>LIMON SIN</u>
<u>Limonium sinuatum (L.) Mill. subsp. bonduellei (T. Lestib.)</u> <u>Sauvage & Vindt</u> (Synonym: <i>Limonium bonduellei</i> (T. Lestib.) Kuntze)	Plumbaginaceae	<u>LIMON BON</u>
<u>Limonium sinuatum (L.) Mill. subsp. sinuatum</u>	Plumbaginaceae	<u>LIMON SIN</u>
<u>Limonium suworowii (Regel) Kuntze</u> = <u>Psylliostachys suworowii (Regel) Roshkova</u>	Plumbaginaceae	<u>PSYLL SUW</u>
<u>Limonium tataricum (L.) Mill.</u> = <u>Goniolimon tataricum (L.) Boiss.</u>	Plumbaginaceae	<u>GONIO TAT</u>
<u>Linaria bipartita (Vent.) Willd.</u>	Plantaginaceae (Scrophulariaceae)	<u>LINAR BIP</u>
Linaria Bipartita hybrids	Plantaginaceae (Scrophulariaceae)	<u>LINAR</u>
<u>Linaria cymbalaria (L.) Mill.</u> = <u>Cymbalaria muralis G. Gaertn. et al.</u>	Plantaginaceae (Scrophulariaceae)	<u>CYMBA MUR</u>
<u>Linaria dalmatica (L.) Mill.</u>	Plantaginaceae (Scrophulariaceae)	<u>LINAR DAL</u>
<u>Linaria incarnata (Vent.) Spreng.</u>	Plantaginaceae (Scrophulariaceae)	<u>LINAR INC</u>
<u>Linaria maroccana Hook. f.</u>	Plantaginaceae (Scrophulariaceae)	<u>LINAR MAR</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Linaria vulgaris</i> Mill.</u>	Plantaginaceae (Scrophulariaceae)	<u>LINAR VUL</u>
<u><i>Lindernia antipoda</i> (L.) Alston</u> = <u><i>Bonnaya antipoda</i> (L.) Druce</u>	Linderniaceae (Scrophulariaceae)	<u>BONNA ANT</u>
<u><i>Lindernia ciliata</i> (Colsm.) Pennell</u> = <u><i>Bonnaya ciliata</i> (Colsm.) Spreng.</u>	Linderniaceae (Scrophulariaceae)	<u>BONNA CIL</u>
<u><i>Lindernia procumbens</i> (Krock.) Philcox</u>	Linderniaceae (Scrophulariaceae)	<u>LINDE PRO</u>
<u><i>Linum catharticum</i> L.</u>	Linaceae	<u>LINUM CAT</u>
<u><i>Linum flavum</i> L.</u>	Linaceae	<u>LINUM FLA</u>
<u><i>Linum grandiflorum</i> Desf.</u>	Linaceae	<u>LINUM GRA</u>
<u><i>Linum narbonense</i> L.</u>	Linaceae	<u>LINUM NAR</u>
<u><i>Linum perenne</i> L.</u>	Linaceae	<u>LINUM PER</u>
<u><i>Linum usitatissimum</i> L.</u>	Linaceae	<u>LINUM USI</u>
<u><i>Liquidambar styraciflua</i> L.</u>	Altingiaceae	<u>LIQUI STY</u>
<u><i>Liriodendron tulipifera</i> L.</u>	Magnoliaceae	<u>LIRID TUL</u>
<u><i>Listia bainesii</i> (Baker) B.-E. van Wyk & Boatwr.</u> (Synonym: <i>Lotononis bainesii</i> Baker)	Fabaceae [Leguminosae]	<u>LOTON BAI</u>
<u><i>Litchi chinensis</i> Sonn.</u>	Sapindaceae	<u>LITCH CHI</u>
<u><i>Lithospermum arvense</i> L.</u> = <u><i>Buglossoides arvensis</i> (L.) I. M. Johnst.</u>	Boraginaceae	<u>BUGLO ARV</u>
<u><i>Lithospermum officinale</i> L.</u>	Boraginaceae	<u>LITHS OFF</u>
<u><i>Livistona chinensis</i> (Jacq.) R. Br. ex Mart.</u>	Arecaceae [Palmae]	<u>LIVIS CHI</u>
<u><i>Lobelia cardinalis</i> L.</u> (Synonym: <i>Lobelia fulgens</i> Humb. & Bonpl. ex Willd.)	Campanulaceae	<u>LOBEL CAR</u>
<u><i>Lobelia erinus</i> L.</u>	Campanulaceae	<u>LOBEL ERI</u>
<u><i>Lobelia fulgens</i> Humb. & Bonpl. ex Willd.</u> = <u><i>Lobelia cardinalis</i> L.</u>	Campanulaceae	<u>LOBEL CAR FUL</u>
<u><i>Lobularia maritima</i> (L.) Desv.</u> (Synonym: <i>Alyssum maritimum</i> (L.) Lam.)	Brassicaceae [Cruciferae]	<u>LOBUL MAR</u>
<u><i>Lolium arundinaceum</i> (Schreb.) Darbysh.</u> = <u><i>Festuca arundinacea</i> Schreb.</u>	Poaceae [Gramineae]	<u>FESTU ARU</u>
<u><i>Lolium</i> × <i>boucheanum</i> auct., non Kunth</u> = <u><i>Lolium</i> × <i>hybridum</i> Hausskn.</u>	Poaceae [Gramineae]	<u>LOLIU BOU</u>
<u><i>Lolium</i> × <i>hybridum</i> Hausskn.</u> [<i>L. multiflorum</i> Lam. × <i>L. perenne</i> L.] (Synonym: <i>Lolium</i> × <i>boucheanum</i> auct., non Kunth)	Poaceae [Gramineae]	<u>LOLIU BOU</u>
<u><i>Lolium multiflorum</i> Lam.</u>	Poaceae [Gramineae]	<u>LOLIU MUL</u>
<u><i>Lolium perenne</i> L.</u>	Poaceae [Gramineae]	<u>LOLIU PER</u>
<u><i>Lolium pratense</i> (Huds.) Darbysh.</u> = <u><i>Festuca pratensis</i> Huds.</u>	Poaceae [Gramineae]	<u>FESTU PRA</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Lolium remotum Schrank</u>	Poaceae [Gramineae]	<u>LOLIU REM</u>
<u>Lolium rigidum Gaudin</u>	Poaceae [Gramineae]	<u>LOLIU RIG</u>
<u>Lolium temulentum L.</u>	Poaceae [Gramineae]	<u>LOLIU TEM</u>
<u>Lomelosia caucasica (M. Bieb.) Greuter & Burdet</u> (Synonym: <i>Scabiosa caucasica</i> M. Bieb.)	Caprifoliaceae (Dipsacaceae)	<u>SCABI CAU</u>
<u>Lonas annua (L.) Vines & Druce</u>	Asteraceae [Compositae]	<u>LONAS ANN</u>
<u>Lophira alata auct., non Banks ex Gaertn. f.</u> = <u>Lophira lanceolata Tiegh. ex Keay</u>	Ochnaceae	<u>LOPHI LAN</u>
<u>Lophira alata Banks ex C. F. Gaertn.</u>	Ochnaceae	<u>LOPHI ALA</u>
<u>Lophira lanceolata Tiegh. ex Keay</u> (Synonym: <i>Lophira alata</i> auct., non Banks ex Gaertn. f.)	Ochnaceae	<u>LOPHI LAN</u>
<u>Lophostemon confertus (R. Br.) Peter G. Wilson & J. T. Waterh.</u> (Synonym: <i>Tristania conferta</i> R. Br.)	Myrtaceae	<u>LPHST CON</u>
<u>Lotononis bainesii Baker</u> = <u>Listia bainesii (Baker) B.-E. van Wyk & Boatwr.</u>	Fabaceae [Leguminosae]	<u>LOTON BAI</u>
<u>Lotus corniculatus L.</u>	Fabaceae [Leguminosae]	<u>LOTUS COR</u>
<u>Lotus glaber Mill.</u> = <u>Lotus tenuis Waldst. & Kit. ex Willd.</u>	Fabaceae [Leguminosae]	<u>LOTUS GLA</u>
<u>Lotus tenuis Waldst. & Kit. ex Willd.</u> (Synonym: <i>Lotus glaber</i> Mill.)	Fabaceae [Leguminosae]	<u>LOTUS GLA</u>
<u>Lotus uliginosus Schkuhr</u>	Fabaceae [Leguminosae]	<u>LOTUS ULI</u>
<u>Lovoa trichilioides Harms</u>	Meliaceae	<u>LOVOA TRI</u>
<u>Ludwigia adscendens (L.) H. Hara</u>	Onagraceae	<u>LUDWI ADS</u>
<u>Luffa acutangula (L.) Roxb.</u>	Cucurbitaceae	<u>LUFFA ACU</u>
<u>Luffa aegyptiaca Mill.</u>	Cucurbitaceae	<u>LUFFA AEG</u>
<u>Lunaria annua L.</u>	Brassicaceae [Cruciferae]	<u>LUNAR ANN</u>
<u>Lupinus albus L.</u>	Fabaceae [Leguminosae]	<u>LUPIN ALB</u>
<u>Lupinus angustifolius L.</u>	Fabaceae [Leguminosae]	<u>LUPIN ANG</u>
<u>Lupinus cosentinii Guss.</u>	Fabaceae [Leguminosae]	<u>LUPIN COS</u>
<u>Lupinus hartwegii Lindl.</u> = <u>Lupinus mexicanus Cerv. ex Lag.</u>	Fabaceae [Leguminosae]	<u>LUPIN HAR</u>
<u>Lupinus hybrids</u>	Fabaceae [Leguminosae]	<u>LUPIN</u>
<u>Lupinus luteus L.</u>	Fabaceae [Leguminosae]	<u>LUPIN LUT</u>
<u>Lupinus mexicanus Cerv. ex Lag.</u> (Synonym: <i>Lupinus hartwegii</i> Lindl.)	Fabaceae [Leguminosae]	<u>LUPIN HAR</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Lupinus mutabilis</i> Sweet</u>	Fabaceae [Leguminosae]	<u>LUPIN_MUT</u>
<u><i>Lupinus nanus</i> Douglas ex Benth.</u>	Fabaceae [Leguminosae]	<u>LUPIN_NAN</u>
<u><i>Lupinus perennis</i> L.</u>	Fabaceae [Leguminosae]	<u>LUPIN_PER</u>
<u><i>Lupinus polyphyllus</i> Lindl.</u>	Fabaceae [Leguminosae]	<u>LUPIN_POL</u>
<u><i>Lupinus subcarnosus</i> Hook.</u>	Fabaceae [Leguminosae]	<u>LUPIN_SUB</u>
<u><i>Lutheria splendens</i> (Brongn. ex Neumann) Barfuss & W. Till</u> (Synonym: <i>Vriesea splendens</i> (Brongn. ex Neumann) Lem.)	Bromeliaceae	<u>VRIS_SPL</u>
<u><i>Luzula campestris</i> (L.) DC.</u>	Juncaceae	<u>LUZUL_CAM</u>
<u><i>Lychnis chalcidonica</i> L.</u> = <u><i>Silene chalcidonica</i> (L.) E. H. L. Krause</u>	Caryophyllaceae	<u>SILEN_CHA</u>
<u><i>Lychnis coronaria</i> (L.) Desr.</u> = <u><i>Silene coronaria</i> (L.) Clairv.</u>	Caryophyllaceae	<u>SILEN_CRN</u>
<u><i>Lychnis viscaria</i> L.</u> = <u><i>Silene viscaria</i> (L.) Borkh.</u>	Caryophyllaceae	<u>SILEN_VIS</u>
<u><i>Lycium ferocissimum</i> Miers</u>	Solanaceae	<u>LYCIU_FER</u>
<u><i>Lycopersicon esculentum</i> Mill.</u> = <u><i>Solanum lycopersicum</i> L.</u>	Solanaceae	<u>SOLAN_LYC</u>
<u><i>Lycopersicon</i> hybrids</u> = <u><i>Solanum</i> (sect. <i>Lycopersicon</i>) hybrids</u>	Solanaceae	<u>SOLAN</u>
<u><i>Lycopersicon lycopersicum</i> (L.) H. Karst.</u> = <u><i>Solanum lycopersicum</i> L.</u>	Solanaceae	<u>SOLAN_LYC</u>
<u><i>Lysiloma latisiliquum</i> (L.) Benth.</u>	Fabaceae [Leguminosae]	<u>LYSIL_LAT</u>
<u><i>Lysimachia arvensis</i> (L.) U. Manns & Anderb.</u> (Synonym: <i>Anagallis arvensis</i> L.)	Primulaceae	<u>LYSIM_ARV</u>
<u><i>Lysimachia chenopodioides</i> G. Watt ex Hook. f.</u>	Primulaceae	<u>LYSIM_CHE</u>
<u><i>Lysimachia monelli</i> (L.) U. Manns & Anderb.</u> (Synonyms: <i>Anagallis grandiflora</i> Andrews; <i>Anagallis monelli</i> L.)	Primulaceae	<u>LYSIM_MON</u>
<u><i>Lythrum salicaria</i> L.</u>	Lythraceae	<u>LYTHR_SAL</u>
<u><i>Lytocaryum weddellianum</i> (H. Wendl.) Toledo</u> = <u><i>Syagrus weddelliana</i> (H. Wendl.) Becc.</u>	Arecaceae [Palmae]	<u>MICRC_WED</u>

M

<u><i>Macadamia ternifolia</i> F. Muell.</u>	Proteaceae	<u>MACAD_TER</u>
<u><i>Machaeranthera tanacetifolia</i> (Kunth) Nees</u> (Synonym: <i>Aster tanacetifolius</i> Kunth)	Asteraceae [Compositae]	<u>MACHA_TAN</u>
<u><i>Maclura pomifera</i> (Raf.) C. K. Schneid.</u>	Moraceae	<u>MACLU_POM</u>
<u><i>Macrochloa tenacissima</i> (Loefl. ex L.) Kunth</u> (Synonym: <i>Stipa tenacissima</i> Loefl. ex L.)	Poaceae [Gramineae]	<u>STIPA_TEN</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Macroptilium atropurpureum (DC.) Urb.</u> (Synonym: <i>Phaseolus atropurpureus</i> DC.)	Fabaceae [Leguminosae]	MACRP_ATR
<u>Macroptilium lathyroides (L.) Urb.</u> (Synonym: <i>Phaseolus lathyroides</i> L.)	Fabaceae [Leguminosae]	MACRP_LAT
<u>Macrotyloma axillare (E. Mey.) Verdc.</u>	Fabaceae [Leguminosae]	MACRT_AXI
<u>Macrotyloma uniflorum (Lam.) Verdc.</u>	Fabaceae [Leguminosae]	MACRT_UNI
<u>Madhuca longifolia (L.) J. F. Macbr.</u>	Sapotaceae	MADHU_LON
<u>Maesopsis eminii Engl.</u>	Rhamnaceae	MAESO_EMI
<u>Magnolia denudata Desr.</u>	Magnoliaceae	MAGNO_DEN
<u>Magnolia grandiflora L.</u>	Magnoliaceae	MAGNO_GRA
<u>Magnolia liliiflora Desr.</u>	Magnoliaceae	MAGNO_LIL
<u>Mahonia aquifolium (Pursh) Nutt.</u> (Synonym: <i>Berberis aquifolium</i> Pursh)	Berberidaceae	MAHON_AQU
<u>Mahonia bealei (Fortune) Carrière</u> (Synonym: <i>Berberis bealei</i> Fortune)	Berberidaceae	BERBE_BEA
<u>Mahonia japonica (Thunb.) DC.</u> (Synonym: <i>Berberis japonica</i> (Thunb.) Spreng.)	Berberidaceae	MAHON_JAP
<u>Mahonia lomariifolia Takeda</u> = <u>Mahonia oiwakensis Hayata</u>	Berberidaceae	MAHON_OIW
<u>Mahonia oiwakensis Hayata</u> (Synonyms: <i>Berberis lomariifolia</i> (Takeda) Laferr.; <i>Berberis oiwakensis</i> (Hayata) Laferr.; <i>Mahonia lomariifolia</i> Takeda)	Berberidaceae	MAHON_OIW
<u>Mahonia pumila (Greene) Fedde</u> (Synonym: <i>Berberis pumila</i> Greene)	Berberidaceae	MAHON_PUM
<u>Mahonia repens (Lindl.) G. Don</u> (Synonym: <i>Berberis repens</i> Lindl.)	Berberidaceae	MAHON_REP
<u>Majorana hortensis Moench</u> = <u>Origanum majorana L.</u>	Lamiaceae [Labiatae]	ORIGA_MAJ
<u>Malachra fasciata Jacq.</u>	Malvaceae	MALAC_FAS
<u>Malcolmia maritima (L.) W. T. Aiton</u> (Synonym: <i>Cheiranthus maritimus</i> L.)	Brassicaceae [Cruciferae]	ERYSI_ALL
<u>Malope trifida Cav.</u>	Malvaceae	MALOP_TRI
<u>Malpighia emarginata DC.</u> (Synonym: <i>Malpighia puniceifolia</i> auct., non L.)	Malpighiaceae	MALPI_EMA
<u>Malpighia puniceifolia auct., non L.</u> = <u>Malpighia emarginata DC.</u>	Malpighiaceae	MALPI_EMA
<u>Malus baccata (L.) Borkh.</u>	Rosaceae	MALUS_BAC
<u>Malus domestica (Suckow) Borkh.</u>	Rosaceae	MALUS_DOM
<u>Malus sargentii Rehder</u>	Rosaceae	MALUS_SAR
<u>Malus sylvestris (L.) Mill.</u>	Rosaceae	MALUS_SYL
<u>Malva alcea L.</u>	Malvaceae	MALVA_ALC

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Malva moschata</i> L.</u>	Malvaceae	<u>MALVA MOS</u>
<u><i>Malva pusilla</i> Sm.</u>	Malvaceae	<u>MALVA PUS</u>
<u><i>Malva sylvestris</i> L.</u>	Malvaceae	<u>MALVA SYL</u>
<u><i>Mammea americana</i> L.</u> (Synonym: <i>Mammea emarginata</i> Moc. & Sessé ex Choisy)	Calophyllaceae	<u>MAMME AME</u>
<u><i>Mammea emarginata</i> Moc. & Sessé ex Choisy</u> = <u><i>Mammea americana</i> L.</u>	Calophyllaceae	<u>MAMME AME</u>
<u><i>Mangifera indica</i> L.</u>	Anacardiaceae	<u>MANGI IND</u>
<u><i>Manihot carthagenensis</i> (Jacq.) Müll. Arg. subsp. <i>glaziovii</i> (Müll. Arg.) Allem</u> (Synonym: <i>Manihot glaziovii</i> Müll. Arg.)	Euphorbiaceae	<u>MANIH GLA</u>
<u><i>Manihot esculenta</i> Crantz</u>	Euphorbiaceae	<u>MANIH ESC</u>
<u><i>Manihot glaziovii</i> Müll. Arg.</u> = <u><i>Manihot carthagenensis</i> (Jacq.) Müll. Arg. subsp. <i>glaziovii</i> (Müll. Arg.) Allem</u>	Euphorbiaceae	<u>MANIH GLA</u>
<u><i>Mansonia altissima</i> (A. Chev.) A. Chev.</u>	Malvaceae (Sterculiaceae)	<u>MANSO ALT</u>
<u><i>Maranta arundinacea</i> L.</u>	Marantaceae	<u>MARAN ARU</u>
<u><i>Marrubium vulgare</i> L.</u>	Lamiaceae [Labiatae]	<u>MARRU VUL</u>
<u><i>Martynia annua</i> L.</u>	Martyniaceae	<u>MARTY ANN</u>
<u><i>Martynia lutea</i> Lindl.</u> = <u><i>Ibicella lutea</i> (Lindl.) Van Eselt.</u>	Martyniaceae	<u>IBICE LUT</u>
<u><i>Martynia proboscidea</i> Gloxin</u> = <u><i>Proboscidea louisianica</i> (Mill.) Thell. subsp. <i>louisianica</i></u>	Martyniaceae	<u>PROBO LOU LOU</u>
<u><i>Matricaria chamomilla</i> L.</u> (Synonym: <i>Chamomilla recutita</i> (L.) Rauschert; <i>Matricaria recutita</i> L.)	Asteraceae [Compositae]	<u>MATRI REC</u>
<u><i>Matricaria inodora</i> L.</u> = <u><i>Tripleurospermum inodorum</i> (L.) Sch. Bip.</u>	Asteraceae [Compositae]	<u>TRPLE PER</u>
<u><i>Matricaria maritima</i> L.</u> = <u><i>Tripleurospermum maritimum</i> (L.) W. D. J. Koch</u>	Asteraceae [Compositae]	<u>TRPLE MAR</u>
<u><i>Matricaria perforata</i> Mérat</u> = <u><i>Tripleurospermum inodorum</i> (L.) Sch. Bip.</u>	Asteraceae [Compositae]	<u>TRPLE PER</u>
<u><i>Matricaria recutita</i> L.</u> = <u><i>Matricaria chamomilla</i> L.</u>	Asteraceae [Compositae]	<u>MATRI REC</u>
<u><i>Matthiola bicornis</i> (Sm.) DC.</u> included in <u><i>Matthiola longipetala</i> (Vent.) DC.</u>	Brassicaceae [Cruciferae]	<u>MATTH LON BIC</u>
<u><i>Matthiola incana</i> (L.) W. T. Aiton</u>	Brassicaceae [Cruciferae]	<u>MATTH INC</u>
<u><i>Matthiola longipetala</i> (Vent.) DC.</u> (Including: <i>Matthiola bicornis</i> (Sm.) DC.)	Brassicaceae [Cruciferae]	<u>MATTH LON</u>
<u><i>Mauranthemum paludosum</i> (Poir.) Vogt & Oberpr.</u> (Synonyms: <i>Chrysanthemum paludosum</i> Poir.; <i>Leucanthemum paludosum</i> (Poir.) Pomel)	Asteraceae [Compositae]	<u>LEUCA PAL</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Meconopsis cambrica</i> (L.) Vig.</u> = <u><i>Papaver cambricum</i> L.</u>	Papaveraceae	PAPAV_CAM
<u><i>Medicago arabica</i> (L.) Huds.</u>	Fabaceae [Leguminosae]	MEDIC_ARA
<u><i>Medicago falcata</i> L.</u> included in <u><i>Medicago sativa</i> L.</u>	Fabaceae [Leguminosae]	MEDIC_SAT_FAL
<u><i>Medicago italica</i> (Mill.) Fiori</u> (Synonym: <i>Medicago tornata</i> (L.) Mill.)	Fabaceae [Leguminosae]	MEDIC_ITA
<u><i>Medicago littoralis</i> Rohde ex Loisel.</u>	Fabaceae [Leguminosae]	MEDIC_LIT
<u><i>Medicago lupulina</i> L.</u>	Fabaceae [Leguminosae]	MEDIC_LUP
<u><i>Medicago orbicularis</i> (L.) Bartal.</u>	Fabaceae [Leguminosae]	MEDIC_ORB
<u><i>Medicago polymorpha</i> L.</u>	Fabaceae [Leguminosae]	MEDIC_POL
<u><i>Medicago rugosa</i> Desr.</u>	Fabaceae [Leguminosae]	MEDIC_RUG
<u><i>Medicago sativa</i> L.</u> (Including: <i>Medicago falcata</i> L.; <i>Medicago sativa</i> L. subsp. <i>falcata</i> (L.) Arcang.; <i>Medicago</i> × <i>varia</i> Martyn)	Fabaceae [Leguminosae]	MEDIC_SAT
<u><i>Medicago sativa</i> L. subsp. <i>falcata</i> (L.) Arcang.</u> included in <u><i>Medicago sativa</i> L.</u>	Fabaceae [Leguminosae]	MEDIC_SAT_FAL
<u><i>Medicago scutellata</i> (L.) Mill.</u>	Fabaceae [Leguminosae]	MEDIC_SCU
<u><i>Medicago tornata</i> (L.) Mill.</u> = <u><i>Medicago italica</i> (Mill.) Fiori</u>	Fabaceae [Leguminosae]	MEDIC_ITA_TOR
<u><i>Medicago truncatula</i> Gaertn.</u>	Fabaceae [Leguminosae]	MEDIC_TRU
<u><i>Medicago</i> × <i>varia</i> Martyn</u> included in <u><i>Medicago sativa</i> L.</u>	Fabaceae [Leguminosae]	MEDIC_SAT_VAR
<u><i>Megathyrsus maximus</i> (Jacq.) B. K. Simon & S. W. L. Jacobs</u> (Synonyms: <i>Panicum maximum</i> Jacq.; <i>Urochloa maxima</i> (Jacq.) R. D. Webster)	Poaceae [Gramineae]	MEGAT_MAX
<u><i>Melaleuca cajuputi</i> Powell</u> (Synonym: <i>Melaleuca minor</i> Sm.)	Myrtaceae	MELAL_CAJ
<u><i>Melaleuca citrina</i> (Curtis) Dum. Cours.</u> = <u><i>Callistemon citrinus</i> (Curtis) Skeels</u>	Myrtaceae	CALSM_CIT
<u><i>Melaleuca leucadendra</i> (L.) L.</u>	Myrtaceae	MELAL_LEU
<u><i>Melaleuca minor</i> Sm.</u> = <u><i>Melaleuca cajuputi</i> Powell</u>	Myrtaceae	MELAL_CAJ
<u><i>Melaleuca quinquenervia</i> (Cav.) S. T. Blake</u>	Myrtaceae	MELAL_QUI
<u><i>Melampyrum arvense</i> L.</u>	Orobanchaceae	MLAMP_ARV
<u><i>Melandrium album</i> (Mill.) Garcke</u> included in <u><i>Silene latifolia</i> Poir.</u>	Caryophyllaceae	SILEN_LAT_ALB
<u><i>Melanthera nivea</i> (L.) Small</u>	Asteraceae [Compositae]	MELAN_NIV
<u><i>Melastoma malabathricum</i> L.</u>	Melastomataceae	MELAS_MAL

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Melia azedarach</i> L.</u>	Meliaceae	<u>MELIA AZE</u>
<u><i>Melilotus albus</i> Medik.</u>	Fabaceae [Leguminosae]	<u>MELIL ALB</u>
<u><i>Melilotus indicus</i> (L.) All.</u>	Fabaceae [Leguminosae]	<u>MELIL IND</u>
<u><i>Melilotus officinalis</i> (L.) Lam.</u>	Fabaceae [Leguminosae]	<u>MELIL OFF</u>
<u><i>Melilotus sulcatus</i> Desf.</u>	Fabaceae [Leguminosae]	<u>MELIL SUL</u>
<u><i>Melinis minutiflora</i> P. Beauv.</u>	Poaceae [Gramineae]	<u>MELIN MIN</u>
<u><i>Melinis repens</i> (Willd.) Zizka</u>	Poaceae [Gramineae]	<u>MELIN REP</u>
<u><i>Melissa officinalis</i> L.</u>	Lamiaceae [Labiatae]	<u>MELIS OFF</u>
<u><i>Melochia corchorifolia</i> L.</u>	Malvaceae (Sterculiaceae)	<u>MELOC COR</u>
<u><i>Mentha arvensis</i> L.</u>	Lamiaceae [Labiatae]	<u>MENTH ARV</u>
<u><i>Mentha arvensis</i> auct. Amer., non L. = <i>Mentha canadensis</i> L.</u>	Lamiaceae [Labiatae]	<u>MENTH CAN</u>
<u><i>Mentha canadensis</i> L.</u> (Synonym: <i>Mentha arvensis</i> auct. Amer., non L.)	Lamiaceae [Labiatae]	<u>MENTH CAN</u>
<u><i>Mentha longifolia</i> (L.) L.</u>	Lamiaceae [Labiatae]	<u>MENTH LON</u>
<u><i>Mentha</i> × <i>piperita</i> L.</u> [<i>M. aquatica</i> L. × <i>M. spicata</i> L.]	Lamiaceae [Labiatae]	<u>MENTH PIP</u>
<u><i>Mentha pulegium</i> L.</u>	Lamiaceae [Labiatae]	<u>MENTH PUL</u>
<u><i>Mentha spicata</i> L.</u>	Lamiaceae [Labiatae]	<u>MENTH SPI</u>
<u><i>Mentzelia lindleyi</i> Torr. & A. Gray</u>	Loasaceae	<u>MENTZ LIN</u>
<u><i>Mercurialis annua</i> L.</u>	Euphorbiaceae	<u>MERCU ANN</u>
<u><i>Merremia cissoides</i> (Lam.) Hall. f. = <i>Distimake cissoides</i> (Lam.) Simões & Staples</u>	Convolvulaceae	<u>DISTM CIS</u>
<u><i>Mesembryanthemum criniflorum</i> L. f. = <i>Cleretum bellidiforme</i> (Burm. f.) G. D. Rowley</u>	Aizoaceae	<u>DOROT BEL</u>
<u><i>Mesosphaerum pectinatum</i> (L.) Kuntze</u> (Synonym: <i>Hyptis pectinata</i> (L.) Poit.)	Lamiaceae [Labiatae]	<u>HYPTI PEC</u>
<u><i>Mesosphaerum suaveolens</i> (L.) Kuntze</u> (Synonym: <i>Hyptis suaveolens</i> (L.) Poit.)	Lamiaceae [Labiatae]	<u>HYPTI SUA</u>
<u><i>Mespilus germanica</i> L.</u>	Rosaceae	<u>MESPI GER</u>
<u><i>Metrosideros collina</i> (J. R. Forst. & G. Forst.) A. Gray</u>	Myrtaceae	<u>MTROS CLN</u>
<u><i>Metroxylon sagu</i> Rottb.</u>	Arecaceae [Palmae]	<u>MTROX SAG</u>
<u><i>Miconia crenata</i> (Vahl) Michelang.</u> (Synonym: <i>Clidemia hirta</i> (L.) D. Don)	Melastomataceae	<u>CLIDE HIR</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Microberlinia brazzavillensis A. Chev.</u>	Fabaceae [Leguminosae]	<u>MICRB BRA</u>
<u>Microcoelum weddellianum (H. Wendl.) H. E. Moore</u> = <u>Syagrus weddelliana (H. Wendl.) Becc.</u>	Arecaceae [Palmae]	<u>MICRC WED</u>
<u>Microdesmia rigida (Benth.) Sothers & Prance</u> (Synonym: <i>Licania rigida</i> Benth.)	Chrysobalanaceae	<u>LICAN RIG</u>
<u>Mikania cordata (Burm. f.) B. L. Rob.</u>	Asteraceae [Compositae]	<u>MIKAN COR</u>
<u>Mikania micrantha Kunth</u>	Asteraceae [Compositae]	<u>MIKAN MIC</u>
<u>Mikania scandens (L.) Willd.</u>	Asteraceae [Compositae]	<u>MIKAN SCA</u>
<u>Mimosa diplotricha C. Wright</u> (Synonym: <i>Mimosa invisa</i> Mart., non Mart. ex Colla)	Fabaceae [Leguminosae]	<u>MIMOS DIP</u>
<u>Mimosa invisa Mart., non Mart. ex Colla</u> = <u>Mimosa diplotricha C. Wright</u>	Fabaceae [Leguminosae]	<u>MIMOS DIP</u>
<u>Mimosa pigra L.</u>	Fabaceae [Leguminosae]	<u>MIMOS PIG</u>
<u>Mimosa pudica L.</u>	Fabaceae [Leguminosae]	<u>MIMOS PUD</u>
<u>Mimulus cardinalis Douglas ex Benth.</u> = <u>Erythranthe cardinalis (Douglas ex Benth.) Spach</u>	Phrymaceae (Scrophulariaceae)	<u>MIMUL CAR</u>
<u>Mimulus cupreus hort. ex Dombrain</u> = <u>Erythranthe cuprea (hort. ex Dombrain) G. L. Nesom</u>	Phrymaceae (Scrophulariaceae)	<u>MIMUL CUP</u>
<u>Mimulus guttatus DC.</u> = <u>Erythranthe guttata (DC.) G. L. Nesom</u>	Phrymaceae (Scrophulariaceae)	<u>MIMUL GUT</u>
<u>Mimulus × hybridus hort. ex Voss</u> = <u>Erythranthe × hybrida (hort. ex Voss) Silverside</u>	Phrymaceae (Scrophulariaceae)	<u>MIMUL HYB</u>
<u>Mimulus luteus L.</u> <u>Erythranthe lutea (L.) G. L. Nesom</u>	Phrymaceae (Scrophulariaceae)	<u>MIMUL LUT</u>
<u>Mimulus tigrinus hort.</u> = <u>Erythranthe × hybrida (hort. ex Voss) Silverside</u>	Phrymaceae (Scrophulariaceae)	<u>MIMUL HYB</u>
<u>Mimosa heckelii (A. Chev.) Hutch. & Dalziel</u> = <u>Tieghemella heckelii (A. Chev.) Pierre ex Heine</u>	Sapotaceae	<u>TIEGH HEC</u>
<u>Mirabilis jalapa L.</u>	Nyctaginaceae	<u>MIRAB JAL</u>
<u>Miscanthus floridulus (Labill.) Warb. ex K. Schum. & Lauterb.</u>	Poaceae [Gramineae]	<u>MISCA FLO</u>
<u>Miscanthus fuscus (Roxb.) Benth.</u> (Synonym: <i>Sclerostachya fusca</i> (Roxb.) A. Camus)	Poaceae [Gramineae]	<u>MISCA FUS</u>
<u>Miscanthus sinensis Andersson</u>	Poaceae [Gramineae]	<u>MISCA SIN</u>
<u>Mitragyna ciliata Aubrév. & Pellegr.</u> = <u>Mitragyna ledermannii (K. Krause) Ridsdale</u>	Rubiaceae	<u>MITRA CIL</u>
<u>Mitragyna ledermannii (K. Krause) Ridsdale</u> (Synonyms: <i>Fleroya ledermannii</i> (K. Krause) Y. F. Deng; <i>Mitragyna ciliata</i> Aubrév. & Pellegr.)	Rubiaceae	<u>MITRA CIL</u>
<u>Moluccella laevis L.</u>	Lamiaceae [Labiatae]	<u>MOLUC LAE</u>
<u>Momordica charantia L.</u>	Cucurbitaceae	<u>MOMOR CHA</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Momordica cochinchinensis (Lour.) Spreng.</u>	Cucurbitaceae	MOMOR COC
<u>Monochoria hastata (L.) Solms</u> = <u>Pontederia hastata L.</u>	Pontederiaceae	MONOC HAS
<u>Monochoria vaginalis (Burm. f.) C. Presl ex Kunth</u> = <u>Pontederia vaginalis Burm. f.</u>	Pontederiaceae	MONOC VAG
<u>Monosis conferta (Benth.) C. Jeffrey</u> (Synonym: <i>Vernonia conferta</i> Benth.)	Asteraceae [Compositae]	VERNO CON
<u>Monstera deliciosa Liebm.</u>	Araceae	MONST DEL
<u>Montia perfoliata (Donn ex Willd.) Howell</u> = <u>Claytonia perfoliata Donn ex Willd.</u>	Montiaceae	CLAYT PER
<u>Mora excelsa Benth.</u>	Fabaceae [Leguminosae]	MORAA EXC
<u>Moraea miniata Andrews</u> (Synonym: <i>Homeria miniata</i> (Andrews) Sweet)	Iridaceae	MORAE MIN
<u>Moringa oleifera Lam.</u>	Moringaceae	MORIN OLE
<u>Morus alba L.</u>	Moraceae	MORUS ALB
<u>Morus nigra L.</u>	Moraceae	MORUS NIG
<u>Mucuna aterrima (Piper & Tracy) Holland</u> = <u>Mucuna pruriens (L.) DC. var. utilis (Wall. ex Wight) Baker ex Burck</u>	Fabaceae [Leguminosae]	MUCUN PRU UTI
<u>Mucuna cochinchinensis (Lour.) A. Chev.</u> = <u>Mucuna pruriens (L.) DC. var. utilis (Wall. ex Wight) Baker ex Burck</u>	Fabaceae [Leguminosae]	MUCUN PRU UTI
<u>Mucuna deeringiana (Bort) Merr.</u> = <u>Mucuna pruriens (L.) DC. var. utilis (Wall. ex Wight) Baker ex Burck</u>	Fabaceae [Leguminosae]	MUCUN PRU UTI
<u>Mucuna pruriens (L.) DC.</u>	Fabaceae [Leguminosae]	MUCUN PRU
<u>Mucuna pruriens (L.) DC. var. pruriens</u>	Fabaceae [Leguminosae]	MUCUN PRU
<u>Mucuna pruriens (L.) DC. var. utilis (Wall. ex Wight) Baker ex Burck</u> (Synonyms: <i>Mucuna aterrima</i> (Piper & Tracy) Holland; <i>Mucuna cochinchinensis</i> (Lour.) A. Chev.; <i>Mucuna deeringiana</i> (Bort) Merr.; <i>Stizolobium deeringianum</i> Bort)	Fabaceae [Leguminosae]	MUCUN PRU UTI
<u>Murraya exotica L.</u> = <u>Murraya paniculata (L.) Jack</u>	Rutaceae	MURRA PAN
<u>Murraya koenigii (L.) Spreng.</u> = <u>Bergera koenigii L.</u>	Rutaceae	MURRA KOE
<u>Murraya paniculata (L.) Jack</u> (Synonym: <i>Murraya exotica</i> L.)	Rutaceae	MURRA PAN
<u>Musa acuminata Colla</u> [Musa AA, AAA, and AAAA Groups] (Synonym: <i>Musa cavendishii</i> Lamb.)	Musaceae	MUSAA ACU
<u>Musa arnoldiana De Wild.</u> = <u>Ensete ventricosum (Welw.) Cheesman</u>	Musaceae	ENSET VEN
<u>Musa balbisiana Colla</u> [Musa BB and BBB Groups]	Musaceae	MUSAA BAL

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Musa cavendishii</i> Lamb.</u> = <u><i>Musa acuminata</i> Colla</u>	Musaceae	MUSAA ACU
<u><i>Musa coccinea</i> Andrews</u> (Synonym: <i>Musa uranoscopus</i> auct., non Lour.)	Musaceae	MUSAA URA
<u><i>Musa × paradisiaca</i> L.</u> [<i>M. acuminata</i> Colla × <i>M. balbisiana</i> Colla; Musa AB, AAB, ABB, ABBB, AAAB, AABBB Groups] (Synonym: <i>Musa × sapientum</i> L.)	Musaceae	MUSAA PAR
<u><i>Musa × sapientum</i> L.</u> = <u><i>Musa × paradisiaca</i> L.</u>	Musaceae	MUSAA PAR
<u><i>Musa textilis</i> Née</u>	Musaceae	MUSAA TEX
<u><i>Musa uranoscopus</i> auct., non Lour.</u> = <u><i>Musa coccinea</i> Andrews</u>	Musaceae	MUSAA URA
<u><i>Musa velutina</i> H. Wendl. & Drude</u>	Musaceae	MUSAA VEL
<u><i>Muscari armeniacum</i> Leichtlin ex Baker</u>	Asparagaceae (Hyacinthaceae)	MUSCA ARM
<u><i>Muscari botryoides</i> (L.) Mill.</u>	Asparagaceae (Hyacinthaceae)	MUSCA BOT
<u><i>Muscari parviflorum</i> Desf.</u> (Synonym: <i>Hyacinthus parviflorus</i> (Desf.) Pers.)	Asparagaceae (Hyacinthaceae)	MUSCA PAR
<u><i>Myagrum perfoliatum</i> L.</u>	Brassicaceae [Cruciferae]	MYAGR PER
<u><i>Myosotis alpestris</i> F. W. Schmidt</u>	Boraginaceae	MYSTS ALP
<u><i>Myosotis alpestris</i> hort., non F. W. Schmidt</u> = <u><i>Myosotis sylvatica</i> Hoffm.</u>	Boraginaceae	MYSTS SYL
<u><i>Myosotis arvensis</i> (L.) Hill</u>	Boraginaceae	MYSTS ARV
<u><i>Myosotis hybrids</i></u>	Boraginaceae	MYSTS
<u><i>Myosotis oblongata</i> Link</u> = <u><i>Myosotis sylvatica</i> Hoffm.</u>	Boraginaceae	MYSTS SYL
<u><i>Myosotis palustris</i> Hill</u> = <u><i>Myosotis scorpioides</i> L.</u>	Boraginaceae	MYSTS SCO
<u><i>Myosotis scorpioides</i> L.</u> (Synonym: <i>Myosotis palustris</i> Hill)	Boraginaceae	MYSTS SCO
<u><i>Myosotis sylvatica</i> Hoffm.</u> (Synonyms: <i>Myosotis alpestris</i> hort., non F. W. Schmidt; <i>Myosotis oblongata</i> Link)	Boraginaceae	MYSTS SYL
<u><i>Myosoton aquaticum</i> (L.) Moench</u> = <u><i>Stellaria aquatica</i> (L.) Scop.</u>	Caryophyllaceae	MYSTN AQU
<u><i>Myrciaria cauliflora</i> (Mart.) O. Berg</u> = <u><i>Plinia cauliflora</i> (Mart.) Kausel</u>	Myrtaceae	MYRCR CAU
<u><i>Myrciaria jaboticaba</i> (Vell.) O. Berg</u> = <u><i>Plinia cauliflora</i> (Mart.) Kausel</u>	Myrtaceae	MYRCR JAB
<u><i>Myristica fragrans</i> Houtt.</u>	Myristicaceae	MYRST FRA
<u><i>Myroxylon balsamum</i> (L.) Harms</u>	Fabaceae [Leguminosae]	MYRXL BAL
<u><i>Myrrhis odorata</i> (L.) Scop.</u>	Apiaceae [Umbelliferae]	MYRRH ODO

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

N

<u><i>Nandina domestica</i> Thunb.</u>	Berberidaceae	<u>NANDI DOM</u>
<u><i>Narcissus</i> × <i>incomparabilis</i> Mill.</u> [<i>N. poeticus</i> L. × <i>N. pseudonarcissus</i> L.]	Amaryllidaceae	<u>NARCI INC</u>
<u><i>Narcissus jonquilla</i> L.</u>	Amaryllidaceae	<u>NARCI JON</u>
<u><i>Narcissus pseudonarcissus</i> L.</u>	Amaryllidaceae	<u>NARCI PSE</u>
<u><i>Narcissus tazetta</i> L.</u>	Amaryllidaceae	<u>NARCI TAZ</u>
<u><i>Narcissus triandrus</i> L.</u>	Amaryllidaceae	<u>NARCI TRI</u>
<u><i>Nassella neesiana</i> (Trin. & Rupr.) Barkworth</u> (Synonym: <i>Stipa neesiana</i> Trin. & Rupr.)	Poaceae [Gramineae]	<u>STIPA NEE</u>
<u><i>Nassella pulchra</i> (Hitchc.) Barkworth</u> (Synonym: <i>Stipa pulchra</i> Hitchc.)	Poaceae [Gramineae]	<u>STIPA PUL</u>
<u><i>Nassella trichotoma</i> (Nees) Hack. ex Arechav.</u> (Synonym: <i>Stipa trichotoma</i> Nees)	Poaceae [Gramineae]	<u>STIPA TRI</u>
<u><i>Nassella viridula</i> (Trin.) Barkworth</u> (Synonym: <i>Stipa viridula</i> Trin.)	Poaceae [Gramineae]	<u>STIPA VIR</u>
<u><i>Nasturtium officinale</i> W. T. Aiton</u> (Synonym: <i>Rorippa nasturtium-aquaticum</i> (L.) Hayek)	Brassicaceae [Cruciferae]	<u>NASTU OFF</u>
<u><i>Neanthe bella</i> hort.</u> = <u><i>Chamaedorea elegans</i> Mart.</u>	Arecaceae [Palmae]	<u>CHMDR ELE</u>
<u><i>Neltuma alpataco</i> (Phil.) C. E. Hughes & G. P. Lewis</u> = <u><i>Prosopis alpataco</i> Phil.</u>	Fabaceae [Leguminosae]	<u>PROSO ALP</u>
<u><i>Neltuma argentina</i> (Burkart) C. E. Hughes & G. P. Lewis</u> = <u><i>Prosopis argentina</i> Burkart</u>	Fabaceae [Leguminosae]	<u>PROSO ARG</u>
<u><i>Neltuma articulata</i> (S. Watson) C. E. Hughes & G. P. Lewis</u> = <u><i>Prosopis articulata</i> S. Watson</u>	Fabaceae [Leguminosae]	<u>PROSO ART</u>
<u><i>Neltuma calingastana</i> (Burkart) C. E. Hughes & G. P. Lewis</u> = <u><i>Prosopis calingastana</i> Burkart</u>	Fabaceae [Leguminosae]	<u>PROSO CAL</u>
<u><i>Neltuma campestris</i> (Griseb.) C. E. Hughes & G. P. Lewis</u> = <u><i>Prosopis campestris</i> Griseb.</u>	Fabaceae [Leguminosae]	<u>PROSO CAM</u>
<u><i>Neltuma castellanosi</i> (Burkart) C. E. Hughes & G. P. Lewis</u> = <u><i>Prosopis castellanosi</i> Burkart</u>	Fabaceae [Leguminosae]	<u>PROSO CAS</u>
<u><i>Neltuma denudans</i> (Benth.) C. E. Hughes & G. P. Lewis</u> = <u><i>Prosopis denudans</i> Benth.</u>	Fabaceae [Leguminosae]	<u>PROSO DEN</u>
<u><i>Neltuma elata</i> (Burkart) C. E. Hughes & G. P. Lewis</u> = <u><i>Prosopis elata</i> (Burkart) Burkart</u>	Fabaceae [Leguminosae]	<u>PROSO ELA</u>
<u><i>Neltuma fiebrigii</i> (Harms) C. E. Hughes & G. P. Lewis</u> = <u><i>Prosopis fiebrigii</i> Harms</u>	Fabaceae [Leguminosae]	<u>PROSO FIE</u>
<u><i>Neltuma hassleri</i> (Harms) C. E. Hughes & G. P. Lewis</u> = <u><i>Prosopis hassleri</i> Harms</u>	Fabaceae [Leguminosae]	<u>PROSO HAS</u>
<u><i>Neltuma humilis</i> (Gillies ex Hook. & Arn.) C. E. Hughes & G. P. Lewis</u> = <u><i>Prosopis humilis</i> Gillies ex Hook. & Arn.</u>	Fabaceae [Leguminosae]	<u>PROSO HUM</u>
<u><i>Neltuma juliflora</i> (Sw.) Raf.</u> = <u><i>Prosopis juliflora</i> (Sw.) DC.</u>	Fabaceae [Leguminosae]	<u>PROSO JUL</u>
<u><i>Neltuma kuntzei</i> (Harms ex Kuntze) C. E. Hughes & G. P. Lewis</u> = <u><i>Prosopis kuntzei</i> Harms ex Kuntze</u>	Fabaceae [Leguminosae]	<u>PROSO KUN</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Neltuma rojasiana</i> (Burkart) C. E. Hughes & G. P. Lewis</u> = <i>Prosopis rojasiana</i> Burkart	Fabaceae [Leguminosae]	PROSO_ROJ
<u><i>Neltuma ruizlealii</i> (Burkart) C. E. Hughes & G. P. Lewis</u> = <i>Prosopis ruizlealii</i> Burkart	Fabaceae [Leguminosae]	PROSO_RUI
<u><i>Neltuma ruscifolia</i> (Griseb.) C. E. Hughes & G. P. Lewis</u> = <i>Prosopis ruscifolia</i> Griseb.	Fabaceae [Leguminosae]	PROSO_RUS
<u><i>Neltuma sericantha</i> (Gillies ex Hook.) C. E. Hughes & G. P. Lewis</u> = <i>Prosopis sericantha</i> Gillies ex Hook.	Fabaceae [Leguminosae]	PROSO_SER
<u><i>Nelumbo nucifera</i> Gaertn.</u>	Nelumbonaceae	NELUM_NUC
<u><i>Nemesia strumosa</i> Benth.</u>	Scrophulariaceae	NEMES_STR
<u><i>Nemesia versicolor</i> E. Mey. ex Benth.</u>	Scrophulariaceae	NEMES_VER
<u><i>Nemophila aurita</i> Lindl.</u> = <i>Pholistoma auritum</i> (Lindl.) Lilja	Hydrophyllaceae (Boraginaceae)	PHLST_AUR
<u><i>Nemophila maculata</i> Benth. ex Lindl.</u>	Hydrophyllaceae (Boraginaceae)	NEMOP_MAC
<u><i>Nemophila menziesii</i> Hook. & Arn.</u>	Hydrophyllaceae (Boraginaceae)	NEMOP_MEN
<u><i>Neonotonia wightii</i> (Wight & Arn.) J. A. Lackey</u> (Synonym: <i>Glycine javanica</i> auct., non L.)	Fabaceae [Leguminosae]	NEONO_WIG
<u><i>Nepenthes khasiana</i> Hook. f.</u>	Nepenthaceae	NEPEN_KHA
<u><i>Nepeta cataria</i> L.</u>	Lamiaceae [Labiatae]	NEPET_CAT
<u><i>Nephelium lappaceum</i> L.</u>	Sapindaceae	NEPHE_LAP
<u><i>Nephelium mutabile</i> Blume</u> = <i>Nephelium ramboutan-ake</i> (Labill.) Leenh.	Sapindaceae	NEPHE_RAM
<u><i>Nephelium ramboutan-ake</i> (Labill.) Leenh.</u> (Synonym: <i>Nephelium mutabile</i> Blume)	Sapindaceae	NEPHE_RAM
<u><i>Nerium oleander</i> L.</u>	Apocynaceae	NERIU_OLE
<u><i>Nertera depressa</i> Banks & Sol. ex Gaertn.</u> = <i>Nertera granadensis</i> (Mutis ex L. f.) Druce	Rubiaceae	NERTE_GRA
<u><i>Nertera granadensis</i> (Mutis ex L. f.) Druce</u> (Synonym: <i>Nertera depressa</i> Banks & Sol. ex Gaertn.)	Rubiaceae	NERTE_GRA
<u><i>Neustanthus phaseoloides</i> (Roxb.) Benth.</u> (Synonym: <i>Pueraria phaseoloides</i> (Roxb.) Benth.)	Fabaceae [Leguminosae]	PUERA_PHA
<u><i>Nicandra physalodes</i> (L.) Gaertn.</u>	Solanaceae	NICAN_PHY
<u><i>Nicotiana alata</i> Link & Otto</u>	Solanaceae	NICOT_ALA
<u><i>Nicotiana rustica</i> L.</u>	Solanaceae	NICOT_RUS
<u><i>Nicotiana</i> × <i>sanderiae</i> W. Watson</u> [<i>N. alata</i> Link & Otto × <i>N. forgetiana</i> hort. ex Hemsl.]	Solanaceae	NICOT_SAN
<u><i>Nicotiana suaveolens</i> Lehm.</u>	Solanaceae	NICOT_SUA
<u><i>Nicotiana tabacum</i> L.</u>	Solanaceae	NICOT_TAB
<u><i>Nierembergia hippomanica</i> Miers</u>	Solanaceae	NIERE_HIP
<u><i>Nigella damascena</i> L.</u>	Ranunculaceae	NIGEL_DAM

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Nigella hispanica</i> L.</u>	Ranunculaceae	NIGEL HIS
<u><i>Nigella sativa</i> L.</u>	Ranunculaceae	NIGEL SAT
<u><i>Nolina recurvata</i> (Lem.) Hemsl.</u> = <u><i>Beaucarnea recurvata</i> Lem.</u>	Asparagaceae (Ruscaceae)	BEAUC_REC
<u><i>Nothofagus alpina</i> (Poepp. & Endl.) Oerst.</u> (Synonym: <i>Nothofagus procera</i> Oerst.)	Nothofagaceae	NOTHO_PRO
<u><i>Nothofagus obliqua</i> (Mirb.) Blume</u>	Nothofagaceae	NOTHO_OBL
<u><i>Nothofagus procera</i> Oerst.</u> = <u><i>Nothofagus alpina</i> (Poepp. & Endl.) Oerst.</u>	Nothofagaceae	NOTHO_PRO
<u><i>Nymphaea nouchali</i> Burm. f.</u> (Synonym: <i>Nymphaea stellata</i> Willd.)	Nymphaeaceae	NYMPH_NOU
<u><i>Nymphaea stellata</i> Willd.</u> = <u><i>Nymphaea nouchali</i> Burm. f.</u>	Nymphaeaceae	NYMPH_NOU
<u><i>Nypa fruticans</i> Wurm</u>	Arecaceae [Palmae]	NYPAA_FRU
<u><i>Nyssa aquatica</i> L.</u>	Nyssaceae (Cornaceae)	NYSSA_AQU
<u><i>Nyssa sylvatica</i> Marshall</u>	Nyssaceae (Cornaceae)	NYSSA_SYL

O

<u><i>Ochroma lagopus</i> Sw.</u> = <u><i>Ochroma pyramidale</i> (Cav. ex Lam.) Urb.</u>	Malvaceae (Bombacaceae)	OCHRO_PYR
<u><i>Ochroma pyramidale</i> (Cav. ex Lam.) Urb.</u> (Synonym: <i>Ochroma lagopus</i> Sw.)	Malvaceae (Bombacaceae)	OCHRO_PYR
<u><i>Ocimum basilicum</i> L.</u>	Lamiaceae [Labiatae]	OCIMU_BAS
<u><i>Ocimum sanctum</i> L.</u> = <u><i>Ocimum tenuiflorum</i> L.</u>	Lamiaceae [Labiatae]	OCIMU_TEN
<u><i>Ocimum tenuiflorum</i> L.</u> (Synonym: <i>Ocimum sanctum</i> L.)	Lamiaceae [Labiatae]	OCIMU_TEN
<u><i>Ocotea caudata</i> (Nees) Mez</u> = <u><i>Ocotea leptobotra</i> (Ruiz & Pav.) Mez</u>	Lauraceae	OCOTE_CER CAU
<u><i>Ocotea cernua</i> (Nees) Mez</u> = <u><i>Ocotea leptobotra</i> (Ruiz & Pav.) Mez</u>	Lauraceae	OCOTE_CER
<u><i>Ocotea leptobotra</i> (Ruiz & Pav.) Mez</u> (Synonyms: <i>Ocotea caudata</i> (Nees) Mez; <i>Ocotea cernua</i> (Nees) Mez)	Lauraceae	OCOTE_CER
<u><i>Ocotea porosa</i> (Nees & Mart.) Barroso</u> (Synonym: <i>Phoebe porosa</i> (Nees & Mart.) Mez)	Lauraceae	OCOTE_POR
<u><i>Ocotea rodiei</i> (M. R. Schomb.) Mez</u> = <u><i>Chlorocardium rodiei</i> (M. R. Schomb.) Rohwer et al.</u>	Lauraceae	OCOTE_ROD
<u><i>Ocotea rubra</i> Mez</u> = <u><i>Sextonia rubra</i> (Mez) van der Werff</u>	Lauraceae	OCOTE_RUB
<u><i>Odontarrhena argentea</i> (All.) Ledeb.</u> = <u><i>Alyssum argenteum</i> All.</u>	Brassicaceae [Cruciferae]	ALYSS_ARG
<u><i>Oenanthe javanica</i> (Blume) DC.</u>	Apiaceae [Umbelliferae]	OENAN_JAV

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Oenothera biennis L.</u>	Onagraceae	<u>OENOT BIE</u>
<u>Oenothera cinerea (Wooton & Standl.) W. L. Wagner & Hoch</u> (Synonym: <i>Gaura villosa</i> Torr.)	Onagraceae	<u>OENOT CIN</u>
<u>Oenothera hispida (Benth.) W. L. Wagner et al.</u> (Synonyms: <i>Gaura drummondii</i> (Spach) Torr. & A. Gray; <i>Gaura odorata</i> auct., non Sessé ex Lag.; <i>Oenothera xenogaura</i> W. L. Wagner & Hoch)	Onagraceae	<u>OENOT XEN</u>
<u>Oenothera macrocarpa Nutt.</u> (Synonym: <i>Oenothera missourensis</i> Sims)	Onagraceae	<u>OENOT MAC</u>
<u>Oenothera missourensis Sims</u> = <u>Oenothera macrocarpa Nutt.</u>	Onagraceae	<u>OENOT MAC</u>
<u>Oenothera rosea L'Hér. ex Aiton</u>	Onagraceae	<u>OENOT ROS</u>
<u>Oenothera sinuosa W. L. Wagner & Hoch</u> (Synonym: <i>Gaura sinuata</i> Nutt. ex Ser.)	Onagraceae	<u>OENOT SNU</u>
<u>Oenothera suffrutescens (Ser.) W. L. Wagner & Hoch</u> (Synonym: <i>Gaura coccinea</i> Pursh)	Onagraceae	<u>OENOT COC</u>
<u>Oenothera xenogaura W. L. Wagner & Hoch</u> = <u>Oenothera hispida (Benth.) W. L. Wagner et al.</u>	Onagraceae	<u>OENOT XEN</u>
<u>Olea europaea L.</u>	Oleaceae	<u>OLEAA EUR</u>
<u>Olearia albida (Hook. f.) Hook. f.</u>	Asteraceae [Compositae]	<u>OLEAR ALB</u>
<u>Olearia avicenniifolia (Raoul) Hook. f.</u>	Asteraceae [Compositae]	<u>OLEAR AVI</u>
<u>Olearia × haastii Hook. f.</u> [<i>O. avicenniifolia</i> (Raoul) Hook. f. × <i>O. moschata</i> Hook. f.]	Asteraceae [Compositae]	<u>OLEAR HAA</u>
<u>Olearia ilicifolia Hook. f.</u>	Asteraceae [Compositae]	<u>OLEAR ILI</u>
<u>Olearia macrodonta Baker</u>	Asteraceae [Compositae]	<u>OLEAR MAC</u>
<u>Olearia moschata Hook. f.</u>	Asteraceae [Compositae]	<u>OLEAR MOS</u>
<u>Olearia nummulariifolia (Hook. f.) Hook. f.</u>	Asteraceae [Compositae]	<u>OLEAR NUM</u>
<u>Oloptum miliaceum (L.) Röser & Hamasha</u> (Synonyms: <i>Oryzopsis miliacea</i> (L.) Benth. & Hook. f. ex Asch. & Schweinf.; <i>Piptatherum miliaceum</i> (L.) Coss.)	Poaceae [Gramineae]	<u>PIPTA MIL</u>
<u>Ongoeka gore (Hua) Pierre</u>	Aptandraceae	<u>ONGOK GOR</u>
<u>Onobrychis sativa Lam.</u> = <u>Onobrychis viciifolia Scop.</u>	Fabaceae [Leguminosae]	<u>ONOBRY VIC</u>
<u>Onobrychis viciifolia Scop.</u> (Synonym: <i>Onobrychis sativa</i> Lam.)	Fabaceae [Leguminosae]	<u>ONOBRY VIC</u>
<u>Ononis repens L.</u>	Fabaceae [Leguminosae]	<u>ONONI REP</u>
<u>Ononis spinosa L.</u>	Fabaceae [Leguminosae]	<u>ONONI SPI</u>
<u>Onopordum acanthium L.</u>	Asteraceae [Compositae]	<u>ONOPO ACT</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Onopordum acaulon</i> L.</u>	Asteraceae [Compositae]	<u>ONOPO_ACL</u>
<u><i>Onopordum illyricum</i> L.</u>	Asteraceae [Compositae]	<u>ONOPO_ILL</u>
<u><i>Onopordum tauricum</i> Willd.</u>	Asteraceae [Compositae]	<u>ONOPO_TAU</u>
<u><i>Oplismenus compositus</i> (L.) P. Beauv.</u>	Poaceae [Gramineae]	<u>OPLIS_COM</u>
<u><i>Opuntia aurantiaca</i> Lindl.</u>	Cactaceae	<u>OPUNT_AUR</u>
<u><i>Opuntia dillenii</i> (Ker Gawl.) Haw.</u> = <u><i>Opuntia stricta</i> (Haw.) Haw. var. <i>dillenii</i> (Ker Gawl.) L. D. Benson</u>	Cactaceae	<u>OPUNT_DIL</u>
<u><i>Opuntia monacantha</i> Haw.</u> (Synonym: <i>Opuntia vulgaris</i> auct., non Mill.)	Cactaceae	<u>OPUNT_MON</u>
<u><i>Opuntia stricta</i> (Haw.) Haw. var. <i>dillenii</i> (Ker Gawl.) L. D. Benson</u> (Synonym: <i>Opuntia dillenii</i> (Ker Gawl.) Haw.)	Cactaceae	<u>OPUNT_DIL</u>
<u><i>Opuntia vulgaris</i> auct., non Mill.</u> = <u><i>Opuntia monacantha</i> Haw.</u>	Cactaceae	<u>OPUNT_MON</u>
<u><i>Orbignya cohune</i> (Mart.) Dahlgren ex Standl.</u> = <u><i>Attalea cohune</i> Mart.</u>	Arecaceae [Palmae]	<u>ATTAL_COH</u>
<u><i>Orbignya huebneri</i> Burret</u> = <u><i>Attalea speciosa</i> Mart. ex Spreng.</u>	Arecaceae [Palmae]	<u>ATTAL_SPE</u>
<u><i>Orbignya oleifera</i> Burret</u> = <u><i>Attalea vitivir</i> Zona</u>	Arecaceae [Palmae]	<u>ATTAL_SPE</u>
<u><i>Orbignya phalerata</i> Mart.</u> = <u><i>Attalea speciosa</i> Mart. ex Spreng.</u>	Arecaceae [Palmae]	<u>ATTAL_SPE</u>
<u><i>Oreomecon alpina</i> (L.) Banfi et al.</u> = <u><i>Papaver alpinum</i> L.</u>	Papaveraceae	<u>PAPAV_ALP</u>
<u><i>Oreomecon nudicaulis</i> (L.) Banfi et al.</u> = <u><i>Papaver nudicaule</i> L.</u>	Papaveraceae	<u>PAPAV_NUD</u>
<u><i>Origanum majorana</i> L.</u> (Synonym: <i>Majorana hortensis</i> Moench)	Lamiaceae [Labiatae]	<u>ORIGA_MAJ</u>
<u><i>Origanum vulgare</i> L.</u>	Lamiaceae [Labiatae]	<u>ORIGA_VUL</u>
<u><i>Ornithogalum arabicum</i> L.</u>	Asparagaceae (Hyacinthaceae)	<u>ORNTG_ARA</u>
<u><i>Ornithogalum thyrsoides</i> Jacq.</u>	Asparagaceae (Hyacinthaceae)	<u>ORNTG_THY</u>
<u><i>Ornithopus compressus</i> L.</u>	Fabaceae [Leguminosae]	<u>ORNTP_COM</u>
<u><i>Ornithopus sativus</i> Brot.</u>	Fabaceae [Leguminosae]	<u>ORNTP_SAT</u>
<u><i>Orobanche amethystea</i> Thuill.</u>	Orobanchaceae	<u>OROBA_AME</u>
<u><i>Orobanche cernua</i> Loefl.</u>	Orobanchaceae	<u>OROBA_CER</u>
<u><i>Orobanche crenata</i> Forssk.</u>	Orobanchaceae	<u>OROBA_CRE</u>
<u><i>Orobanche lavandulacea</i> Rchb.</u> = <u><i>Phelipanche lavandulacea</i> (Rchb.) Pomel</u>	Orobanchaceae	<u>OROBA_LAV</u>
<u><i>Orobanche minor</i> Sm.</u>	Orobanchaceae	<u>OROBA_MIN</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Orobanche mutellii</i> F. W. Schultz</u> = <i>Phelipanche mutellii</i> (F. W. Schultz) Pomel	Orobanchaceae	OROBA_MUT
<u><i>Orobanche ramosa</i> L.</u> = <i>Phelipanche ramosa</i> (L.) Pomel	Orobanchaceae	OROBA_RAM
<u><i>Orobanche ramosa</i> L. subsp. <i>mutellii</i> (F. W. Schultz) Cout.</u> = <i>Phelipanche mutellii</i> (F. W. Schultz) Pomel	Orobanchaceae	OROBA_MUT
<u><i>Orobanche variegata</i> Wallr.</u>	Orobanchaceae	OROBA_VAR
<u><i>Oryza glaberrima</i> Steud.</u>	Poaceae [Gramineae]	ORYZA_GLA
<u><i>Oryza longistaminata</i> A. Chev. & Roehr.</u>	Poaceae [Gramineae]	ORYZA_LON
<u><i>Oryza punctata</i> Kotschy ex Steud.</u>	Poaceae [Gramineae]	ORYZA_PUN
<u><i>Oryza rufipogon</i> Griff.</u>	Poaceae [Gramineae]	ORYZA_RUF
<u><i>Oryza sativa</i> L.</u>	Poaceae [Gramineae]	ORYZA_SAT
<u><i>Oryzopsis holciformis</i> (M. Bieb.) Hack.</u> = <i>Piptatherum holciforme</i> (M. Bieb.) Roem. & Schult.	Poaceae [Gramineae]	PIPTA_HOL
<u><i>Oryzopsis hymenoides</i> (Roem. & Schult.) Ricker ex Piper</u> = <i>Eriocoma hymenoides</i> (Roem. & Schult.) Rydb.	Poaceae [Gramineae]	ACHNA_HYM
<u><i>Oryzopsis miliacea</i> (L.) Benth. & Hook. f. ex Asch. & Schweinf.</u> = <i>Oloptum miliaceum</i> (L.) Röser & Hamasha	Poaceae [Gramineae]	PIPTA_MIL
<u><i>Osmanthus heterophyllus</i> (G. Don) P. S. Green</u>	Oleaceae	OSMAN_HET
<u><i>Osteospermum ecklonis</i> (DC.) Norl.</u> = <i>Dimorphotheca ecklonis</i> DC.	Asteraceae [Compositae]	DIMOR_ECL
<u><i>Oxalis acetosella</i> L.</u>	Oxalidaceae	OXALI_ACE
<u><i>Oxalis corniculata</i> L.</u>	Oxalidaceae	OXALI_COR
<u><i>Oxalis tuberosa</i> Molina</u>	Oxalidaceae	OXALI_TUB
<u><i>Oxandra lanceolata</i> (Sw.) Baill.</u>	Annonaceae	OXAND_LAN

P

<u><i>Pachypodium lamerei</i> Drake</u>	Apocynaceae	PCHYP_LAM
<u><i>Paeonia officinalis</i> L.</u>	Paeoniaceae	PAEON_OFF
<u><i>Paeonia</i> × <i>suffruticosa</i> Andrews</u>	Paeoniaceae	PAEON_SUF
<u><i>Palaquium gutta</i> (Hook.) Baill.</u>	Sapotaceae	PALAQ_GUT
<u><i>Pandanus amaryllifolius</i> Roxb.</u> (Synonym: <i>Pandanus odoratus</i> Ridl.)	Pandanaceae	PANDA_AMA
<u><i>Pandanus odoratus</i> Ridl.</u> = <i>Pandanus amaryllifolius</i> Roxb.	Pandanaceae	PANDA_AMA
<u><i>Pangium edule</i> Reinw.</u>	Achariaceae (Flacourtiaceae)	PANGI_EDU
<u><i>Panicum antidotale</i> Retz.</u>	Poaceae [Gramineae]	PANIC_ANT

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Panicum capillare L.</u>	Poaceae [Gramineae]	PANIC CAP
<u>Panicum coloratum L.</u>	Poaceae [Gramineae]	PANIC COL
<u>Panicum crus-galli L.</u> = <u>Echinochloa crus-galli (L.) P. Beauv.</u>	Poaceae [Gramineae]	ECNCL CRU
<u>Panicum dichotomiflorum Michx.</u>	Poaceae [Gramineae]	PANIC DIC
<u>Panicum humidicola Rendle</u> = <u>Urochloa humidicola (Rendle) Morrone & Zuloaga</u>	Poaceae [Gramineae]	UROCH HUM
<u>Panicum maximum Jacq.</u> = <u>Megathyrsus maximus (Jacq.) B. K. Simon & S. W. L. Jacobs</u>	Poaceae [Gramineae]	PANIC MAX
<u>Panicum miliaceum L.</u>	Poaceae [Gramineae]	PANIC MIL
<u>Panicum obtusum Kunth</u> = <u>Hopia obtusa (Kunth) Zuloaga & Morrone</u>	Poaceae [Gramineae]	PANIC OBT
<u>Panicum ramosum L.</u> = <u>Urochloa ramosa (L.) T. Q. Nguyen</u>	Poaceae [Gramineae]	UROCH RAM
<u>Panicum repens L.</u>	Poaceae [Gramineae]	PANIC REP
<u>Panicum reptans L.</u> = <u>Urochloa reptans (L.) Stapf</u>	Poaceae [Gramineae]	UROCH REP
<u>Panicum sumatrense Roth</u>	Poaceae [Gramineae]	PANIC SUM
<u>Panicum virgatum L.</u>	Poaceae [Gramineae]	PANIC VIR
<u>Papaver alpinum L.</u> (Synonym: <i>Oreomecon alpina</i> (L.) Banfi et al.)	Papaveraceae	PAPAV ALP
<u>Papaver cambricum L.</u> (Synonyms: <i>Meconopsis cambrica</i> (L.) Vig.; <i>Parameconopsis cambrica</i> (L.) Grey-Wilson)	Papaveraceae	PAPAV CAM
<u>Papaver glaucum Boiss. & Hausskn.</u>	Papaveraceae	PAPAV GLA
<u>Papaver nudicaule L.</u> (Synonym: <i>Oreomecon nudicaulis</i> (L.) Banfi et al.)	Papaveraceae	PAPAV NUD
<u>Papaver orientale L.</u>	Papaveraceae	PAPAV ORI
<u>Papaver rhoeas L.</u>	Papaveraceae	PAPAV RHO
<u>Papaver somniferum L.</u>	Papaveraceae	PAPAV SOM
<u>Paraderris elliptica (Wall.) Adema</u> = <u>Derris elliptica (Wall.) Benth.</u>	Fabaceae [Leguminosae]	DERRI ELL
<u>Parameconopsis cambrica (L.) Grey-Wilson</u> = <u>Papaver cambricum L.</u>	Papaveraceae	PAPAV CAM
<u>Paraserianthes falcataria (L.) I. C. Nielsen</u> = <u>Falcataria moluccana (Miq.) Barneby & J. W. Grimes</u>	Fabaceae [Leguminosae]	FALCA MOL
<u>Parashorea malaanonan (Blanco) Merr.</u> (Synonym: <i>Parashorea plicata</i> Brandis)	Dipterocarpaceae	PARSH MAL
<u>Parashorea plicata Brandis</u> = <u>Parashorea malaanonan (Blanco) Merr.</u>	Dipterocarpaceae	PARSH MAL
<u>Paratecoma peroba (Record & Mell) Kuhl.</u>	Bignoniaceae	PARAT PER

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Parkinsonia aculeata L.</u>	Fabaceae [Leguminosae]	<u>PARKI ACU</u>
<u>Parthenium hysterophorus L.</u>	Asteraceae [Compositae]	<u>PRTNM HYS</u>
<u>Pascalina glauca Ortega</u> (Synonym: <i>Wedelia glauca</i> (Ortega) O. Hoffm. ex Hicken)	Asteraceae [Compositae]	<u>WEDEL GLA</u>
<u>Pascopyrum smithii (Rydb.) Barkworth & D. R. Dewey</u> (Synonyms: <i>Agropyron smithii</i> Rydb.; <i>Elymus smithii</i> (Rydb.) Gould)	Poaceae [Gramineae]	<u>PASCO SMI</u>
<u>Paspalidium flavidum (Retz.) A. Camus</u> = <u>Setaria flavida (Retz.) Veldkamp</u>	Poaceae [Gramineae]	<u>SETAR FLA</u>
<u>Paspalum atratum Swallen</u>	Poaceae [Gramineae]	<u>PASPA ATR</u>
<u>Paspalum commersonii Lam.</u> included in <u>Paspalum scrobiculatum L.</u>	Poaceae [Gramineae]	<u>PASPA SCR</u>
<u>Paspalum conjugatum P. J. Bergius</u>	Poaceae [Gramineae]	<u>PASPA CON</u>
<u>Paspalum dilatatum Poir.</u>	Poaceae [Gramineae]	<u>PASPA DIL</u>
<u>Paspalum distichum L.</u> (Synonym: <i>Paspalum paspalodes</i> (Michx.) Scribn.)	Poaceae [Gramineae]	<u>PASPA DIS</u>
<u>Paspalum fasciculatum Willd. ex Flügge</u>	Poaceae [Gramineae]	<u>PASPA FAS</u>
<u>Paspalum quenoarum Arechav.</u>	Poaceae [Gramineae]	<u>PASPA GUE</u>
<u>Paspalum maritimum Trin.</u>	Poaceae [Gramineae]	<u>PASPA MAR</u>
<u>Paspalum notatum Flügge</u>	Poaceae [Gramineae]	<u>PASPA NOT</u>
<u>Paspalum paspalodes (Michx.) Scribn.</u> = <u>Paspalum distichum L.</u>	Poaceae [Gramineae]	<u>PASPA DIS</u>
<u>Paspalum plicatum Michx.</u>	Poaceae [Gramineae]	<u>PASPA PLI</u>
<u>Paspalum scrobiculatum L.</u> (Including: <i>Paspalum commersonii</i> Lam.)	Poaceae [Gramineae]	<u>PASPA SCR</u>
<u>Paspalum urvillei Steud.</u>	Poaceae [Gramineae]	<u>PASPA URV</u>
<u>Paspalum vaginatum Sw.</u>	Poaceae [Gramineae]	<u>PASPA VAG</u>
<u>Paspalum virgatum L.</u> (Synonym: <i>Paspalum wettsteinii</i> Hack.)	Poaceae [Gramineae]	<u>PASPA WET</u>
<u>Paspalum wettsteinii Hack.</u> = <u>Paspalum virgatum L.</u>	Poaceae [Gramineae]	<u>PASPA WET</u>
<u>Passiflora alata Curtis</u>	Passifloraceae	<u>PASSI ALA</u>
<u>Passiflora caerulea L.</u>	Passifloraceae	<u>PASSI CAE</u>
<u>Passiflora cincinnata Mast.</u>	Passifloraceae	<u>PASSI CIN</u>
<u>Passiflora coccinea auct. mult., non Aubl.</u> = <u>Passiflora miniata Vanderpl.</u>	Passifloraceae	<u>PASSI MIN</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Passiflora cristalina</i> Vanderpl. & Zappi</u>	Passifloraceae	<u>PASSI_CRI</u>
<u><i>Passiflora edulis</i> Sims</u>	Passifloraceae	<u>PASSI_EDU</u>
<u><i>Passiflora foetida</i> L.</u>	Passifloraceae	<u>PASSI_FOE</u>
<u><i>Passiflora gardneri</i> Mast.</u>	Passifloraceae	<u>PASSI_GAR</u>
<u><i>Passiflora gibertii</i> N. E. Br.</u>	Passifloraceae	<u>PASSI_GIB</u>
<u><i>Passiflora incarnata</i> L.</u>	Passifloraceae	<u>PASSI_INC</u>
<u><i>Passiflora ligularis</i> Juss.</u>	Passifloraceae	<u>PASSI_LIG</u>
<u><i>Passiflora maliformis</i> L.</u>	Passifloraceae	<u>PASSI_MAL</u>
<u><i>Passiflora miniata</i> Vanderpl.</u> (Synonym: <i>Passiflora coccinea</i> auct. mult., non Aubl.)	Passifloraceae	<u>PASSI_MIN</u>
<u><i>Passiflora mollissima</i> (Kunth) L. H. Bailey</u>	Passifloraceae	<u>PASSI_MOL</u>
<u><i>Passiflora nitida</i> Kunth</u>	Passifloraceae	<u>PASSI_NIT</u>
<u><i>Passiflora quadrangularis</i> L.</u>	Passifloraceae	<u>PASSI_QUA</u>
<u><i>Passiflora setacea</i> DC.</u>	Passifloraceae	<u>PASSI_SET</u>
<u><i>Passiflora subanceolata</i> (Killip) J. M. MacDougal</u>	Passifloraceae	<u>PASSI_SUB</u>
<u><i>Passiflora tenuifila</i> Killip</u>	Passifloraceae	<u>PASSI_TEN</u>
<u><i>Pastinaca sativa</i> L.</u>	Apiaceae [Umbelliferae]	<u>PASTI_SAT</u>
<u><i>Paubrasilia echinata</i> (Lam.) Gagnon et al.</u> (Synonym: <i>Caesalpinia echinata</i> Lam.)	Fabaceae [Leguminosae]	<u>CAESA_ECH</u>
<u><i>Paulownia tomentosa</i> (Thunb.) Steud.</u>	Paulowniaceae (Scrophulariaceae)	<u>PAULO_TOM</u>
<u><i>Pectis elongata</i> Kunth</u>	Asteraceae [Compositae]	<u>PECTI_ELO</u>
<u><i>Pectis prostrata</i> Cav.</u>	Asteraceae [Compositae]	<u>PECTI_PRO</u>
<u><i>Pelargonium graveolens</i> L'Hér.</u>	Geraniaceae	<u>PELAR_GRV</u>
<u><i>Pelargonium</i> × <i>hortorum</i> L. H. Bailey</u> = <u><i>Pelargonium</i> Zonale Group</u>	Geraniaceae	<u>PELAR_HRT</u>
<i>Pelargonium Zonale Group</i> (Synonym: <i>Pelargonium</i> × <i>hortorum</i> L. H. Bailey)	Geraniaceae	<u>PELAR_ZON</u>
<u><i>Peltogyne paniculata</i> Benth.</u>	Fabaceae [Leguminosae]	<u>PELTO_PAN</u>
<u><i>Pennisetum americanum</i> (L.) Leeke</u> = <u><i>Pennisetum glaucum</i> (L.) R. Br.</u>	Poaceae [Gramineae]	<u>CENCH_AME</u>
<u><i>Pennisetum ciliare</i> (L.) Link</u> = <u><i>Cenchrus ciliaris</i> L.</u>	Poaceae [Gramineae]	<u>CENCH_CIL</u>
<u><i>Pennisetum clandestinum</i> Hochst. ex Chiov.</u> (Synonym: <i>Cenchrus clandestinus</i> (Hochst. ex Chiov.) Morrone)	Poaceae [Gramineae]	<u>CENCH_CLA</u>
<u><i>Pennisetum glaucum</i> (L.) R. Br.</u> (Synonyms: <i>Cenchrus americanus</i> (L.) Morrone; <i>Pennisetum</i>	Poaceae [Gramineae]	<u>CENCH_AME</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<i>americanum</i> (L.) Leeke; <i>Pennisetum typhoides</i> (Burm. f.) Stapf & C. E. Hubb.)		
<u><i>Pennisetum macrourum</i> Trin.</u> (Synonym: <i>Cenchrus caudatus</i> (Schrad.) Kuntze)	Poaceae [Gramineae]	CENCH_CAU
<u><i>Pennisetum pedicellatum</i> Trin.</u> (Synonym: <i>Cenchrus pedicellatus</i> (Trin.) Morrone)	Poaceae [Gramineae]	CENCH_PDI
<u><i>Pennisetum polystachion</i> auct. mult., non (L.) Schult.</u> = <u><i>Pennisetum setosum</i> (Sw.) Rich.</u>	Poaceae [Gramineae]	CENCH_POL
<u><i>Pennisetum purpureum</i> Schumach.</u> (Synonym: <i>Cenchrus purpureus</i> (Schumach.) Morrone)	Poaceae [Gramineae]	CENCH_PUR
<u><i>Pennisetum setaceum</i> (Forssk.) Chiov.</u> (Synonym: <i>Cenchrus setaceus</i> (Forssk.) Morrone)	Poaceae [Gramineae]	CENCH_SET
<u><i>Pennisetum setosum</i> (Sw.) Rich.</u> (Synonyms: <i>Cenchrus polystachios</i> auct. mult., non (L.) Morrone; <i>Cenchrus polystachios</i> auct. mult., non (L.) Morrone subsp. <i>setosus</i> (Sw.) P. M. Peterson & Y. Herrera; <i>Cenchrus setosus</i> Sw.; <i>Pennisetum polystachion</i> auct. mult., non (L.) Schult.)	Poaceae [Gramineae]	CENCH_POL
<u><i>Pennisetum typhoides</i> (Burm. f.) Stapf & C. E. Hubb.</u> = <u><i>Pennisetum glaucum</i> (L.) R. Br.</u>	Poaceae [Gramineae]	CENCH_AME
<u><i>Pennisetum villosum</i> R. Br. ex Fresen.</u> (Synonym: <i>Cenchrus longisetus</i> M. C. Johnst.)	Poaceae [Gramineae]	CENCH_LNG
<u><i>Penstemon barbatus</i> (Cav.) Roth</u> (Synonym: <i>Chelone barbata</i> Cav.)	Plantaginaceae (Scrophulariaceae)	PENST_BAR
<u><i>Penstemon bradburyi</i> Pursh</u> (Synonym: <i>Penstemon grandiflorus</i> Nutt.)	Plantaginaceae (Scrophulariaceae)	PENST_BRA
<u><i>Penstemon gloxinoides</i> hort.</u> = <u><i>Penstemon hybrids</i></u>	Plantaginaceae (Scrophulariaceae)	PENST_HYB
<u><i>Penstemon grandiflorus</i> Nutt.</u> = <u><i>Penstemon bradburyi</i> Pursh</u>	Plantaginaceae (Scrophulariaceae)	PENST_BRA
<u><i>Penstemon hartwegii</i> Benth.</u>	Plantaginaceae (Scrophulariaceae)	PENST_HAR
<u><i>Penstemon hirsutus</i> (L.) Willd.</u>	Plantaginaceae (Scrophulariaceae)	PENST_HIR
<u><i>Penstemon hybrids</i></u> (Synonyms: <i>Penstemon gloxinoides</i> hort.; <i>Penstemon</i> × <i>hybridus</i> hort.)	Plantaginaceae (Scrophulariaceae)	PENST_HYB
<u><i>Penstemon hybridus</i> hort.</u> = <u><i>Penstemon hybrids</i></u>	Plantaginaceae (Scrophulariaceae)	PENST_HYB
<u><i>Penstemon laevigatus</i> Aiton</u>	Plantaginaceae (Scrophulariaceae)	PENST_LAE
<u><i>Pentace burmanica</i> Kurz</u>	Malvaceae (Tiliaceae)	PENTC_BUR
<u><i>Pentacme contorta</i> (S. Vidal) Merr. & Rolfe</u> = <u><i>Pentacme paucinervis</i> Brandis</u>	Dipterocarpaceae	SHORE_CON
<u><i>Pentacme paucinervis</i> Brandis</u> (Synonyms: <i>Pentacme contorta</i> (S. Vidal) Merr. & Rolfe; <i>Shorea contorta</i> S. Vidal)	Dipterocarpaceae	SHORE_CON
<u><i>Pentanema indicum</i> (L.) Y. Ling</u> (Synonym: <i>Vicoa indica</i> (L.) DC.)	Asteraceae [Compositae]	VICOA_IND

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Pentanema orientale (Lam.) D. Gut. Larr. et al.</u> (Synonym: <i>Inula orientalis</i> Lam.)	Asteraceae [Compositae]	<u>PENTN ORI</u>
<u>Pericallis cruenta (Masson ex L'Hér.) Bolle</u> (Synonym: <i>Senecio cruentus</i> (Masson ex L'Hér.) DC.)	Asteraceae [Compositae]	<u>PERIC CRU</u>
<u>Perilla frutescens (L.) Britton</u>	Lamiaceae [Labiatae]	<u>PERIL FRU</u>
<u>Persea americana Mill.</u>	Lauraceae	<u>PERSE AME</u>
<u>Persica vulgaris Mill.</u> = <u>Prunus persica (L.) Batsch</u>	Rosaceae	<u>PRUNU PER</u>
<u>Persicaria barbata (L.) H. Hara</u> (Synonym: <i>Polygonum barbatum</i> L.)	Polygonaceae	<u>PERSI BAR</u>
<u>Persicaria hydropiper (L.) Delarbre</u> (Synonym: <i>Polygonum hydropiper</i> L.)	Polygonaceae	<u>PLYGN HYD</u>
<u>Persicaria lapathifolia (L.) Delarbre</u> (Synonym: <i>Polygonum lapathifolium</i> L.)	Polygonaceae	<u>PLYGN LAP</u>
<u>Persicaria maculosa Gray</u> (Synonym: <i>Polygonum persicaria</i> L.)	Polygonaceae	<u>PLYGN PER</u>
<u>Persicaria nepalensis (Meisn.) H. Gross</u> (Synonym: <i>Polygonum nepalense</i> Meisn.)	Polygonaceae	<u>PERSI NEP</u>
<u>Persicaria pensylvanica (L.) M. Gómez</u> (Synonym: <i>Polygonum pensylvanicum</i> L.)	Polygonaceae	<u>PLYGN PEN</u>
<u>Persicaria punctata (Elliott) Small</u> (Synonym: <i>Polygonum punctatum</i> Elliott)	Polygonaceae	<u>PLYGN PUN</u>
<u>Persicaria senegalensis (Meisn.) Soják</u> (Synonym: <i>Polygonum senegalense</i> Meisn.)	Polygonaceae	<u>PLYGN SEN</u>
<u>Petasites japonicus (Siebold & Zucc.) Maxim.</u>	Asteraceae [Compositae]	<u>PETAS JAP</u>
<u>Petrosedum rupestre (L.) P. V. Heath</u> = <u>Sedum rupestre L.</u>	Crassulaceae	<u>SEDUM RUP</u>
<u>Petroselinum crispum (Mill.) Fuss</u> (Synonyms: <i>Petroselinum hortense</i> Hoffm.; <i>Petroselinum sativum</i> Hoffm. ex Gaudin)	Apiaceae [Umbelliferae]	<u>PETRO CRI</u>
<u>Petroselinum hortense Hoffm.</u> = <u>Petroselinum crispum (Mill.) Fuss</u>	Apiaceae [Umbelliferae]	<u>PETRO CRI</u>
<u>Petroselinum sativum Hoffm. ex Gaudin</u> = <u>Petroselinum crispum (Mill.) Fuss</u>	Apiaceae [Umbelliferae]	<u>PETRO CRI</u>
<u>Petroselinum segetum (L.) W. D. J. Koch</u>	Apiaceae [Umbelliferae]	<u>PETRO SEG</u>
<u>Petunia × atkinsiana (Sweet) D. Don ex W. H. Baxter</u> [<i>P. axillaris</i> (Lam.) Britton et al. × <i>P. integrifolia</i> (Hook.) Schinz & Thell.] (Synonym: <i>Petunia × hybrida</i> hort. ex E. Vilm.)	Solanaceae	<u>PETUN ATK</u>
<u>Petunia × hybrida hort. ex E. Vilm.</u> = <u>Petunia × atkinsiana (Sweet) D. Don ex W. H. Baxter</u>	Solanaceae	<u>PETUN HYB</u>
<u>Phacelia campanularia A. Gray</u>	Hydrophyllaceae (Boraginaceae)	<u>PHACE CAM</u>
<u>Phacelia minor (Harv.) Thell. ex F. Zimm.</u>	Hydrophyllaceae (Boraginaceae)	<u>PHACE MIN</u>
<u>Phacelia tanacetifolia Benth.</u>	Hydrophyllaceae (Boraginaceae)	<u>PHACE TAN</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Phalaris aquatica L.</u> (Synonyms: <i>Phalaris stenoptera</i> Hack.; <i>Phalaris tuberosa</i> L.)	Poaceae [Gramineae]	<u>PHALR AQU</u>
<u>Phalaris arundinacea L.</u>	Poaceae [Gramineae]	<u>PHALR ARU</u>
<u>Phalaris canariensis L.</u>	Poaceae [Gramineae]	<u>PHALR CAN</u>
<u>Phalaris minor Retz.</u>	Poaceae [Gramineae]	<u>PHALR MIN</u>
<u>Phalaris paradoxa L.</u>	Poaceae [Gramineae]	<u>PHALR PAR</u>
<u>Phalaris stenoptera Hack.</u> = <u>Phalaris aquatica L.</u>	Poaceae [Gramineae]	<u>PHALR AQU</u>
<u>Phalaris tuberosa L.</u> = <u>Phalaris aquatica L.</u>	Poaceae [Gramineae]	<u>PHALR AQU</u>
<u>Pharbitis nil (L.) Choisy</u> = <u>Ipomoea nil (L.) Roth</u>	Convolvulaceae	<u>IPOMO NIL</u>
<u>Pharbitis purpurea (L.) Voigt</u> = <u>Ipomoea purpurea (L.) Roth</u>	Convolvulaceae	<u>IPOMO PUR</u>
<u>Phaseolus aconitifolius Jacq.</u> = <u>Vigna aconitifolia (Jacq.) Maréchal</u>	Fabaceae [Leguminosae]	<u>VIGNA ACO</u>
<u>Phaseolus acutifolius A. Gray</u>	Fabaceae [Leguminosae]	<u>PHASE ACU</u>
<u>Phaseolus angularis (Willd.) W. Wight</u> = <u>Vigna angularis (Willd.) Ohwi & H. Ohashi</u>	Fabaceae [Leguminosae]	<u>VIGNA ANG</u>
<u>Phaseolus atropurpureus DC.</u> = <u>Macroptilium atropurpureum (DC.) Urb.</u>	Fabaceae [Leguminosae]	<u>MACRP ATR</u>
<u>Phaseolus aureus Roxb.</u> = <u>Vigna radiata (L.) R. Wilczek</u>	Fabaceae [Leguminosae]	<u>VIGNA RAD</u>
<u>Phaseolus coccineus L.</u>	Fabaceae [Leguminosae]	<u>PHASE COC</u>
<u>Phaseolus lathyroides L.</u> = <u>Macroptilium lathyroides (L.) Urb.</u>	Fabaceae [Leguminosae]	<u>MACRP LAT</u>
<u>Phaseolus limensis Macfad.</u> = <u>Phaseolus lunatus L.</u>	Fabaceae [Leguminosae]	<u>PHASE LUN</u>
<u>Phaseolus lunatus L.</u> (Synonym: <i>Phaseolus limensis</i> Macfad.)	Fabaceae [Leguminosae]	<u>PHASE LUN</u>
<u>Phaseolus mungo L.</u> = <u>Vigna mungo (L.) Hepper</u>	Fabaceae [Leguminosae]	<u>VIGNA MUN</u>
<u>Phaseolus radiatus L.</u> = <u>Vigna radiata (L.) R. Wilczek</u>	Fabaceae [Leguminosae]	<u>VIGNA RAD</u>
<u>Phaseolus trilobus auct., non Aiton</u> = <u>Vigna trilobata (L.) Verdc.</u>	Fabaceae [Leguminosae]	<u>VIGNA TRI</u>
<u>Phaseolus vulgaris L.</u>	Fabaceae [Leguminosae]	<u>PHASE VUL</u>
<u>Phedimus spurius (M. Bieb.) 't Hart</u> (Synonym: <i>Sedum spurium</i> M. Bieb.)	Crassulaceae	<u>PHEDI SPU</u>
<u>Phelipanche lavandulacea (Rchb.) Pomei</u> (Synonym: <i>Orobancha lavandulacea</i> Rchb.)	Orobanchaceae	<u>OROBA LAV</u>
<u>Phelipanche mutelii (F. W. Schultz) Pomei</u> (Synonyms: <i>Orobancha mutelii</i> F. W. Schultz; <i>Orobancha ramosa</i> L. subsp. <i>mutelii</i> (F. W. Schultz) Cout.)	Orobanchaceae	<u>OROBA MUT</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Phelipanche ramosa (L.) Pomel</u> (Synonym: <i>Orobanche ramosa</i> L.)	Orobanchaceae	<u>OROBA RAM</u>
<u>Philodendron bipinnatifidum Schott ex Kunth</u> (Synonyms: <i>Philodendron lundii</i> Warm.; <i>Philodendron selloum</i> K. Koch)	Araceae	<u>PHILO BIP</u>
<u>Philodendron domesticum G. S. Bunting</u>	Araceae	<u>PHILO DOM</u>
<u>Philodendron lundii Warm.</u> = <u>Philodendron bipinnatifidum Schott ex Kunth</u>	Araceae	<u>PHILO BIP</u>
<u>Philodendron sagittifolium Liebm.</u> (Synonym: <i>Philodendron tuxtlanum</i> G. S. Bunting)	Araceae	<u>PHILO SAG</u>
<u>Philodendron selloum K. Koch</u> = <u>Philodendron bipinnatifidum Schott ex Kunth</u>	Araceae	<u>PHILO BIP</u>
<u>Philodendron tuxtlanum G. S. Bunting</u> = <u>Philodendron sagittifolium Liebm.</u>	Araceae	<u>PHILO SAG TUX</u>
<u>Phleum bertolonii DC.</u> = <u>Phleum nodosum L.</u>	Poaceae [Gramineae]	<u>PHLEU BER</u>
<u>Phleum nodosum L.</u> (Synonym: <i>Phleum bertolonii</i> DC.)	Poaceae [Gramineae]	<u>PHLEU BER</u>
<u>Phleum pratense L.</u>	Poaceae [Gramineae]	<u>PHLEU PRA</u>
<u>Phlomis fruticosa L.</u>	Lamiaceae [Labiatae]	<u>PHLOM FRU</u>
<u>Phlox drummondii Hook.</u>	Polemoniaceae	<u>PHLOX DRU</u>
<u>Phlox paniculata L.</u>	Polemoniaceae	<u>PHLOX PAN</u>
<u>Phlox subulata L.</u>	Polemoniaceae	<u>PHLOX SUB</u>
<u>Phoebe porosa (Nees & Mart.) Mez</u> = <u>Ocotea porosa (Nees & Mart.) Barroso</u>	Lauraceae	<u>OCOTE POR</u>
<u>Phoenix canariensis H. Wildpret</u>	Arecaceae [Palmae]	<u>PHOEN CAN</u>
<u>Phoenix dactylifera L.</u>	Arecaceae [Palmae]	<u>PHOEN DAC</u>
<u>Phoenix roebelenii O'Brien</u>	Arecaceae [Palmae]	<u>PHOEN ROE</u>
<u>Pholistoma auritum (Lindl.) Lilja</u> (Synonym: <i>Nemophila aurita</i> Lindl.)	Hydrophyllaceae (Boraginaceae)	<u>PHLST AUR</u>
<u>Phormium tenax J. R. Forst. & G. Forst.</u>	Asphodelaceae (Hemerocallidaceae)	<u>PHORM TEN</u>
<u>Phyllanthus amarus Schumach.</u>	Phyllanthaceae	<u>PHYLT AMA</u>
<u>Phyllanthus niruri L.</u>	Phyllanthaceae	<u>PHYLT NIR</u>
<u>Phyllostylon brasiliensis Capan. ex Benth. & Hook. f.</u>	Ulmaceae	<u>PHYLN BRA</u>
<u>Physalis alkekengi L.</u> (Synonym: <i>Alkekengi officinarum</i> Moench)	Solanaceae	<u>PHYSA ALK</u>
<u>Physalis lobata Torr.</u> = <u>Quincula lobata (Torr.) Raf.</u>	Solanaceae	<u>PHYSA LOB</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Physalis longifolia Nutt.</u> (Including: <i>Physalis subglabrata</i> Mack. & Bush)	Solanaceae	PHYSA_LON
<u>Physalis minima L.</u>	Solanaceae	PHYSA_MIN
<u>Physalis peruviana L.</u>	Solanaceae	PHYSA_PER
<u>Physalis pubescens L.</u>	Solanaceae	PHYSA_PUB
<u>Physalis subglabrata</u> Mack. & Bush included in <u>Physalis longifolia Nutt.</u>	Solanaceae	rumex
<u>Physalis viscosa L.</u>	Solanaceae	PHYSA_VIS
<u>Physostegia virginiana (L.) Benth.</u>	Lamiaceae [Labiatae]	PHYSS_VIR
<u>Picea abies (L.) H. Karst.</u>	Pinaceae	PICEA_ABI
<u>Picea breweriana S. Watson</u>	Pinaceae	PICEA_BRE
<u>Picea engelmannii Engelm.</u>	Pinaceae	PICEA_ENG
<u>Picea glauca (Moench) Voss</u>	Pinaceae	PICEA_GLA
<u>Picea glehnii (F. Schmidt) Mast.</u>	Pinaceae	PICEA_GLE
<u>Picea jezoensis (Siebold & Zucc.) Carrière</u>	Pinaceae	PICEA_JEZ
<u>Picea koyamae Shiras.</u>	Pinaceae	PICEA_KOY
<u>Picea mariana (Mill.) Britton et al.</u>	Pinaceae	PICEA_MAR
<u>Picea omorika (Pančić) Purk.</u>	Pinaceae	PICEA_OMO
<u>Picea orientalis (L.) Link</u>	Pinaceae	PICEA_ORI
<u>Picea polita (Siebold & Zucc.) Carrière</u>	Pinaceae	PICEA_POL
<u>Picea pungens Engelm.</u>	Pinaceae	PICEA_PUN
<u>Picea rubens Sarg.</u>	Pinaceae	PICEA_RUB
<u>Picea sitchensis (Bong.) Carrière</u>	Pinaceae	PICEA_SIT
<u>Picea smithiana (Wall.) Boiss.</u>	Pinaceae	PICEA_SMI
<u>Picnoman acarna (L.) Cass.</u>	Asteraceae [Compositae]	PICNO_ACA
<u>Picris echioides L.</u> = <u>Helminthotheca echioides (L.) Holub</u>	Asteraceae [Compositae]	PICRI_ECH
<u>Picris hieracioides L.</u>	Asteraceae [Compositae]	PICRI_HIE
<u>Pieris japonica (Thunb.) D. Don ex G. Don</u>	Ericaceae	PIERI_JAP
<u>Pilosella officinarum F. W. Schultz & Sch. Bip.</u>	Asteraceae [Compositae]	PILOS_OFF
<u>Pimenta dioica (L.) Merr.</u>	Myrtaceae	PIMEN_DIO
<u>Pimenta racemosa (Mill.) J. W. Moore</u>	Myrtaceae	PIMEN_RAC

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Pimpinella anisum</i> L.</u>	Apiaceae [Umbelliferae]	<u>PIMPI_ANI</u>
<u><i>Pimpinella major</i> (L.) Huds.</u>	Apiaceae [Umbelliferae]	<u>PIMPI_MAJ</u>
<u><i>Pimpinella saxifraga</i> L.</u>	Apiaceae [Umbelliferae]	<u>PIMPI_SAX</u>
<u><i>Pinus albicaulis</i> Engelm.</u>	Pinaceae	<u>PINUS_ALB</u>
<u><i>Pinus aristata</i> Engelm.</u>	Pinaceae	<u>PINUS_ARI</u>
<u><i>Pinus banksiana</i> Lamb.</u>	Pinaceae	<u>PINUS_BAN</u>
<u><i>Pinus brutia</i> Ten.</u> (Synonym: <i>Pinus halepensis</i> Mill. var. <i>brutia</i> (Ten.) A. Henry)	Pinaceae	<u>PINUS_BRU</u>
<u><i>Pinus canariensis</i> C. Sm.</u>	Pinaceae	<u>PINUS_CAN</u>
<u><i>Pinus caribaea</i> Morelet</u>	Pinaceae	<u>PINUS_CAR</u>
<u><i>Pinus cembra</i> L.</u>	Pinaceae	<u>PINUS_CBA</u>
<u><i>Pinus cembroides</i> Zucc.</u>	Pinaceae	<u>PINUS_CBD</u>
<u><i>Pinus clausa</i> (Chapm. ex Engelm.) Vasey ex Sarg.</u>	Pinaceae	<u>PINUS_CLA</u>
<u><i>Pinus contorta</i> Douglas ex Loudon</u>	Pinaceae	<u>PINUS_CON</u>
<u><i>Pinus coulteri</i> D. Don</u>	Pinaceae	<u>PINUS_COU</u>
<u><i>Pinus densiflora</i> Siebold & Zucc.</u>	Pinaceae	<u>PINUS_DEN</u>
<u><i>Pinus echinata</i> Mill.</u>	Pinaceae	<u>PINUS_ECH</u>
<u><i>Pinus edulis</i> Engelm.</u>	Pinaceae	<u>PINUS_EDU</u>
<u><i>Pinus elliotii</i> Engelm.</u>	Pinaceae	<u>PINUS_ELL</u>
<u><i>Pinus excelsa</i> Wall. ex D. Don, non Lam.</u> = <u><i>Pinus wallichiana</i> A. B. Jacks.</u>	Pinaceae	<u>PINUS_WAL</u>
<u><i>Pinus flexilis</i> E. James</u>	Pinaceae	<u>PINUS_FLE</u>
<u><i>Pinus glabra</i> Walter</u>	Pinaceae	<u>PINUS_GLA</u>
<u><i>Pinus halepensis</i> Mill.</u>	Pinaceae	<u>PINUS_HAL</u>
<u><i>Pinus halepensis</i> Mill. var. <i>brutia</i> (Ten.) A. Henry</u> = <u><i>Pinus brutia</i> Ten.</u>	Pinaceae	<u>PINUS_BRU</u>
<u><i>Pinus heldreichii</i> Christ</u>	Pinaceae	<u>PINUS_HEL</u>
<u><i>Pinus jeffreyi</i> A. Murray bis et al.</u>	Pinaceae	<u>PINUS_JEF</u>
<u><i>Pinus kesiya</i> Royle ex Gordon</u> (Synonym: <i>Pinus khasya</i> Hook. f., orth. var.)	Pinaceae	<u>PINUS_KES</u>
<u><i>Pinus khasya</i> Hook. f., orth. var.</u> = <u><i>Pinus kesiya</i> Royle ex Gordon</u>	Pinaceae	<u>PINUS_KES</u>
<u><i>Pinus koraiensis</i> Siebold & Zucc.</u>	Pinaceae	<u>PINUS_KOR</u>
<u><i>Pinus lambertiana</i> Douglas</u>	Pinaceae	<u>PINUS_LAM</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Pinus luchuensis</i> Mayr</u>	Pinaceae	<u>PINUS_LUC</u>
<u><i>Pinus merkusii</i> Jungh. & de Vriese</u>	Pinaceae	<u>PINUS_MER</u>
<u><i>Pinus monticola</i> Douglas ex D. Don</u>	Pinaceae	<u>PINUS_MON</u>
<u><i>Pinus mugo</i> Turra</u>	Pinaceae	<u>PINUS_MUG</u>
<u><i>Pinus muricata</i> D. Don</u>	Pinaceae	<u>PINUS_MUR</u>
<u><i>Pinus nigra</i> J. F. Arnold</u>	Pinaceae	<u>PINUS_NIG</u>
<u><i>Pinus oocarpa</i> Schiede ex Schltdl.</u>	Pinaceae	<u>PINUS_OOC</u>
<u><i>Pinus palustris</i> Mill.</u>	Pinaceae	<u>PINUS_PAL</u>
<u><i>Pinus parviflora</i> Siebold & Zucc.</u>	Pinaceae	<u>PINUS_PAR</u>
<u><i>Pinus patula</i> Schltdl. & Cham.</u>	Pinaceae	<u>PINUS_PAT</u>
<u><i>Pinus peuce</i> Griseb.</u>	Pinaceae	<u>PINUS_PEU</u>
<u><i>Pinus pinaster</i> Aiton</u>	Pinaceae	<u>PINUS_PNS</u>
<u><i>Pinus pinea</i> L.</u>	Pinaceae	<u>PINUS_PNA</u>
<u><i>Pinus ponderosa</i> P. Lawson & C. Lawson</u>	Pinaceae	<u>PINUS_PON</u>
<u><i>Pinus pseudostrobus</i> Lindl.</u>	Pinaceae	<u>PINUS_PSE</u>
<u><i>Pinus pumila</i> (Pall.) Regel</u>	Pinaceae	<u>PINUS_PUM</u>
<u><i>Pinus radiata</i> D. Don</u>	Pinaceae	<u>PINUS_RAD</u>
<u><i>Pinus resinosa</i> Aiton</u>	Pinaceae	<u>PINUS_RES</u>
<u><i>Pinus rigida</i> Mill.</u>	Pinaceae	<u>PINUS_RIG</u>
<u><i>Pinus roxburghii</i> Sarg.</u>	Pinaceae	<u>PINUS_ROX</u>
<u><i>Pinus serotina</i> Michx.</u>	Pinaceae	<u>PINUS_SER</u>
<u><i>Pinus strobus</i> L.</u>	Pinaceae	<u>PINUS_STR</u>
<u><i>Pinus sylvestris</i> L.</u>	Pinaceae	<u>PINUS_SYL</u>
<u><i>Pinus tabuliformis</i> Carrière</u>	Pinaceae	<u>PINUS_TAB</u>
<u><i>Pinus taeda</i> L.</u>	Pinaceae	<u>PINUS_TAE</u>
<u><i>Pinus taiwanensis</i> Hayata</u>	Pinaceae	<u>PINUS_TAI</u>
<u><i>Pinus thunbergiana</i> Franco</u> = <u><i>Pinus thunbergii</i> Parl.</u>	Pinaceae	<u>PINUS_THU</u>
<u><i>Pinus thunbergii</i> Parl.</u> (Synonym: <i>Pinus thunbergiana</i> Franco)	Pinaceae	<u>PINUS_THU</u>
<u><i>Pinus virginiana</i> Mill.</u>	Pinaceae	<u>PINUS_VIR</u>
<u><i>Pinus wallichiana</i> A. B. Jacks.</u> (Synonym: <i>Pinus excelsa</i> Wall. ex D. Don, non Lam.)	Pinaceae	<u>PINUS_WAL</u>
<u><i>Piper aduncum</i> L.</u>	Piperaceae	<u>PIPER_ADU</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Piper betle L.</u>	Piperaceae	<u>PIPER BET</u>
<u>Piper cubeba L. f.</u>	Piperaceae	<u>PIPER CUB</u>
<u>Piper nigrum L.</u>	Piperaceae	<u>PIPER NIG</u>
<u>Piptatherum holciforme (M. Bieb.) Roem. & Schult.</u> (Synonym: <i>Oryzopsis holciformis</i> (M. Bieb.) Hack.)	Poaceae [Gramineae]	<u>PIPTA HOL</u>
<u>Piptatherum miliaceum (L.) Coss.</u> = <u>Oloptum miliaceum (L.) Röser & Hamasha</u>	Poaceae [Gramineae]	<u>PIPTA MIL</u>
<u>Piptochaetium bicolor (Vahl) É. Desv.</u>	Poaceae [Gramineae]	<u>PIPTO BIC</u>
<u>Pistacia vera L.</u>	Anacardiaceae	<u>PISTA VER</u>
<u>Pistia stratiotes L.</u>	Araceae	<u>PISTI STR</u>
<u>Pisum sativum L.</u>	Fabaceae [Leguminosae]	<u>PISUM SAT</u>
<u>Pisum sativum L. var. arvense (L.) Poir.</u>	Fabaceae [Leguminosae]	<u>PISUM SAT</u>
<u>Pisum sativum L. var. sativum</u>	Fabaceae [Leguminosae]	<u>PISUM SAT</u>
<u>Pittosporum tobira (Thunb.) W. T. Aiton</u>	Pittosporaceae	<u>PITTO TOB</u>
<u>Plantago aristata Michx.</u>	Plantaginaceae	<u>PLNTG ARI</u>
<u>Plantago lanceolata L.</u>	Plantaginaceae	<u>PLNTG LAN</u>
<u>Plantago major L.</u>	Plantaginaceae	<u>PLNTG MAJ</u>
<u>Plantago media L.</u>	Plantaginaceae	<u>PLNTG MED</u>
<u>Plantago ovata Forssk.</u>	Plantaginaceae	<u>PLNTG OVA</u>
<u>Plantago rugelii Decne.</u>	Plantaginaceae	<u>PLNTG RUG</u>
<u>Platanus occidentalis L.</u>	Platanaceae	<u>PLATA OCC</u>
<u>Platanus orientalis L.</u>	Platanaceae	<u>PLATA ORI</u>
<u>Platycladus orientalis (L.) Franco</u> (Synonym: <i>Thuja orientalis</i> L.)	Cupressaceae	<u>PLATY ORI</u>
<u>Platycodon grandiflorus (Jacq.) A. DC.</u>	Campanulaceae	<u>PLTYC GRA</u>
<u>Platymiscium pinnatum (Jacq.) Dugand</u>	Fabaceae [Leguminosae]	<u>PLTYM PIN</u>
<u>Plectocephalus americana (Nutt.) D. Don</u> (Synonym: <i>Centaurea americana</i> Nutt.)	Asteraceae [Compositae]	<u>CENTA AME</u>
<u>Plectranthus rotundifolius (Poir.) Spreng.</u> = <u>Coleus rotundifolius (Poir.) A. Chev. & Perrot</u>	Lamiaceae [Labiatae]	<u>SOLEN ROT</u>
<u>Plectranthus scutellarioides (L.) R. Br.</u> = <u>Coleus scutellarioides (L.) Benth.</u>	Lamiaceae [Labiatae]	<u>PLECT SCU</u>
<u>Plerandra elegantissima (hort. Veitch ex Mast.) Lowry et al.</u> (Synonyms: <i>Dizygotheca elegantissima</i> (hort. Veitch ex Mast.) R. Vig. & Guillaumin; <i>Schefflera elegantissima</i> (hort. Veitch ex Mast.) Lowry & Frodin)	Araliaceae	<u>SCHEF ELE</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Plinia cauliflora (Mart.) Kausel</u> (Synonyms: <i>Myrciaria cauliflora</i> (Mart.) O. Berg; <i>Myrciaria jaboticaba</i> (Vell.) O. Berg)	Myrtaceae	MYRCR CAU
<u>Pluchea lanceolata (DC.) C. B. Clarke</u>	Asteraceae [Compositae]	PLUCH LAN
<u>Plumbago auriculata Lam.</u> (Synonym: <i>Plumbago capensis</i> Thunb.)	Plumbaginaceae	PLUMB AUR
<u>Plumbago capensis</u> Thunb. = <u>Plumbago auriculata Lam.</u>	Plumbaginaceae	PLUMB AUR
<u>Plumeria rubra L.</u>	Apocynaceae	PLUME RUB
<u>Poa ampla</u> Merr. included in <u>Poa secunda J. Presl</u>	Poaceae [Gramineae]	POAAA SEC
<u>Poa annua L.</u>	Poaceae [Gramineae]	POAAA ANN
<u>Poa arachnifera Torr.</u>	Poaceae [Gramineae]	POAAA ARA
<u>Poa bulbosa L.</u>	Poaceae [Gramineae]	POAAA BUL
<u>Poa compressa L.</u>	Poaceae [Gramineae]	POAAA COM
<u>Poa glauca Vahl</u> (Synonym: <i>Poa glaucanthos</i> Gaudin)	Poaceae [Gramineae]	POAAA GLA
<u>Poa glaucanthos</u> Gaudin = <u>Poa glauca Vahl</u>	Poaceae [Gramineae]	POAAA GLA
<u>Poa nemoralis L.</u>	Poaceae [Gramineae]	POAAA NEM
<u>Poa palustris L.</u>	Poaceae [Gramineae]	POAAA PAL
<u>Poa pratensis L.</u>	Poaceae [Gramineae]	POAAA PRA
<u>Poa secunda J. Presl</u> (Including: <i>Poa ampla</i> Merr.)	Poaceae [Gramineae]	POAAA SEC
<u>Poa trivialis L.</u>	Poaceae [Gramineae]	POAAA TRI
<u>Podophyllum peltatum L.</u>	Berberidaceae	PODOP PEL
<u>Pogostemon cablin (Blanco) Benth.</u>	Lamiaceae [Labiatae]	POGOS CAB
<u>Polemonium caeruleum L.</u>	Polemoniaceae	POLEM CAE
<u>Polygala senega L.</u> = <u>Senega officinalis Spach</u>	Polygalaceae	PLYGL SEN
<u>Polygonum arenastrum Boreau</u>	Polygonaceae	PLYGN ARE
<u>Polygonum argyrocoleon Steud. ex Kunze</u>	Polygonaceae	PLYGN ARG
<u>Polygonum aviculare L.</u>	Polygonaceae	PLYGN AVI
<u>Polygonum barbatum L.</u> = <u>Persicaria barbata (L.) H. Hara</u>	Polygonaceae	PERSI BAR
<u>Polygonum convolvulus L.</u> = <u>Fallopia convolvulus (L.) Á. Löve</u>	Polygonaceae	PLYGN CON

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Polygonum erectum L.</u>	Polygonaceae	PLYGN ERE
<u>Polygonum hydropiper L.</u> = <u>Persicaria hydropiper (L.) Delarbre</u>	Polygonaceae	PLYGN HYD
<u>Polygonum lapathifolium L.</u> = <u>Persicaria lapathifolia (L.) Delarbre</u>	Polygonaceae	PLYGN LAP
<u>Polygonum nepalense Meisn.</u> = <u>Persicaria nepalensis (Meisn.) H. Gross</u>	Polygonaceae	PERSI NEP
<u>Polygonum pensylvanicum L.</u> = <u>Persicaria pensylvanica (L.) M. Gómez</u>	Polygonaceae	PLYGN PEN
<u>Polygonum persicaria L.</u> = <u>Persicaria maculosa Gray</u>	Polygonaceae	PLYGN PER
<u>Polygonum punctatum Elliott</u> = <u>Persicaria punctata (Elliott) Small</u>	Polygonaceae	PLYGN PUN
<u>Polygonum senegalense Meisn.</u> = <u>Persicaria senegalensis (Meisn.) Soják</u>	Polygonaceae	PLYGN SEN
<u>Pontederia azurea Sw.</u> (Synonym: <i>Eichhornia azurea</i> (Sw.) Kunth)	Pontederiaceae	EICHH AZU
<u>Pontederia crassipes Mart.</u> (Synonym: <i>Eichhornia crassipes</i> (Mart.) Solms)	Pontederiaceae	EICHH CRA
<u>Pontederia hastata L.</u> (Synonym: <i>Monochoria hastata</i> (L.) Solms)	Pontederiaceae	MONOC HAS
<u>Pontederia vaginalis Burm. f.</u> (Synonym: <i>Monochoria vaginalis</i> (Burm. f.) C. Presl ex Kunth)	Pontederiaceae	MONOC VAG
<u>Populus alba L.</u>	Salicaceae	POPUL ALB
<u>Populus balsamifera L.</u>	Salicaceae	POPUL BAL
<u>Populus balsamifera L. subsp. trichocarpa (Torr. & A. Gray ex Hook.) Brayshaw</u> = <u>Populus trichocarpa Torr. & A. Gray ex Hook.</u>	Salicaceae	POPUL BAL TRI
<u>Populus nigra L.</u>	Salicaceae	POPUL NIG
<u>Populus tremula L.</u>	Salicaceae	POPUL TRA
<u>Populus tremuloides Michx.</u>	Salicaceae	POPUL TRS
<u>Populus trichocarpa Torr. & A. Gray ex Hook.</u> (Synonym: <i>Populus balsamifera L. subsp. trichocarpa</i> (Torr. & A. Gray ex Hook.) Brayshaw)	Salicaceae	POPUL BAL TRI
<u>Portulaca grandiflora Hook.</u>	Portulacaceae	PORTU GRA
<u>Portulaca oleracea L.</u>	Portulacaceae	PORTU OLE
<u>Potamogeton crispus L.</u>	Potamogetonaceae	POTAM CRI
<u>Potentilla anserina L.</u> (Synonym: <i>Argentina anserina</i> (L.) Rydb.)	Rosaceae	POTEN ANS
<u>Potentilla argentea L.</u>	Rosaceae	POTEN ARG
<u>Potentilla canadensis L.</u>	Rosaceae	POTEN CAN
<u>Potentilla erecta (L.) Rausch.</u>	Rosaceae	POTEN ERE

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Potentilla fruticosa</i> L.</u> = <u><i>Dasiphora fruticosa</i> L.</u>	Rosaceae	DASIP FRU
<u><i>Praecitrullus fistulosus</i> (Stocks) Pangalo</u> = <u><i>Benincasa fistulosa</i> (Stocks) H. Schaef. & S. S. Renner</u>	Cucurbitaceae	BENIN FIS
<u><i>Primula acaulis</i> (L.) Hill</u> = <u><i>Primula vulgaris</i> Huds.</u>	Primulaceae	PRIMU VUL
<u><i>Primula auricula</i> L.</u>	Primulaceae	PRIMU AUR
<u><i>Primula cortusoides</i> L.</u>	Primulaceae	PRIMU COR
<u><i>Primula denticulata</i> Sm.</u>	Primulaceae	PRIMU DEN
<u><i>Primula elatior</i> (L.) Hill</u>	Primulaceae	PRIMU ELA
<u><i>Primula japonica</i> A. Gray</u>	Primulaceae	PRIMU JAP
<u><i>Primula</i> × <i>kewensis</i> W. Watson</u> [<i>P. floribunda</i> Wall. × <i>P. verticillata</i> Forssk.]	Primulaceae	PRIMU KEW
<u><i>Primula malacoides</i> Franch.</u>	Primulaceae	PRIMU MAL
<u><i>Primula obconica</i> Hance</u>	Primulaceae	PRIMU OBC
<u><i>Primula officinalis</i> (L.) Hill</u> = <u><i>Primula veris</i> L.</u>	Primulaceae	PRIMU VER
<u><i>Primula praenitens</i> Ker Gawl.</u> (Synonym: <i>Primula sinensis</i> Sabine ex Lindl., non Lour.)	Primulaceae	PRIMU PRA
<u><i>Primula sinensis</i> Sabine ex Lindl., non Lour.</u> = <u><i>Primula praenitens</i> Ker Gawl.</u>	Primulaceae	PRIMU PRA
<u><i>Primula veris</i> L.</u> (Synonym: <i>Primula officinalis</i> (L.) Hill)	Primulaceae	PRIMU VER
<u><i>Primula vulgaris</i> Huds.</u> (Synonym: <i>Primula acaulis</i> (L.) Hill)	Primulaceae	PRIMU VUL
<u><i>Prioria balsamifera</i> (Vermoesen) Breteler</u> (Synonym: <i>Gossweilerodendron balsamiferum</i> (Vermoesen) Harms)	Fabaceae [Leguminosae]	GOSSW BAL
<u><i>Prioria copaifera</i> Griseb.</u>	Fabaceae [Leguminosae]	PRIOR COP
<u><i>Proboscidea louisianica</i> (Mill.) Thell.</u>	Martyniaceae	PROBO LOU
<u><i>Proboscidea louisianica</i> (Mill.) Thell. subsp. <i>louisianica</i></u> (Synonym: <i>Martynia proboscidea</i> Gloxin)	Martyniaceae	PROBO LOU LOU
<u><i>Proboscidea lutea</i> (Lindl.) Stapf</u> = <u><i>Ibicella lutea</i> (Lindl.) Van Eselt.</u>	Martyniaceae	IBICE LUT
<u><i>Prosopis alpataco</i> Phil.</u> (Synonym: <i>Neltuma alpataco</i> (Phil.) C. E. Hughes & G. P. Lewis)	Fabaceae [Leguminosae]	PROSO ALP
<u><i>Prosopis argentina</i> Burkart</u> (Synonym: <i>Neltuma argentina</i> (Burkart) C. E. Hughes & G. P. Lewis)	Fabaceae [Leguminosae]	PROSO ARG
<u><i>Prosopis articulata</i> S. Watson</u> (Synonym: <i>Neltuma articulata</i> (S. Watson) C. E. Hughes & G. P. Lewis)	Fabaceae [Leguminosae]	PROSO ART
<u><i>Prosopis burkartii</i> Muñoz</u> (Synonym: <i>Strombocarpa burkartii</i> (Muñoz) C. E. Hughes & G. P. Lewis)	Fabaceae [Leguminosae]	PROSO BUR

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Prosopis calingastana</u> Burkart (Synonym: <i>Neltuma calingastana</i> (Burkart) C. E. Hughes & G. P. Lewis)	Fabaceae [Leguminosae]	PROSO_CAL
<u>Prosopis campestris</u> Griseb. (Synonym: <i>Neltuma campestris</i> (Griseb.) C. E. Hughes & G. P. Lewis)	Fabaceae [Leguminosae]	PROSO_CAM
<u>Prosopis castellanosi</u> Burkart (Synonym: <i>Neltuma castellanosi</i> (Burkart) C. E. Hughes & G. P. Lewis)	Fabaceae [Leguminosae]	PROSO_CAS
<u>Prosopis denudans</u> Benth. (Synonym: <i>Neltuma denudans</i> (Benth.) C. E. Hughes & G. P. Lewis)	Fabaceae [Leguminosae]	PROSO_DEN
<u>Prosopis elata</u> (Burkart) Burkart (Synonym: <i>Neltuma elata</i> (Burkart) C. E. Hughes & G. P. Lewis)	Fabaceae [Leguminosae]	PROSO_ELA
<u>Prosopis farcta</u> (Banks & Sol.) J. F. Macbr.	Fabaceae [Leguminosae]	PROSO_FAR
<u>Prosopis ferox</u> Griseb. (Synonym: <i>Strombocarpa ferox</i> (Griseb.) C. E. Hughes & G. P. Lewis)	Fabaceae [Leguminosae]	PROSO_FER
<u>Prosopis fiebrigii</u> Harms (Synonym: <i>Neltuma fiebrigii</i> (Harms) C. E. Hughes & G. P. Lewis)	Fabaceae [Leguminosae]	PROSO_FIE
<u>Prosopis hassleri</u> Harms (Synonym: <i>Neltuma hassleri</i> (Harms) C. E. Hughes & G. P. Lewis)	Fabaceae [Leguminosae]	PROSO_HAS
<u>Prosopis humilis</u> Gillies ex Hook. & Arn. (Synonym: <i>Neltuma humilis</i> (Gillies ex Hook. & Arn.) C. E. Hughes & G. P. Lewis)	Fabaceae [Leguminosae]	PROSO_HUM
<u>Prosopis juliflora</u> (Sw.) DC. (Synonym: <i>Neltuma juliflora</i> (Sw.) Raf.)	Fabaceae [Leguminosae]	PROSO_JUL
<u>Prosopis kuntzei</u> Harms (Synonym: <i>Neltuma kuntzei</i> (Harms ex Kuntze) C. E. Hughes & G. P. Lewis)	Fabaceae [Leguminosae]	PROSO_KUN
<u>Prosopis palmeri</u> S. Watson (Synonym: <i>Strombocarpa palmeri</i> (S. Watson) C. E. Hughes & G. P. Lewis)	Fabaceae [Leguminosae]	PROSO_PAL
<u>Prosopis reptans</u> Benth. (Synonym: <i>Strombocarpa reptans</i> (Benth.) A. Gray)	Fabaceae [Leguminosae]	PROSO_REP
<u>Prosopis rojasiana</u> Burkart (Synonym: <i>Neltuma rojasiana</i> (Burkart) C. E. Hughes & G. P. Lewis)	Fabaceae [Leguminosae]	PROSO_ROJ
<u>Prosopis ruizlealii</u> Burkart (Synonym: <i>Neltuma ruizlealii</i> (Burkart) C. E. Hughes & G. P. Lewis)	Fabaceae [Leguminosae]	PROSO_RUI
<u>Prosopis ruscifolia</u> Griseb. (Synonym: <i>Neltuma ruscifolia</i> (Griseb.) C. E. Hughes & G. P. Lewis)	Fabaceae [Leguminosae]	PROSO_RUS
<u>Prosopis sericantha</u> Gillies ex Hook. & Arn. (Synonym: <i>Neltuma sericantha</i> (Gillies ex Hook.) C. E. Hughes & G. P. Lewis)	Fabaceae [Leguminosae]	PROSO_SER

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Prosopis strombulifera (Lam.) Benth.</u> (Synonym: <i>Strombocarpa strombulifera</i> (Lam.) A. Gray)	Fabaceae [Leguminosae]	PROSO_STR
<u>Prosopis torquata (Cav. ex Lag.) DC.</u> (Synonym: <i>Strombocarpa torquata</i> (Cav. ex Lag.) C. E. Hughes & G. P. Lewis)	Fabaceae [Leguminosae]	PROSO_TOR
<u>Prunella vulgaris L.</u>	Lamiaceae [Labiatae]	PRUNL_VUL
<u>Prunus × amygdalopersica (Weston) Rehder</u> = <u>Prunus × persicoides (Ser.) M. Vilm. & Bois</u>	Rosaceae	PRUNU_AMY
<u>Prunus amygdalus Batsch</u> = <u>Prunus dulcis (Mill.) D. A. Webb</u>	Rosaceae	PRUNU_DUL
<u>Prunus armeniaca L.</u> (Synonym: <i>Armeniaca vulgaris</i> Lam.)	Rosaceae	PRUNU_ARM
<u>Prunus avium (L.) L.</u>	Rosaceae	PRUNU_AVI
<u>Prunus cerasifera Ehrh.</u>	Rosaceae	PRUNU_CSF
<u>Prunus cerasus L.</u> (Synonym: <i>Cerasus vulgaris</i> Mill.)	Rosaceae	PRUNU_CSS
<u>Prunus × cistena (N. E. Hansen) Koehne</u> [<i>P. cerasifera</i> Ehrh. × <i>P. pumila</i> L.]	Rosaceae	PRUNU_CIS
<u>Prunus concinna Koehne</u> = <u>Prunus veitchii Koehne</u>	Rosaceae	PRUNU_CON
<u>Prunus domestica L.</u>	Rosaceae	PRUNU_DOM
<u>Prunus dulcis (Mill.) D. A. Webb</u> (Synonyms: <i>Amygdalus communis</i> L.; <i>Prunus amygdalus</i> Batsch)	Rosaceae	PRUNU_DUL
<u>Prunus fruticosa Pall.</u>	Rosaceae	PRUNU_FRU
<u>Prunus glandulosa Thunb.</u>	Rosaceae	PRUNU_GLA
<u>Prunus laurocerasus L.</u> (Synonym: <i>Laurocerasus officinalis</i> M. Roem.)	Rosaceae	PRUNU_LAU
<u>Prunus lusitanica L.</u> (Synonym: <i>Laurocerasus lusitanica</i> (L.) M. Roem.)	Rosaceae	PRUNU_LUS
<u>Prunus maritima Marshall</u>	Rosaceae	PRUNU_MAR
<u>Prunus mume Siebold & Zucc.</u>	Rosaceae	PRUNU_MUM
<u>Prunus padus L.</u>	Rosaceae	PRUNU_PAD
<u>Prunus persica (L.) Batsch</u> (Synonym: <i>Persica vulgaris</i> Mill.)	Rosaceae	PRUNU_PER
<u>Prunus × persicoides (Ser.) M. Vilm. & Bois</u> [<i>P. dulcis</i> (Mill.) D. A. Webb × <i>P. persica</i> (L.) Batsch] (Synonym: <i>Prunus × amygdalopersica</i> (Weston) Rehder)	Rosaceae	PRUNU_AMY
<u>Prunus prostrata Labill.</u> (Synonym: <i>Cerasus prostrata</i> (Labill.) Ser.)	Rosaceae	PRUNU_PRO
<u>Prunus salicina Lindl.</u>	Rosaceae	PRUNU_SAL
<u>Prunus serotina Ehrh.</u>	Rosaceae	PRUNU_SER
<u>Prunus tenella Batsch</u> (Synonym: <i>Amygdalus nana</i> L.)	Rosaceae	PRUNU_TEN

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Prunus veitchii</u> Koehne (Synonym: <i>Prunus concinna</i> Koehne)	Rosaceae	PRUNU_CON
<u>Prunus × yedoensis</u> Matsum. [<i>P. itosakura</i> Siebold × <i>P. speciosa</i> (Koidz.) Ingram]	Rosaceae	PRUNU_YED
<u>Psathyrostachys juncea</u> (Fisch.) Nevski (Synonym: <i>Elymus junceus</i> Fisch.)	Poaceae [Gramineae]	PSATH_JUN
<u>Psephellus dealbatus</u> (Willd.) K. Koch (Synonym: <i>Centaurea dealbata</i> Willd.)	Asteraceae [Compositae]	CENTA_DEA
<u>Pseudolysimachion spicatum</u> (L.) Opiz = <u>Veronica spicata</u> L.	Plantaginaceae (Scrophulariaceae)	VERON_SPI
<u>Pseudopodospermum hispanicum</u> = <u>Scorzonera hispanica</u> L.	Asteraceae [Compositae]	SCORZ_HIS
<u>Pseudoroegneria spicata</u> (Pursh) Á. Löve (Synonyms: <i>Agropyron inerme</i> (Scribn. & J. G. Sm.) Rydb.; <i>Agropyron spicatum</i> (Pursh) Scribn. & J. G. Sm.)	Poaceae [Gramineae]	PSDRG_SPI
<u>Pseudotsuga douglasii</u> (Sabine ex D. Don) Carrière = <u>Pseudotsuga menziesii</u> (Mirb.) Franco	Pinaceae	PSDTS_MEN
<u>Pseudotsuga menziesii</u> (Mirb.) Franco (Synonym: <i>Pseudotsuga douglasii</i> (Sabine ex D. Don) Carrière)	Pinaceae	PSDTS_MEN
<u>Psidium cattleianum</u> Sabine	Myrtaceae	PSIDI_CAT
<u>Psidium quajava</u> L.	Myrtaceae	PSIDI_GUA
<u>Psilotrichum ferrugineum</u> (Roxb.) Voigt	Amaranthaceae	PSILO_FER
<u>Psophocarpus tetragonolobus</u> (L.) DC.	Fabaceae [Leguminosae]	PSOPH_TET
<u>Psoralea bituminosa</u> L. = <u>Bituminaria bituminosa</u> (L.) C. H. Stirt	Fabaceae [Leguminosae]	BITUM_BIT
<u>Psoralea corylifolia</u> L. = <u>Cullen corylifolium</u> (L.) Medik.	Fabaceae [Leguminosae]	PSORA_COR
<u>Psychotria ipecacuanha</u> (Brot.) Stokes = <u>Carapichea ipecacuanha</u> (Brot.) L. Andersson	Rubiaceae	CPHLS_IPE
<u>Psylliostachys suworowii</u> (Regel) Roshkova (Synonym: <i>Limonium suworowii</i> (Regel) Kuntze)	Plumbaginaceae	PSYLL_SUW
<u>Pterocarpus angolensis</u> DC.	Fabaceae [Leguminosae]	PTERO_ANG
<u>Pterocarpus indicus</u> Willd.	Fabaceae [Leguminosae]	PTERO_IND
<u>Pterocarpus macrocarpus</u> Kurz	Fabaceae [Leguminosae]	PTERO_MAC
<u>Pterocarpus soyauxii</u> Taub.	Fabaceae [Leguminosae]	PTERO_SOY
<u>Puccinellia ciliata</u> Bor	Poaceae [Gramineae]	PUCCI_CIL
<u>Pueraria hirsuta</u> Kurz = <u>Teyleria stricta</u> (Kurz) A. N. Egan & B. Pan bis	Fabaceae [Leguminosae]	PUERA_STR
<u>Pueraria lobata</u> (Willd.) Ohwi = <u>Pueraria montana</u> (Lour.) Merr. var. <i>lobata</i> (Willd.) Maesen & S. M. Almeida ex Sanjappa & Predeep	Fabaceae [Leguminosae]	PUERA_LOB

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Pueraria montana</i> (Lour.) Merr. var. <i>lobata</i> (Willd.) Maesen & S. M. Almeida ex Sanjappa & Predeep</u> (Synonym: <i>Pueraria lobata</i> (Willd.) Ohwi)	Fabaceae [Leguminosae]	<u>PUERA_LOB</u>
<u><i>Pueraria phaseoloides</i> (Roxb.) Benth.</u> = <u><i>Neustanthus phaseoloides</i> (Roxb.) Benth.</u>	Fabaceae [Leguminosae]	<u>PUERA_PHA</u>
<u><i>Pueraria stricta</i> Kurz</u> = <u><i>Teyleria stricta</i> (Kurz) A. N. Egan & B. Pan bis</u>	Fabaceae [Leguminosae]	<u>PUERA_STR</u>
<u><i>Pulsatilla vulgaris</i> Mill.</u> = <u><i>Anemone pulsatilla</i> L.</u>	Ranunculaceae	<u>ANEMO_PUL</u>
<u><i>Punica granatum</i> L.</u>	Lythraceae	<u>PUNIC_GRA</u>
<u><i>Pycnanthus angolensis</i> (Welw.) Warb.</u>	Myristicaceae	<u>PYCNA_ANG</u>
<u><i>Pycnus flavidus</i> (Retz.) T. Koyama</u> = <u><i>Cyperus flavidus</i> Retz.</u>	Cyperaceae	<u>CYPER_FLA</u>
<u><i>Pyrethrum parthenifolium</i> Willd.</u> = <u><i>Tanacetum parthenifolium</i> (Willd.) Sch. Bip.</u>	Asteraceae [Compositae]	<u>TANAC_PTF</u>
<u><i>Pyrus communis</i> L.</u> (Synonym: <i>Pyrus domestica</i> Medik.)	Rosaceae	<u>PYRUS_COM</u>
<u><i>Pyrus domestica</i> Medik.</u> = <u><i>Pyrus communis</i> L.</u>	Rosaceae	<u>PYRUS_COM</u>

Q

<u><i>Quamoclit vulgaris</i> Choisy</u> = <u><i>Ipomoea quamoclit</i> L.</u>	Convolvulaceae	<u>IPOMO_QUA</u>
<u><i>Quassia amara</i> L.</u>	Simaroubaceae	<u>QUASS_AMA</u>
<u><i>Quercus alba</i> L.</u>	Fagaceae	<u>QUERC_ALB</u>
<u><i>Quercus petraea</i> (Matt.) Liebl.</u>	Fagaceae	<u>QUERC_PET</u>
<u><i>Quercus robur</i> L.</u>	Fagaceae	<u>QUERC_ROB</u>
<u><i>Quercus rubra</i> L.</u>	Fagaceae	<u>QUERC_RUB</u>
<u><i>Quercus suber</i> L.</u>	Fagaceae	<u>QUERC_SUB</u>
<u><i>Quincula lobata</i> (Torr.) Raf.</u> (Synonym: <i>Physalis lobata</i> Torr.)	Solanaceae	<u>PHYSA_LOB</u>

R

<u><i>Ranunculus arvensis</i> L.</u>	Ranunculaceae	<u>RANUN_ARV</u>
<u><i>Ranunculus asiaticus</i> L.</u>	Ranunculaceae	<u>RANUN_ASI</u>
<u><i>Ranunculus bulbosus</i> L.</u>	Ranunculaceae	<u>RANUN_BUL</u>
<u><i>Ranunculus repens</i> L.</u>	Ranunculaceae	<u>RANUN_REP</u>
<u><i>Raphanus raphanistrum</i> L.</u>	Brassicaceae [Cruciferae]	<u>RAPHA_RAP</u>
<u><i>Raphanus sativus</i> L.</u>	Brassicaceae [Cruciferae]	<u>RAPHA_SAT</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Rapistrum rugosum (L.) All.</u>	Brassicaceae [Cruciferae]	<u>MYAGR_RUG</u>
<u>Rauvolfia tetraphylla L.</u>	Apocynaceae	<u>RAUVO_TET</u>
<u>Rebutia neocumingii (Backeb.) D. R. Hunt</u> = <u>Weingartia neocumingii Backeb.</u>	Cactaceae	<u>GYMNO_NEO</u>
<u>Reseda lutea L.</u>	Resedaceae	<u>RESED_LTA</u>
<u>Reseda luteola L.</u>	Resedaceae	<u>RESED_LTL</u>
<u>Reseda odorata L.</u>	Resedaceae	<u>RESED_ODO</u>
<u>Rhamnus purshiana DC.</u> = <u>Frangula purshiana (DC.) J. G. Cooper</u>	Rhamnaceae	<u>RHAMN_PUR</u>
<u>Rhaponticum repens (L.) Hidalgo</u> (Synonyms: <i>Acroptilon repens</i> (L.) DC.; <i>Centaurea picris</i> Pall. ex Willd.)	Asteraceae [Compositae]	<u>ACROP_REP</u>
<u>Rheum officinale Baill.</u>	Polygonaceae	<u>RHEUM_OFF</u>
<u>Rheum palmatum L.</u>	Polygonaceae	<u>RHEUM_PAL</u>
<u>Rheum × rhabarbarum L.</u> (Synonym: <i>Rheum rhaponticum</i> auct., non L.)	Polygonaceae	<u>RHEUM_RHB</u>
<u>Rheum rhaponticum auct., non L.</u> = <u>Rheum × rhabarbarum L.</u>	Polygonaceae	<u>RHEUM_RHB</u>
<u>Rhizophora mangle L.</u>	Rhizophoraceae	<u>RHIZO_MAN</u>
<u>Rhodanthe chlorocephala (Turcz.) Paul G. Wilson</u> (Including: <i>Helipterum roseum</i> (Hook.) Benth.; <i>Rhodanthe chlorocephala</i> (Turcz.) Paul G. Wilson subsp. <i>rosea</i> (Hook.) Paul G. Wilson)	Asteraceae [Compositae]	<u>RHODA_CHL</u>
<u>Rhodanthe chlorocephala (Turcz.) Paul G. Wilson subsp. <i>rosea</i> (Hook.) Paul G. Wilson</u> included in <u>Rhodanthe chlorocephala (Turcz.) Paul G. Wilson</u>	Asteraceae [Compositae]	<u>RHODA_CHL_ROS</u>
<u>Rhodanthe humboldtiana (Gaudich.) Paul G. Wilson</u> (Synonym: <i>Helipterum humboldtianum</i> (Gaudich.) DC.)	Asteraceae [Compositae]	<u>RHODA_HUM</u>
<u>Rhodanthe manglesii Lindl.</u> (Synonym: <i>Helipterum manglesii</i> (Lindl.) F. Muell. ex Benth.)	Asteraceae [Compositae]	<u>RHODA_MAN</u>
<u>Rhodohypoxis baurii (Baker) Nel</u> = <u>Hypoxis baurii Baker</u>	Hypoxidaceae	<u>RHODH_BAU</u>
<u>Rhynchelytrum repens (Willd.) C. E. Hubb.</u> = <u>Melinis repens (Willd.) Zizka</u>	Poaceae [Gramineae]	<u>MELIN_REP</u>
<u>Ribes nigrum L.</u>	Grossulariaceae	<u>RIBES_NIG</u>
<u>Ribes niveum Lindl.</u>	Grossulariaceae	<u>RIBES_NIV</u>
<u>Ricinus communis L.</u>	Euphorbiaceae	<u>RICIN_COM</u>
<u>Rivina humilis L.</u>	Petiveriaceae (Phytolaccaceae)	<u>RIVIN_HUM</u>
<u>Robinia pseudoacacia L.</u>	Fabaceae [Leguminosae]	<u>ROBIN_PSE</u>
<u>Roemeria refracta DC.</u>	Papaveraceae	<u>ROEME_REF</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Rohdea japonica</i> (Thunb.) Roth</u>	Asparagaceae (Ruscaceae)	<u>ROHDE_JAP</u>
<u><i>Romulea rosea</i> (L.) Eckl.</u>	Iridaceae	<u>ROMUL_ROS</u>
<u><i>Rorippa austriaca</i> (Crantz) Besser</u>	Brassicaceae [Cruciferae]	<u>RORIP_AUS</u>
<u><i>Rorippa nasturtium-aquaticum</i> (L.) Hayek</u> = <u><i>Nasturtium officinale</i> W. T. Aiton</u>	Brassicaceae [Cruciferae]	<u>NASTU_OFF</u>
<u><i>Rosa arkansana</i> Porter</u>	Rosaceae	<u>ROSAA_ARK</u>
<u><i>Rosa chinensis</i> Jacq.</u>	Rosaceae	<u>ROSAA_CHI</u>
<u><i>Rosa luciae</i> Franch. & Rochebr. ex Crép.</u> (Synonym: <i>Rosa wichuraiana</i> Crép.)	Rosaceae	<u>ROSAA_WIC</u>
<u><i>Rosa multiflora</i> Thunb.</u>	Rosaceae	<u>ROSAA_MUL</u>
<u><i>Rosa rubiginosa</i> L.</u>	Rosaceae	<u>ROSAA_RUB</u>
<u><i>Rosa wichuraiana</i> Crép.</u> = <u><i>Rosa luciae</i> Franch. & Rochebr. ex Crép.</u>	Rosaceae	<u>ROSAA_WIC</u>
<u><i>Roseodendron donnell-smithii</i> (Rose) Miranda</u> (Synonyms: <i>Cybistax donnell-smithii</i> (Rose) Seibert; <i>Tabebuia donnell-smithii</i> Rose)	Bignoniaceae	<u>TABEB_DON</u>
<u><i>Rosmarinus officinalis</i> L.</u> (Synonym: <i>Salvia rosmarinus</i> Spenn.)	Lamiaceae [Labiatae]	<u>ROSMA_OFF</u>
<u><i>Rottboellia cochinchinensis</i> (Lour.) Clayton</u> (Synonym: <i>Rottboellia exaltata</i> L. f.)	Poaceae [Gramineae]	<u>ROTTB_COC</u>
<u><i>Rottboellia exaltata</i> L. f.</u> = <u><i>Rottboellia cochinchinensis</i> (Lour.) Clayton</u>	Poaceae [Gramineae]	<u>ROTTB_COC</u>
<u><i>Rubia tinctorum</i> L.</u>	Rubiaceae	<u>RUBIA_TIN</u>
<u><i>Rubroshorea almon</i> (Foxw.) P. S. Ashton & J. Heck.</u> (Synonym: <i>Shorea almon</i> Foxw.)	Dipterocarpaceae	<u>SHORE_ALM</u>
<u><i>Rubroshorea macrophylla</i> (de Vriese) P. S. Ashton & J. Heck.</u> (Synonym: <i>Shorea macrophylla</i> (de Vriese) P. S. Ashton)	Dipterocarpaceae	<u>SHORE_MAC</u>
<u><i>Rubroshorea negrosensis</i> (Foxw.) P. S. Ashton & J. Heck.</u> (Synonym: <i>Shorea negrosensis</i> Foxw.)	Dipterocarpaceae	<u>SHORE_NEG</u>
<u><i>Rubroshorea polysperma</i> (Blanco) P. S. Ashton & J. Heck.</u> (Synonym: <i>Shorea polysperma</i> (Blanco) Merr.)	Dipterocarpaceae	<u>SHORE_POL</u>
<u><i>Rubroshorea stenoptera</i> (Burck) P. S. Ashton & J. Heck.</u> (Synonym: <i>Shorea stenoptera</i> Burck)	Dipterocarpaceae	<u>SHORE_STE</u>
<u><i>Rubus idaeus</i> L.</u>	Rosaceae	<u>RUBUS_IDA</u>
<u><i>Rubus laciniatus</i> Willd.</u>	Rosaceae	<u>RUBUS_LAC</u>
<u><i>Rubus occidentalis</i> L.</u>	Rosaceae	<u>RUBUS_OCC</u>
<u><i>Rudbeckia bicolor</i> Nutt.</u> included in <u><i>Rudbeckia hirta</i> L.</u>	Asteraceae [Compositae]	<u>RUDBE_HIR_BIC</u>
<u><i>Rudbeckia fulgida</i> Aiton</u>	Asteraceae [Compositae]	<u>RUDBE_FUL</u>
<u><i>Rudbeckia hirta</i> L.</u> (Including: <i>Rudbeckia bicolor</i> Nutt.)	Asteraceae [Compositae]	<u>RUDBE_HIR</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Rudbeckia purpurea</i> L.</u> = <u><i>Echinacea purpurea</i> (L.) Moench</u>	Asteraceae [Compositae]	<u>ECNCE PUR</u>
<u><i>Rumex acetosa</i> L.</u>	Polygonaceae	<u>RUMEX ATS</u>
<u><i>Rumex acetosella</i> L.</u>	Polygonaceae	<u>RUMEX ATL</u>
<u><i>Rumex altissimus</i> Alph. Wood</u>	Polygonaceae	<u>RUMEX ALT</u>
<u><i>Rumex conglomeratus</i> Murray</u>	Polygonaceae	<u>RUMEX CON</u>
<u><i>Rumex crispus</i> L.</u>	Polygonaceae	<u>RUMEX CRI</u>
<u><i>Rumex domesticus</i> Hartm.</u> = <u><i>Rumex longifolius</i> DC.</u>	Polygonaceae	<u>RUMEX LON</u>
<u><i>Rumex hydrolapathum</i> Huds.</u>	Polygonaceae	<u>RUMEX HYD</u>
<u><i>Rumex hypogaeus</i> T. M. Schust. & Reveal</u> (Synonym: <i>Emex australis</i> Steinh.)	Polygonaceae	<u>EMEXX AUS</u>
<u><i>Rumex longifolius</i> DC.</u> (Synonym: <i>Rumex domesticus</i> Hartm.)	Polygonaceae	<u>RUMEX LON</u>
<u><i>Rumex maritimus</i> L.</u>	Polygonaceae	<u>RUMEX MAR</u>
<u><i>Rumex obtusifolius</i> L.</u>	Polygonaceae	<u>RUMEX OBT</u>
<u><i>Rumex spinosus</i> L.</u> (Synonym: <i>Emex spinosa</i> (L.) Campd.)	Polygonaceae	<u>EMEXX SPI</u>
<u><i>Rumex vesicarius</i> L.</u>	Polygonaceae	<u>RUMEX VES</u>
<u><i>Ruta graveolens</i> L.</u>	Rutaceae	<u>RUTAA GRA</u>

S

<u><i>Saccharum barberi</i> Jeswiet</u> [<i>Saccharum</i> Barberi or Sarethra Group]	Poaceae [Gramineae]	<u>SACCH BER</u>
<u><i>Saccharum officinarum</i> L.</u> [<i>Saccharum</i> Noble Group]	Poaceae [Gramineae]	<u>SACCH OFF</u>
<u><i>Saccharum robustum</i> E. W. Brandes & Jeswiet ex Grassl</u>	Poaceae [Gramineae]	<u>SACCH ROB</u>
<u><i>Saccharum sinense</i> Roxb.</u> [<i>Saccharum</i> Sinense or Pansahi Group]	Poaceae [Gramineae]	<u>SACCH SIN</u>
<u><i>Saccharum spontaneum</i> L.</u>	Poaceae [Gramineae]	<u>SACCH SPO</u>
<u><i>Sagittaria graminea</i> Michx.</u>	Alismataceae	<u>SAGIT GRA</u>
<u><i>Sagittaria montevidensis</i> Cham. & Schldtl.</u>	Alismataceae	<u>SAGIT MON</u>
<u><i>Sagittaria pygmaea</i> Miq.</u>	Alismataceae	<u>SAGIT PYG</u>
<u><i>Sagittaria sagittifolia</i> L.</u>	Alismataceae	<u>SAGIT SAG</u>
<u><i>Sagittaria sagittifolia</i> L. subsp. <i>leucopetala</i> (Miq.) Hartog</u> = <u><i>Sagittaria trifolia</i> L.</u>	Alismataceae (Alismataceae)	<u>SAGIT SAG LEU</u>
<u><i>Sagittaria trifolia</i> L.</u> (Synonym: <i>Sagittaria sagittifolia</i> L. subsp. <i>leucopetala</i> (Miq.) Hartog)	Alismataceae	<u>SAGIT SAG LEU</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Saintpaulia ionantha H. Wendl.</u> (Synonym: <i>Streptocarpus ionanthus</i> (H. Wendl.) Christenh.)	Gesneriaceae	SAINT ION
<u>Salix alba L.</u>	Salicaceae	SALIX ALB
<u>Salix babylonica L.</u>	Salicaceae	SALIX BAB
<u>Salix elegantissima K. Koch</u> included in <u>Salix × pendulina Wender.</u>	Salicaceae	SALIX PEN ELE
<u>Salix × pendulina Wender.</u> [<i>S. babylonica</i> L. × <i>S. fragilis</i> L.] (Including: <i>Salix elegantissima</i> K. Koch)	Salicaceae	SALIX PEN
<u>Salix viminalis L.</u>	Salicaceae	SALIX VIM
<u>Salpichroa organifolia (Lam.) Thell.</u>	Solanaceae	SLPCH ORI
<u>Salpiglossis sinuata Ruiz & Pav.</u>	Solanaceae	SLPGL SIN
<u>Salsola kali L.</u>	Chenopodiaceae (Amaranthaceae)	SALSO KAL
<u>Salsola tragus L.</u>	Chenopodiaceae (Amaranthaceae)	SALSO TRA
<u>Salsola vermiculata L.</u>	Chenopodiaceae (Amaranthaceae)	SALSO VER
<u>Salvia aethiopis L.</u>	Lamiaceae [Labiatae]	SALVI AET
<u>Salvia coccinea Buc'hoz ex Etl.</u>	Lamiaceae [Labiatae]	SALVI COC
<u>Salvia farinacea Benth.</u>	Lamiaceae [Labiatae]	SALVI FAR
<u>Salvia hispanica L.</u>	Lamiaceae [Labiatae]	SALVI HIS
<u>Salvia horminum L.</u> = <u>Salvia viridis L.</u>	Lamiaceae [Labiatae]	SALVI VIR
<u>Salvia officinalis L.</u>	Lamiaceae [Labiatae]	SALVI OFF
<u>Salvia patens Cav.</u>	Lamiaceae [Labiatae]	SALVI PAT
<u>Salvia pratensis L.</u>	Lamiaceae [Labiatae]	SALVI PRA
<u>Salvia reflexa Hornem.</u>	Lamiaceae [Labiatae]	SALVI REF
<u>Salvia rosmarinus Spenn.</u> = <u>Rosmarinus officinalis L.</u>	Lamiaceae [Labiatae]	ROSMA OFF
<u>Salvia sclarea L.</u>	Lamiaceae [Labiatae]	SALVI SCL
<u>Salvia splendens Sellow ex Nees</u>	Lamiaceae [Labiatae]	SALVI SPL
<u>Salvia tiliifolia Vahl</u>	Lamiaceae [Labiatae]	SALVI TIL
<u>Salvia viridis L.</u> (Synonym: <i>Salvia horminum</i> L.)	Lamiaceae [Labiatae]	SALVI VIR
<u>Sanguisorba minor Scop.</u> (Including: <i>Sanguisorba muricata</i> Gremli)	Rosaceae	SANGU MIN

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Sanguisorba muricata</i> Greml</u> included in <u><i>Sanguisorba minor</i> (Bourg. ex Nyman) Muñoz Garm. & C. Navarro</u>	Rosaceae	<u>SANGU_MIN_MUR</u>
<u><i>Sansevieria roxburghiana</i> Schult. & Schult. f.</u> (Synonym: <i>Dracaena roxburghiana</i> (Schult. & Schult. f.) Byng & Christenh.)	Asparagaceae (Ruscaceae)	<u>SANSE_ROX</u>
<u><i>Santalum album</i> L.</u>	Santalaceae	<u>SANAT_ALB</u>
<u><i>Sanvitalia procumbens</i> Lam.</u>	Asteraceae [Compositae]	<u>SANVI_PRO</u>
<u><i>Sapindus saponaria</i> L.</u>	Sapindaceae	<u>SAPIN_SAP</u>
<u><i>Sapium sebiferum</i> (L.) Roxb.</u> = <u><i>Triadica sebifera</i> (L.) Small</u>	Euphorbiaceae	<u>SAPIU_SEB</u>
<u><i>Saponaria calabrica</i> Guss.</u>	Caryophyllaceae	<u>SAPON_CAL</u>
<u><i>Saponaria ocymoides</i> L.</u>	Caryophyllaceae	<u>SAPON_OCY</u>
<u><i>Saponaria officinalis</i> L.</u>	Caryophyllaceae	<u>SAPON_OFF</u>
<u><i>Saponaria vaccaria</i> L.</u> = <u><i>Gypsophila vaccaria</i> (L.) Sm.</u>	Caryophyllaceae	<u>GYPSO_VAC</u>
<u><i>Sarcandra glabra</i> (Thunb.) Nakai</u> (Synonym: <i>Chloranthus glaber</i> (Thunb.) Makino)	Chloranthaceae	<u>SARCA_GLA</u>
<u><i>Sarothamnus scoparius</i> (L.) Wimm. ex W. D. J. Koch</u> = <u><i>Cytisus scoparius</i> (L.) Link</u>	Fabaceae [Leguminosae]	<u>CYTIS_SCO</u>
<u><i>Sassafras albidum</i> (Nutt.) Nees</u>	Lauraceae	<u>SASSA_ALB</u>
<u><i>Satureja hortensis</i> L.</u>	Lamiaceae [Labiatae]	<u>SATUR_HOR</u>
<u><i>Satureja montana</i> L.</u>	Lamiaceae [Labiatae]	<u>SATUR_MON</u>
<u><i>Scabiosa atropurpurea</i> L.</u> (Synonym: <i>Sixalix atropurpurea</i> (L.) Greuter & Burdet)	Caprifoliaceae (Dipsacaceae)	<u>SCABI_ATR</u>
<u><i>Scabiosa caucasica</i> M. Bieb.</u> = <u><i>Lomelosia caucasica</i> (M. Bieb.) Greuter & Burdet</u>	Caprifoliaceae (Dipsacaceae)	<u>SCABI_CAU</u>
<u><i>Scabiosa columbaria</i> L.</u>	Caprifoliaceae (Dipsacaceae)	<u>SCABI_COL</u>
<u><i>Scandix pecten-veneris</i> L.</u>	Apiaceae [Umbelliferae]	<u>SCAND_PEC</u>
<u><i>Schedonorus arundinaceus</i> (Schreb.) Dumort.</u> = <u><i>Festuca arundinacea</i> Schreb.</u>	Poaceae [Gramineae]	<u>FESTU_ARU</u>
<u><i>Schefflera actinophylla</i> (Endl.) Harms</u> = <u><i>Heptapleurum actinophyllum</i> (Endl.) Lowry & G. M. Plunkett</u>	Araliaceae	<u>SCHEF_ACT</u>
<u><i>Schefflera arboricola</i> (Hayata) Hayata ex Merr.</u> = <u><i>Heptapleurum arboricola</i> Hayata</u>	Araliaceae	<u>SCHEF_ARB</u>
<u><i>Schefflera elegantissima</i> (hort. Veitch ex Mast.) Lowry & Frodin</u> = <u><i>Plerandra elegantissima</i> (hort. Veitch ex Mast.) Lowry et al.</u>	Araliaceae	<u>SCHEF_ELE</u>
<u><i>Schinopsis balansae</i> Engl.</u>	Anacardiaceae	<u>SCHNP_BAL</u>
<u><i>Schinus molle</i> L.</u>	Anacardiaceae	<u>SCHNS_MOL</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Schizachyrium scoparium</i> (Michx.) Nash</u> (Synonym: <i>Andropogon scoparius</i> Michx.)	Poaceae [Gramineae]	<u>SCHZC SCO</u>
<u><i>Schizanthus pinnatus</i> Ruiz & Pav.</u>	Solanaceae	<u>SCHZN PIN</u>
<u><i>Schoenoplectiella supina</i> (L.) Lye</u> (Synonym: <i>Schoenoplectus supinus</i> (L.) Palla; <i>Scirpus supinus</i> L.)	Cyperaceae	<u>SCIRP SUP</u>
<u><i>Schoenoplectus supinus</i> (L.) Palla</u> = <u><i>Schoenoplectiella supina</i> (L.) Lye</u>	Cyperaceae	<u>SCIRP SUP</u>
<u><i>Scilla bifolia</i> L.</u>	Asparagaceae (Hyacinthaceae)	<u>SCILL BIF</u>
<u><i>Scilla luciliae</i> (Boiss.) Speta</u> = <u><i>Chionodoxa luciliae</i> Boiss.</u>	Asparagaceae (Hyacinthaceae)	<u>CHION LUC</u>
<u><i>Scilla sardensis</i> (Whittall ex Barr & Sugden) Speta</u> = <u><i>Chionodoxa sardensis</i> Whittall ex Barr & Sugden</u>	Asparagaceae (Hyacinthaceae)	<u>CHION SAR</u>
<u><i>Scirpus maritimus</i> L.</u> = <u><i>Bolboschoenus maritimus</i> (L.) Palla</u>	Cyperaceae	<u>SCIRP MAR</u>
<u><i>Scirpus supinus</i> L.</u> = <u><i>Schoenoplectiella supina</i> (L.) Lye</u>	Cyperaceae	<u>SCIRP SUP</u>
<u><i>Scleranthus annuus</i> L.</u>	Caryophyllaceae	<u>SCLRN ANN</u>
<u><i>Sclerostachya fusca</i> (Roxb.) A. Camus</u> = <u><i>Miscanthus fuscus</i> (Roxb.) Benth.</u>	Poaceae [Gramineae]	<u>MISCA FUS</u>
<u><i>Scolymus hispanicus</i> L.</u>	Asteraceae [Compositae]	<u>SCOLY HIS</u>
<u><i>Scolymus maculatus</i> L.</u>	Asteraceae [Compositae]	<u>SCOLY MAC</u>
<u><i>Scoparia dulcis</i> L.</u>	Plantaginaceae (Scrophulariaceae)	<u>SCOPA DUL</u>
<u><i>Scorpiurus muricatus</i> L.</u>	Fabaceae [Leguminosae]	<u>SCORP MUR</u>
<u><i>Scorzonera hispanica</i> L.</u>	Asteraceae [Compositae]	<u>SCORZ HIS</u>
<u><i>Secale africanum</i> Stapf</u> = <u><i>Secale strictum</i> (C. Presl) C. Presl subsp. <i>africanum</i> (Stapf) K. Hammer</u>	Poaceae [Gramineae]	<u>SECAL AFR</u>
<u><i>Secale cereale</i> L.</u>	Poaceae [Gramineae]	<u>SECAL CER</u>
<u><i>Secale montanum</i> Guss.</u> = <u><i>Secale strictum</i> (C. Presl) C. Presl</u>	Poaceae [Gramineae]	<u>SECAL MON</u>
<u><i>Secale strictum</i> (C. Presl) C. Presl</u> (Synonym: <i>Secale montanum</i> Guss.)	Poaceae [Gramineae]	<u>SECAL MON</u>
<u><i>Secale strictum</i> (C. Presl) C. Presl subsp. <i>africanum</i> (Stapf) K. Hammer</u> (Synonym: <i>Secale africanum</i> Stapf)	Poaceae [Gramineae]	<u>SECAL AFR</u>
<u><i>Secale strictum</i> (C. Presl) C. Presl subsp. <i>strictum</i></u>	Poaceae [Gramineae]	<u>SECAL MON</u>
<u><i>Secale vavilovii</i> Grossh.</u>	Poaceae [Gramineae]	<u>SECAL VAV</u>
<u><i>Sechium edule</i> (Jacq.) Sw.</u> (Synonym: <i>Sicyos edulis</i> Jacq.)	Cucurbitaceae	<u>SECHI EDU</u>
<u><i>Securigera varia</i> (L.) Lassen</u> (Synonym: <i>Coronilla varia</i> L.)	Fabaceae [Leguminosae]	<u>CORON VAR</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Sedum acre</i> L.</u>	Crassulaceae	<u>SEDUM ACR</u>
<u><i>Sedum album</i> L.</u>	Crassulaceae	<u>SEDUM ALB</u>
<u><i>Sedum cauticola</i> Praeger</u> = <u><i>Hylotelephium cauticola</i> (Praeger) H. Ohba</u>	Crassulaceae	<u>HYLOT CAU</u>
<u><i>Sedum reflexum</i> L.</u> = <u><i>Sedum rupestre</i> L.</u>	Crassulaceae	<u>SEDUM RUP</u>
<u><i>Sedum rupestre</i> L.</u> (Synonyms: <i>Petrosedum rupestre</i> (L.) P. V. Heath; <i>Sedum reflexum</i> L.)	Crassulaceae	<u>SEDUM RUP</u>
<u><i>Sedum spurium</i> M. Bieb.</u> = <u><i>Phedimus spurius</i> (M. Bieb.) 't Hart</u>	Crassulaceae	<u>PHEDI SPU</u>
<u><i>Selenicereus grandiflorus</i> (L.) Britton & Rose</u>	Cactaceae	<u>SELEN GRA</u>
<u><i>Senecio bicolor</i> (Willd.) Tod., non Viv.</u> included in <u><i>Jacobaea maritima</i> (L.) Pelser & Meijden</u>	Asteraceae [Compositae]	<u>JACOB MAR</u>
<u><i>Senecio brasiliensis</i> (Spreng.) Less.</u>	Asteraceae [Compositae]	<u>SENEC BRS</u>
<u><i>Senecio cineraria</i> DC.</u> = <u><i>Jacobaea maritima</i> (L.) Pelser & Meijden</u>	Asteraceae [Compositae]	<u>JACOB MAR</u>
<u><i>Senecio congestus</i> (R. Br.) DC.</u> = <u><i>Tephroseris palustris</i> (L.) Rchb.</u>	Asteraceae [Compositae]	<u>TEPHO PAL</u>
<u><i>Senecio cruentus</i> (Masson ex L'Hér.) DC.</u> = <u><i>Pericallis cruenta</i> (Masson ex L'Hér.) Bolle</u>	Asteraceae [Compositae]	<u>PERIC CRU</u>
<u><i>Senecio elegans</i> L.</u>	Asteraceae [Compositae]	<u>SENEC ELE</u>
<u><i>Senecio jacobaea</i> L.</u> = <u><i>Jacobaea vulgaris</i> Gaertn.</u>	Asteraceae [Compositae]	<u>JACOB VUL</u>
<u><i>Senecio laxifolius</i> Buchanan</u> = <u><i>Brachyglottis laxifolia</i> (Buchanan) B. Nord.</u>	Asteraceae [Compositae]	<u>BRCHG LAX</u>
<u><i>Senecio pterophorus</i> DC.</u>	Asteraceae [Compositae]	<u>SENEC PTE</u>
<u><i>Senecio sylvaticus</i> L.</u>	Asteraceae [Compositae]	<u>SENEC SYL</u>
<u><i>Senecio tubicaulis</i> Mansf.</u> = <u><i>Tephroseris palustris</i> (L.) Rchb.</u>	Asteraceae [Compositae]	<u>TEPHO PAL</u>
<u><i>Senecio viscosus</i> L.</u>	Asteraceae [Compositae]	<u>SENEC VIS</u>
<u><i>Senecio vulgaris</i> L.</u>	Asteraceae [Compositae]	<u>SENEC VUL</u>
<u><i>Senega officinalis</i> Spach</u> (Synonym: <i>Polygala senega</i> L.)	Polygalaceae	<u>PLYGL SEN</u>
<u><i>Senegalia senegal</i> (L.) Britton</u> (Synonym: <i>Acacia senegal</i> (L.) Willd.)	Fabaceae [Leguminosae]	<u>ACACI SEN</u>
<u><i>Senna alata</i> (L.) Roxb.</u> (Synonym: <i>Cassia alata</i> L.)	Fabaceae [Leguminosae]	<u>SENNA ALA</u>
<u><i>Senna gaudichaudii</i> (Hook. & Arn.) H. S. Irwin & Barneby</u> (Synonym: <i>Cassia retusa</i> Vogel)	Fabaceae [Leguminosae]	<u>CASIA RET</u>
<u><i>Senna obtusifolia</i> (L.) H. S. Irwin & Barneby</u>	Fabaceae [Leguminosae]	<u>SENNA OBT</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Senna occidentalis</i> (L.) Link</u>	Fabaceae [Leguminosae]	<u>SENNA OCC</u>
<u><i>Senna siamea</i> (Lam.) H. S. Irwin & Barneby</u> (Synonym: <i>Cassia siamea</i> Lam.)	Fabaceae [Leguminosae]	<u>SENNA SIA</u>
<u><i>Senna spectabilis</i> (DC.) H. S. Irwin & Barneby</u>	Fabaceae [Leguminosae]	<u>SENNA SPE</u>
<u><i>Senna tora</i> (L.) Roxb.</u> (Synonym: <i>Cassia tora</i> L.)	Fabaceae [Leguminosae]	<u>SENNA TOR</u>
<u><i>Sequoia gigantea</i> (Lindl.) Decne.</u> = <u><i>Sequoiadendron giganteum</i> (Lindl.) J. Buchholz</u>	Cupressaceae	<u>SEQUD GIG</u>
<u><i>Sequoia sempervirens</i> (D. Don) Endl.</u>	Cupressaceae	<u>SEQUA SEM</u>
<u><i>Sequoiadendron giganteum</i> (Lindl.) J. Buchholz</u> (Synonym: <i>Sequoia gigantea</i> (Lindl.) Decne.)	Cupressaceae	<u>SEQUD GIG</u>
<u><i>Sesamum indicum</i> L.</u>	Pedaliaceae	<u>SESAM IND</u>
<u><i>Sesbania bispinosa</i> auct., non (Jacq.) W. Wight</u> = <u><i>Sesbania cannabina</i> (Retz.) Poir.</u>	Fabaceae [Leguminosae]	<u>SESBA CAN</u>
<u><i>Sesbania cannabina</i> (Retz.) Poir.</u> (Synonym: <i>Sesbania bispinosa</i> auct., non (Jacq.) W. Wight)	Fabaceae [Leguminosae]	<u>SESBA CAN</u>
<u><i>Sesbania exaltata</i> (Raf.) Rydb.</u>	Fabaceae [Leguminosae]	<u>SESBA EXA</u>
<u><i>Setaria anceps</i> Stapf</u> included in <u><i>Setaria sphacelata</i> (Schumach.) Stapf & C. E. Hubb.</u>	Poaceae [Gramineae]	<u>SETAR SPH ANC</u>
<u><i>Setaria faberi</i> R. A. W. Herrm.</u>	Poaceae [Gramineae]	<u>SETAR FAB</u>
<u><i>Setaria flavida</i> (Retz.) Veldkamp</u> (Synonym: <i>Paspalidium flavidum</i> (Retz.) A. Camus)	Poaceae [Gramineae]	<u>SETAR FLA</u>
<u><i>Setaria italica</i> (L.) P. Beauv. subsp. <i>viridis</i> (L.) Thell.</u> = <u><i>Setaria viridis</i> (L.) P. Beauv.</u>	Poaceae [Gramineae]	<u>SETAR VIR</u>
<u><i>Setaria italica</i> (L.) P. Beauv.</u>	Poaceae [Gramineae]	<u>SETAR ITA</u>
<u><i>Setaria pumila</i> (Poir.) Roem. & Schult.</u>	Poaceae [Gramineae]	<u>SETAR PUM</u>
<u><i>Setaria sphacelata</i> (Schumach.) Stapf & C. E. Hubb.</u> (Including: <i>Setaria anceps</i> Stapf)	Poaceae [Gramineae]	<u>SETAR SPH</u>
<u><i>Setaria viridis</i> (L.) P. Beauv.</u> (Synonym: <i>Setaria italica</i> (L.) P. Beauv. subsp. <i>viridis</i> (L.) Thell.)	Poaceae [Gramineae]	<u>SETAR VIR</u>
<u><i>Sextonia rubra</i> (Mez) van der Werff</u> (Synonym: <i>Ocotea rubra</i> Mez)	Lauraceae	<u>OCOTE RUB</u>
<u><i>Sherardia arvensis</i> L.</u>	Rubiaceae	<u>SHERA ARV</u>
<u><i>Shorea almon</i> Foxw.</u> = <u><i>Rubroshorea almon</i> (Foxw.) P. S. Ashton & J. Heck.</u>	Dipterocarpaceae	<u>SHORE ALM</u>
<u><i>Shorea contorta</i> S. Vidal</u> = <u><i>Pentacme paucinervis</i> Brandis</u>	Dipterocarpaceae	<u>SHORE CON</u>
<u><i>Shorea macrophylla</i> (de Vriese) P. S. Ashton</u> = <u><i>Rubroshorea macrophylla</i> (de Vriese) P. S. Ashton & J. Heck.</u>	Dipterocarpaceae	<u>SHORE MAC</u>
<u><i>Shorea negrosensis</i> Foxw.</u> = <u><i>Rubroshorea negrosensis</i> (Foxw.) P. S. Ashton & J. Heck.</u>	Dipterocarpaceae	<u>SHORE NEG</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Shorea polysperma</i> (Blanco) Merr.</u> = <u><i>Rubroshorea polysperma</i> (Blanco) P. S. Ashton & J. Heck.</u>	Dipterocarpaceae	SHORE_POL
<u><i>Shorea robusta</i> C. F. Gaertn.</u>	Dipterocarpaceae	SHORE_ROB
<u><i>Shorea stenoptera</i> Burck</u> = <u><i>Rubroshorea stenoptera</i> (Burck) P. S. Ashton & J. Heck.</u>	Dipterocarpaceae	SHORE_STE
<u><i>Sicana odorifera</i> (Vell.) Naudin</u>	Cucurbitaceae	SICAN_ODO
<u><i>Sicyos angulatus</i> L.</u>	Cucurbitaceae	SICYO_ANG
<u><i>Sicyos edulis</i> Jacq.</u> = <u><i>Sechium edule</i> (Jacq.) Sw.</u>	Cucurbitaceae	SECHI_EDU
<u><i>Sida acuta</i> Burm. f.</u>	Malvaceae	SIDAA_ACU
<u><i>Sida rhombifolia</i> L.</u>	Malvaceae	SIDAA_RHO
<u><i>Sida spinosa</i> L.</u>	Malvaceae	SIDAA_SPI
<u><i>Silene acaulis</i> (L.) Jacq.</u>	Caryophyllaceae	SILEN_ACA
<u><i>Silene alba</i> (Mill.) E. H. L. Krause, non Muhlenb. ex Britton</u> included in <u><i>Silene latifolia</i> Poir.</u>	Caryophyllaceae	SILEN_LAT_ALB
<u><i>Silene antirrhina</i> L.</u>	Caryophyllaceae	SILEN_ANT
<u><i>Silene chalcedonica</i> (L.) E. H. L. Krause</u> (Synonym: <i>Lychnis chalcedonica</i> L.)	Caryophyllaceae	SILEN_CHA
<u><i>Silene coeli-rosa</i> (L.) Godr.</u>	Caryophyllaceae	SILEN_COE
<u><i>Silene coronaria</i> (L.) Clairv.</u> (Synonyms: <i>Agrostemma coronaria</i> L.; <i>Lychnis coronaria</i> (L.) Desr.)	Caryophyllaceae	SILEN_CRN
<u><i>Silene dichotoma</i> Ehrh.</u>	Caryophyllaceae	SILEN_DIC
<u><i>Silene gallica</i> L.</u>	Caryophyllaceae	SILEN_GAL
<u><i>Silene latifolia</i> Poir.</u> (Including: <i>Melandrium album</i> (Mill.) Garcke; <i>Silene alba</i> (Mill.) E. H. L. Krause, non Muhlenb. ex Britton)	Caryophyllaceae	SILEN_LAT
<u><i>Silene maritima</i> With.</u> = <u><i>Silene uniflora</i> Roth</u>	Caryophyllaceae	SILEN_UNI
<u><i>Silene noctiflora</i> L.</u>	Caryophyllaceae	SILEN_NOC
<u><i>Silene pendula</i> L.</u>	Caryophyllaceae	SILEN_PEN
<u><i>Silene uniflora</i> Roth</u> (Synonym: <i>Silene maritima</i> With.)	Caryophyllaceae	SILEN_UNI
<u><i>Silene viscaria</i> (L.) Borkh.</u>	Caryophyllaceae	SILEN_VIS
<u><i>Silene vulgaris</i> (Moench) Garcke</u>	Caryophyllaceae	SILEN_VUL
<u><i>Silybum marianum</i> (L.) Gaertn.</u>	Asteraceae [Compositae]	SILYB_MAR
<u><i>Simarouba amara</i> Aubl.</u>	Simaroubaceae	SIMAR_AMA
<u><i>Simmondsia chinensis</i> (Link) C. K. Schneid.</u>	Simmondsiaceae	SIMMO_CHI

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Sinapis alba L.</u>	Brassicaceae [Cruciferae]	<u>SINAP_ALB</u>
<u>Sinapis alba L. subsp. alba</u>	Brassicaceae [Cruciferae]	<u>SINAP_ALB_ALB</u>
<u>Sinapis arvensis L.</u> (Synonym: <i>Brassica kaber</i> (DC.) L. C. Wheeler)	Brassicaceae [Cruciferae]	<u>SINAP_ARV</u>
<u>Sinningia × hybrida Voss</u> = <u>Sinningia speciosa (Lodd. et al. ex Ker Gawl.) Hiern</u>	Gesneriaceae	<u>SINNI_SPE</u>
<u>Sinningia speciosa (Lodd. et al. ex Ker Gawl.) Hiern</u> (Synonym: <i>Sinningia × hybrida</i> Voss)	Gesneriaceae	<u>SINNI_SPE</u>
<u>Sisymbrium altissimum L.</u>	Brassicaceae [Cruciferae]	<u>SISYM_ALT</u>
<u>Sisymbrium loeselii L.</u>	Brassicaceae [Cruciferae]	<u>SISYM_LOE</u>
<u>Sisymbrium officinale (L.) Scop.</u>	Brassicaceae [Cruciferae]	<u>SISYM_OFF</u>
<u>Sisymbrium orientale L.</u>	Brassicaceae [Cruciferae]	<u>SISYM_ORI</u>
<u>Sisymbrium tenuifolium L.</u> = <u>Diplotaxis tenuifolia (L.) DC.</u>	Brassicaceae [Cruciferae]	<u>DIPLO_TEN</u>
<u>Sisymbrium volgense M. Bieb. ex E. Fourn.</u>	Brassicaceae [Cruciferae]	<u>SISYM_VOL</u>
<u>Sixalix atropurpurea (L.) Greuter & Burdet</u> = <u>Scabiosa atropurpurea L.</u>	Caprifoliaceae (Dipsacaceae)	<u>SCABI_ATR</u>
<u>Soja hispida Moench</u> = <u>Glycine max (L.) Merr.</u>	Fabaceae [Leguminosae]	<u>GLYCI_MAX</u>
<u>Solanum aethiopicum L.</u> (Synonym: <i>Solanum gilo</i> Raddi)	Solanaceae	<u>SOLAN_AET</u>
<u>Solanum betaceum Cav.</u> (Synonym: <i>Cyphomandra betacea</i> (Cav.) Sendtn.)	Solanaceae	<u>SOLAN_BET</u>
<u>Solanum capsicastrum Link ex Schauer</u> = <u>Solanum pseudocapsicum L.</u>	Solanaceae	<u>SOLAN_PSE</u>
<u>Solanum carolinense L.</u>	Solanaceae	<u>SOLAN_CAR</u>
<u>Solanum cornutum auct., non Lam.</u> = <u>Solanum rostratum Dunal</u>	Solanaceae	<u>SOLAN_ROS</u>
<u>Solanum diflorum Vell.</u> = <u>Solanum pseudocapsicum L.</u>	Solanaceae	<u>SOLAN_PSE</u>
<u>Solanum elaeagnifolium Cav.</u>	Solanaceae	<u>SOLAN_ELA</u>
<u>Solanum giganteum Jacq.</u>	Solanaceae	<u>SOLAN_GIG</u>
<u>Solanum gilo Raddi</u> = <u>Solanum aethiopicum L.</u>	Solanaceae	<u>SOLAN_AET</u>
<u>Solanum (sect. <i>Lycopersicon</i>) hybrids</u> (Synonym: <i>Lycopersicon</i> hybrids)	Solanaceae	<u>SOLAN</u>
<u>Solanum laciniatum Aiton</u>	Solanaceae	<u>SOLAN_LAC</u>
<u>Solanum linnaeanum Hepper & P.-M. L. Jaeger</u> (Synonym: <i>Solanum sodomaeum</i> auct., non L.)	Solanaceae	<u>SOLAN_LIN</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Solanum lycopersicum L.</u> (Synonyms: <i>Lycopersicon esculentum</i> Mill.; <i>Lycopersicon lycopersicum</i> (L.) H. Karst.)	Solanaceae	SOLAN_LYC
<u>Solanum marginatum L. f.</u>	Solanaceae	SOLAN_MAR
<u>Solanum mauritianum Scop.</u>	Solanaceae	SOLAN_MAU
<u>Solanum melongena L.</u>	Solanaceae	SOLAN_MEL
<u>Solanum muricatum Aiton</u>	Solanaceae	SOLAN_MUR
<u>Solanum nigrum L.</u>	Solanaceae	SOLAN_NIG
<u>Solanum pseudocapsicum L.</u> (Synonyms: <i>Solanum capsicastrum</i> Link ex Schauer; <i>Solanum diflorum</i> Vell.)	Solanaceae	SOLAN_PSE
<u>Solanum quitoense Lam.</u>	Solanaceae	SOLAN_QUI
<u>Solanum rostratum Dunal</u> (Synonym: <i>Solanum cornutum</i> auct., non Lam.)	Solanaceae	SOLAN_ROS
<u>Solanum sodomaeum auct., non L.</u> = <u>Solanum linnaeanum Hepper & P.-M. L. Jaeger</u>	Solanaceae	SOLAN_LIN
<u>Solanum torvum Sw.</u>	Solanaceae	SOLAN_TOR
<u>Solanum tuberosum L.</u>	Solanaceae	SOLAN_TUB
<u>Solanum virginianum L.</u>	Solanaceae	SOLAN_VIR
<u>Solenostemon rotundifolius (Poir.) J. K. Morton</u> = <u>Coleus rotundifolius (Poir.) A. Chev. & Perrot</u>	Lamiaceae [Labiatae]	SOLEN_ROT
<u>Sonchus arvensis L.</u>	Asteraceae [Compositae]	SONCH_ARV
<u>Sonchus asper (L.) Hill</u>	Asteraceae [Compositae]	SONCH_ASP
<u>Sonchus oleraceus L.</u>	Asteraceae [Compositae]	SONCH_OLE
<u>Sophora japonica L.</u> = <u>Styphnolobium japonicum (L.) Schott</u>	Fabaceae [Leguminosae]	SOPHO_JAP
<u>Sorbus aucuparia L.</u>	Rosaceae	SORBU_AUC
<u>Sorghastrum nutans (L.) Nash</u>	Poaceae [Gramineae]	SRGHS_NUT
<u>Sorghum × alnum Parodi</u> [<i>S. bicolor</i> (L.) Moench × <i>S. halepense</i> (L.) Pers.]	Poaceae [Gramineae]	SRGHM_ALM
<u>Sorghum bicolor (L.) Moench</u>	Poaceae [Gramineae]	SRGHM_BIC
<u>Sorghum bicolor (L.) Moench subsp. <i>bicolor</i></u> (Synonyms: <i>Sorghum dochna</i> (Forssk.) Snowden; <i>Sorghum vulgare</i> Pers.)	Poaceae [Gramineae]	SRGHM_BIC_BIC
<u>Sorghum bicolor (L.) Moench subsp. <i>drummondii</i> (Steud.) de Wet ex Davidse</u> (Synonym: <i>Sorghum sudanense</i> (Piper) Stapf)	Poaceae [Gramineae]	SRGHM_DRU
<u>Sorghum dochna (Forssk.) Snowden</u> = <u>Sorghum bicolor (L.) Moench subsp. <i>bicolor</i></u>	Poaceae [Gramineae]	SRGHM_BIC_BIC

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Sorghum halepense</i> (L.) Pers.</u>	Poaceae [Gramineae]	<u>SRGHM HAL</u>
<u><i>Sorghum sudanense</i> (Piper) Stapf</u> = <u><i>Sorghum bicolor</i> (L.) Moench subsp. <i>drummondii</i> (Steud.) de Wet ex Davidse</u>	Poaceae [Gramineae]	<u>SRGHM DRU</u>
<u><i>Sorghum vulgare</i> Pers.</u> = <u><i>Sorghum bicolor</i> (L.) Moench subsp. <i>bicolor</i></u>	Poaceae [Gramineae]	<u>SRGHM BIC BIC</u>
<u><i>Spananthe paniculata</i> Jacq.</u>	Apiaceae [Umbelliferae]	<u>SPANA PAN</u>
<u><i>Sparganium erectum</i> L.</u>	Typhaceae	<u>SPARG ERE</u>
<u><i>Sparrmannia africana</i> L. f.</u>	Malvaceae (Tiliaceae)	<u>SPARR AFR</u>
<u><i>Spartium junceum</i> L.</u>	Fabaceae [Leguminosae]	<u>SPART JUN</u>
<u><i>Spathodea campanulata</i> P. Beauv.</u>	Bignoniaceae	<u>SPTHD CAM</u>
<u><i>Spathoglottis plicata</i> Blume</u>	Orchidaceae	<u>SPTHG PLI</u>
<u><i>Spergula arvensis</i> L.</u>	Caryophyllaceae	<u>SPERG ARV</u>
<u><i>Spermacoce alata</i> Aubl.</u> (Synonym: <i>Borreria alata</i> (Aubl.) DC.)	Rubiaceae	<u>SPRMC ALA</u>
<u><i>Spermacoce articularis</i> L. f.</u> (Synonym: <i>Spermacoce hispida</i> auct., non L.)	Rubiaceae	<u>SPRMC HIS</u>
<u><i>Spermacoce assurgens</i> Ruiz & Pav.</u> = <u><i>Spermacoce remota</i> Lam.</u>	Rubiaceae	<u>SPRMC ASS</u>
<u><i>Spermacoce hispida</i> auct., non L.</u> = <u><i>Spermacoce articularis</i> L. f.</u>	Rubiaceae	<u>SPRMC HIS</u>
<u><i>Spermacoce laevis</i> auct., non Lam.</u> = <u><i>Spermacoce remota</i> Lam.</u>	Rubiaceae	<u>SPRMC ASS</u>
<u><i>Spermacoce remota</i> Lam.</u> (Synonyms: <i>Spermacoce assurgens</i> Ruiz & Pav.; <i>Spermacoce laevis</i> auct., non Lam.)	Rubiaceae	<u>SPRMC ASS</u>
<u><i>Sphaeranthus indicus</i> L.</u>	Asteraceae [Compositae]	<u>SPHAE IND</u>
<u><i>Sphagneticola trilobata</i> (L.) Pruski</u> (Synonym: <i>Wedelia trilobata</i> (L.) Hitchc.)	Asteraceae [Compositae]	<u>WEDEL TRI</u>
<u><i>Spinacia oleracea</i> L.</u>	Chenopodiaceae (Amaranthaceae)	<u>SPINA OLE</u>
<u><i>Spondias mombin</i> L.</u>	Anacardiaceae	<u>SPOND MOM</u>
<u><i>Spondias purpurea</i> L.</u>	Anacardiaceae	<u>SPOND PUR</u>
<u><i>Sporobolus aculeatus</i> (L.) P. M. Peterson</u> (Synonym: <i>Crypsis aculeata</i> (L.) Aiton)	Poaceae [Gramineae]	<u>SPORO ACU</u>
<u><i>Sporobolus airoides</i> (Torr.) Torr.</u>	Poaceae [Gramineae]	<u>SPORO AIR</u>
<u><i>Sporobolus cryptandrus</i> (Torr.) A. Gray</u>	Poaceae [Gramineae]	<u>SPORO CRY</u>
<u><i>Sporobolus diandrus</i> (Retz.) P. Beauv.</u> (Synonym: <i>Sporobolus indicus</i> (L.) R. Br. var. <i>flaccidus</i> (Roem. & Schult.) Veldkamp)	Poaceae [Gramineae]	<u>SPORO DIA</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Sporobolus indicus</i> (L.) R. Br. var. <i>flaccidus</i> (Roem. & Schult.) Veldkamp</u> = <u><i>Sporobolus diandrus</i> (Retz.) P. Beauv.</u>	Poaceae [Gramineae]	<u>SPORO DIA</u>
<u><i>Sporobolus indicus</i> (L.) R. Br.</u>	Poaceae [Gramineae]	<u>SPORO IND</u>
<u><i>Sporobolus wrightii</i> Munro ex Scribn.</u>	Poaceae [Gramineae]	<u>SPORO WRI</u>
<u><i>Stachys annua</i> (L.) L.</u>	Lamiaceae [Labiatae]	<u>STCHS ANN</u>
<u><i>Stachys arvensis</i> (L.) L.</u>	Lamiaceae [Labiatae]	<u>STCHS ARV</u>
<u><i>Stachys grandiflora</i> (Stephan ex Willd.) Benth., non Host</u> = <u><i>Betonica macrantha</i> K. Koch</u>	Lamiaceae [Labiatae]	<u>STCHS MAC</u>
<u><i>Stachys macrantha</i> (K. Koch) Stearn</u> = <u><i>Betonica macrantha</i> K. Koch</u>	Lamiaceae [Labiatae]	<u>STCHS MAC</u>
<u><i>Stachys palustris</i> L.</u>	Lamiaceae [Labiatae]	<u>STCHS PAL</u>
<u><i>Stachytarpheta cayennensis</i> (Rich.) Vahl</u> (Synonym: <i>Stachytarpheta urticifolia</i> Sims)	Verbenaceae	<u>STCHT URT</u>
<u><i>Stachytarpheta urticifolia</i> Sims</u> = <u><i>Stachytarpheta cayennensis</i> (Rich.) Vahl</u>	Verbenaceae	<u>STCHT URT</u>
<u><i>Stellaria aquatica</i> (L.) Scop.</u> (Synonym: <i>Myosoton aquaticum</i> (L.) Moench)	Caryophyllaceae	<u>MYSTN AQU</u>
<u><i>Stellaria graminea</i> L.</u>	Caryophyllaceae	<u>STELL GRA</u>
<u><i>Stellaria media</i> (L.) Vill.</u>	Caryophyllaceae	<u>STELL MED</u>
<u><i>Stemodia viscosa</i> Roxb.</u>	Plantaginaceae (Scrophulariaceae)	<u>STEMO VIS</u>
<u><i>Stenotaphrum secundatum</i> (Walter) Kuntze</u>	Poaceae [Gramineae]	<u>STENO SEC</u>
<u><i>Stevia rebaudiana</i> (Bertoni) Bertoni</u>	Asteraceae [Compositae]	<u>STEVI REB</u>
<u><i>Stipa brachychaeta</i> Godr.</u> = <u><i>Amelichloa brachychaeta</i> (Godr.) Arriaga & Barkworth</u>	Poaceae [Gramineae]	<u>STIPA BRA</u>
<u><i>Stipa comata</i> Trin. & Rupr.</u> = <u><i>Hesperostipa comata</i> (Trin. & Rupr.) Barkworth</u>	Poaceae [Gramineae]	<u>STIPA COM</u>
<u><i>Stipa neesiana</i> Trin. & Rupr.</u> = <u><i>Nassella neesiana</i> (Trin. & Rupr.) Barkworth</u>	Poaceae [Gramineae]	<u>STIPA NEE</u>
<u><i>Stipa pulchra</i> Hitchc.</u> = <u><i>Nassella pulchra</i> (Hitchc.) Barkworth</u>	Poaceae [Gramineae]	<u>STIPA PUL</u>
<u><i>Stipa tenacissima</i> Loebl. ex L.</u> = <u><i>Macrochloa tenacissima</i> (Loebl. ex L.) Kunth</u>	Poaceae [Gramineae]	<u>STIPA TEN</u>
<u><i>Stipa trichotoma</i> Nees</u> = <u><i>Nassella trichotoma</i> (Nees) Hack. ex Arechav.</u>	Poaceae [Gramineae]	<u>STIPA TRI</u>
<u><i>Stipa viridula</i> Trin.</u> = <u><i>Nassella viridula</i> (Trin.) Barkworth</u>	Poaceae [Gramineae]	<u>STIPA VIR</u>
<u><i>Stizolobium deeringianum</i> Bort</u> = <u><i>Mucuna pruriens</i> (L.) DC. var. <i>utilis</i> (Wall. ex Wight) Baker ex Burck</u>	Fabaceae [Leguminosae]	<u>MUCUN PRU UTI</u>
<u><i>Stokesia laevis</i> (Hill) Greene</u>	Asteraceae [Compositae]	<u>STOKE LAE</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Stratiotes aloides L.</u>	Hydrocharitaceae	STRTO ALO
<u>Strelitzia reginae Banks</u>	Strelitziaceae	STREL REG
<u>Streptocarpus × hybridus Voss</u> [<i>Streptocarpus</i> Hybridus Group]	Gesneriaceae	STRPC HYB
<u>Streptocarpus ionanthus (H. Wendl.) Christenh.</u> = <u>Saintpaulia ionantha H. Wendl.</u>	Gesneriaceae	SAINT ION
<u>Striga angustifolia (D. Don) C. J. Saldanha</u> (Synonym: <i>Striga euphrasioides</i> auct., non Benth.)	Orobanchaceae (Scrophulariaceae)	STRIG EUP
<u>Striga asiatica (L.) Kuntze</u>	Orobanchaceae (Scrophulariaceae)	STRIG ASI
<u>Striga densiflora (Benth.) Benth.</u>	Orobanchaceae (Scrophulariaceae)	STRIG DEN
<u>Striga euphrasioides auct., non Benth.</u> = <u>Striga angustifolia (D. Don) C. J. Saldanha</u>	Orobanchaceae (Scrophulariaceae)	STRIG EUP
<u>Striga hermonthica (Delile) Benth.</u>	Orobanchaceae (Scrophulariaceae)	STRIG HER
<u>Stromanthe sanguinea (Reider) Sond.</u> = <u>Stromanthe thalia (Vell.) J. M. A. Braga</u>	Marantaceae	STROM SAN
<u>Stromanthe thalia (Vell.) J. M. A. Braga</u> (Synonym: <i>Stromanthe sanguinea</i> (Reider) Sond.)	Marantaceae	STROM SAN
<u>Strombocarpa burkartii (Muñoz) C. E. Hughes & G. P. Lewis</u> = <u>Prosopis burkartii Muñoz</u>	Fabaceae [Leguminosae]	PROSO BUR
<u>Strombocarpa ferox (Griseb.) C. E. Hughes & G. P. Lewis</u> = <u>Prosopis ferox Griseb.</u>	Fabaceae [Leguminosae]	PROSO FER
<u>Strombocarpa palmeri (S. Watson) C. E. Hughes & G. P. Lewis</u> = <u>Prosopis palmeri S. Watson</u>	Fabaceae [Leguminosae]	PROSO PAL
<u>Strombocarpa reptans (Benth.) A. Gray</u> = <u>Prosopis reptans Benth.</u>	Fabaceae [Leguminosae]	PROSO REP
<u>Strombocarpa strombulifera (Lam.) A. Gray</u> = <u>Prosopis strombulifera (Lam.) Benth.</u>	Fabaceae [Leguminosae]	PROSO STR
<u>Strombocarpa torquata (Cav. ex Lag.) C. E. Hughes & G. P. Lewis</u> = <u>Prosopis torquata (Cav. ex Lag.) DC.</u>	Fabaceae [Leguminosae]	PROSO TOR
<u>Strophanthus hispidus DC.</u>	Apocynaceae	STROP HIS
<u>Strophanthus kombe Oliv.</u>	Apocynaceae	STROP KOM
<u>Strychnos nux-vomica L.</u>	Loganiaceae	STRYC NUX
<u>Strychnos toxifera M. R. Schomb. ex Benth.</u>	Loganiaceae	STRYC TOX
<u>Stylosanthes capitata Vogel</u>	Fabaceae [Leguminosae]	STYLO CAP
<u>Stylosanthes quianensis (Aubl.) Sw.</u>	Fabaceae [Leguminosae]	STYLO GUI
<u>Stylosanthes hamata (L.) Taub.</u>	Fabaceae [Leguminosae]	STYLO HAM
<u>Stylosanthes humilis Kunth</u>	Fabaceae [Leguminosae]	STYLO HUM
<u>Stylosanthes macrocephala M. B. Ferreira & Sousa Costa</u>	Fabaceae [Leguminosae]	STYLO MAC

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Stylosanthes scabra</i> Vogel</u>	Fabaceae [Leguminosae]	<u>STYLO_SCA</u>
<u><i>Styphnolobium japonicum</i> (L.) Schott</u> (Synonym: <i>Sophora japonica</i> L.)	Fabaceae [Leguminosae]	<u>SOPHO_JAP</u>
<u><i>Styrax benzoin</i> Dryand.</u>	Styracaceae	<u>STYRA_BEN</u>
<u><i>Sulla coronaria</i> (L.) B. H. Choi & H. Ohashi</u> (Synonym: <i>Hedysarum coronarium</i> L.)	Fabaceae [Leguminosae]	<u>HEDYS_COR</u>
<u><i>Swainsona formosa</i> (G. Don) Joy Thomps.</u> (Synonym: <i>Clianthus formosus</i> (G. Don) Ford & Vickery)	Fabaceae [Leguminosae]	<u>SWAIN_FOR</u>
<u><i>Swietenia macrophylla</i> King</u>	Meliaceae	<u>SWIET_MAC</u>
<u><i>Swietenia mahagoni</i> (L.) Jacq.</u>	Meliaceae	<u>SWIET_MAH</u>
<u><i>Syagrus weddelliana</i> (H. Wendl.) Becc.</u> (Synonyms: <i>Cocos weddelliana</i> H. Wendl.; <i>Lytocaryum weddellianum</i> (H. Wendl.) Toledo; <i>Microcoelum weddellianum</i> (H. Wendl.) H. E. Moore)	Arecaceae [Palmae]	<u>MICRC_WED</u>
<u><i>Symphonia globulifera</i> L. f.</u>	Clusiaceae [Guttiferae]	<u>SMPHN_GLO</u>
<u><i>Symphotrichum dumosum</i> (L.) G. L. Nesom</u> (Synonym: <i>Aster dumosus</i> L.)	Asteraceae [Compositae]	<u>ASTER_DUM</u>
<u><i>Syringa komarowii</i> C. K. Schneid.</u> (Including: <i>Syringa reflexa</i> C. K. Schneid.)	Oleaceae	<u>SYRIN_KOM</u>
<u><i>Syringa reflexa</i> C. K. Schneid.</u> included in <u><i>Syringa komarowii</i> C. K. Schneid.</u>	Oleaceae	<u>SYRIN_KOM_REF</u>
<u><i>Syringa villosa</i> Vahl</u>	Oleaceae	<u>SYRIN_VIL</u>
<u><i>Syringa vulgaris</i> L.</u>	Oleaceae	<u>SYRIN_VUL</u>
<u><i>Syzygium aromaticum</i> (L.) Merr. & L. M. Perry</u> (Synonym: <i>Eugenia caryophyllus</i> (Spreng.) Bullock & S. G. Harrison)	Myrtaceae	<u>SYZYG_ARO</u>

T

<u><i>Tabebuia donnell-smithii</i> Rose</u> = <u><i>Roseodendron donnell-smithii</i> (Rose) Miranda</u>	Bignoniaceae	<u>TABEB_DON</u>
<u><i>Tabebuia rosea</i> (Bertol.) DC.</u>	Bignoniaceae	<u>TABEB_ROS</u>
<u><i>Tabebuia serratifolia</i> (Vahl) G. Nicholson</u> = <u><i>Handroanthus serratifolius</i> (Vahl) S. Grose</u>	Bignoniaceae	<u>HANDR_SER</u>
<u><i>Taeniatherum caput-medusae</i> (L.) Nevski</u> (Synonym: <i>Elymus caput-medusae</i> L.)	Poaceae [Gramineae]	<u>TAENI_CAP</u>
<u><i>Tagetes erecta</i> L.</u>	Asteraceae [Compositae]	<u>TAGET_ERE</u>
<u><i>Tagetes minuta</i> L.</u>	Asteraceae [Compositae]	<u>TAGET_MIN</u>
<u><i>Tagetes patula</i> L.</u>	Asteraceae [Compositae]	<u>TAGET_PAT</u>
<u><i>Tagetes signata</i> Bartl.</u> = <u><i>Tagetes tenuifolia</i> Cav.</u>	Asteraceae [Compositae]	<u>TAGET_TEN</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Tagetes tenuifolia Cav.</u> (Synonym: <i>Tagetes signata</i> Bartl.)	Asteraceae [Compositae]	<u>TAGET TEN</u>
<u>Talinum paniculatum (Jacq.) Gaertn.</u>	Talinaceae	<u>TALIN PAN</u>
<u>Talipariti elatum (Sw.) Fryxell</u> = <u>Hibiscus elatus Sw.</u>	Malvaceae	<u>HIBIS ELA</u>
<u>Tamarindus indica L.</u>	Fabaceae [Leguminosae]	<u>TAMRN IND</u>
<u>Tamarix aphylla (L.) H. Karst.</u>	Tamaricaceae	<u>TAMRX APH</u>
<u>Tanacetum achilleifolium (M. Bieb.) Sch. Bip.</u> (Synonym: <i>Chrysanthemum achilleifolium</i> (M. Bieb.) Kuntze)	Asteraceae [Compositae]	<u>TANAC ACH</u>
<u>Tanacetum cinerariifolium (Trevir.) Sch. Bip.</u> (Synonym: <i>Chrysanthemum cinerariifolium</i> (Trevir.) Vis.)	Asteraceae [Compositae]	<u>TANAC CIN</u>
<u>Tanacetum coccineum (Willd.) Grierson</u> (Synonym: <i>Chrysanthemum coccineum</i> Willd.)	Asteraceae [Compositae]	<u>TANAC COC</u>
<u>Tanacetum parthenifolium (Willd.) Sch. Bip.</u> (Synonym: <i>Pyrethrum parthenifolium</i> Willd.)	Asteraceae [Compositae]	<u>TANAC PTF</u>
<u>Tanacetum parthenium (L.) Sch. Bip.</u> (Synonym: <i>Chrysanthemum parthenium</i> (L.) Bernh.)	Asteraceae [Compositae]	<u>TANAC PTN</u>
<u>Tanacetum ptarmiciflorum (Webb & Berthel.) Sch. Bip.</u>	Asteraceae [Compositae]	<u>TANAC PTA</u>
<u>Taraxacum officinale F. H. Wigg., s.l.</u>	Asteraceae [Compositae]	<u>TARAX OFF</u>
<u>Tarchonanthus camphoratus L.</u>	Asteraceae [Compositae]	<u>TARCH CAM</u>
<u>Tarenaya hassleriana (Chodat) H. H. Iltis</u> = <u>Tarenaya houtteana (Schltdl.) Soares Neto & Roalson</u>	Cleomaceae	<u>TARNY HAS</u>
<u>Tarenaya houtteana (Schltdl.) Soares Neto & Roalson</u> (Synonyms: <i>Cleome hassleriana</i> Chodat; <i>Tarenaya hassleriana</i> (Chodat) H. H. Iltis)	Cleomaceae	<u>TARNY HAS</u>
<u>Tarrietia utilis (Sprague) Sprague</u> = <u>Heritiera utilis (Sprague) Sprague</u>	Malvaceae (Sterculiaceae)	<u>HERIT UTI</u>
<u>Taxodium distichum (L.) Rich.</u>	Cupressaceae	<u>TAXOD DIS</u>
<u>Taxus baccata L.</u>	Taxaceae	<u>TAXUS BAC</u>
<u>Tecoma stans (L.) Juss. ex Kunth</u>	Bignoniaceae	<u>TECOM STA</u>
<u>Tectona grandis L. f.</u>	Lamiaceae [Labiatae]	<u>TECTO GRA</u>
<u>Tephrosia palustris (L.) Rchb.</u> (Synonyms: <i>Senecio congestus</i> (R. Br.) DC.; <i>Senecio tubicaulis</i> Mansf.)	Asteraceae [Compositae]	<u>TEPHO PAL</u>
<u>Tephrosia candida DC.</u>	Fabaceae [Leguminosae]	<u>TEPHR CAN</u>
<u>Tephrosia purpurea (L.) Pers.</u>	Fabaceae [Leguminosae]	<u>TEPHR PUR</u>
<u>Terminalia amazonia (J. F. Gmel.) Exell</u>	Combretaceae	<u>TERMI AMA</u>
<u>Terminalia catappa L.</u>	Combretaceae	<u>TERMI CAT</u>
<u>Terminalia ivorensis A. Chev.</u>	Combretaceae	<u>TERMI IVO</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Terminalia superba</i> Engl. & Diels</u>	Combretaceae	<u>TERMI SUP</u>
<u><i>Tetragonia expansa</i> Murray</u> = <u><i>Tetragonia tetragonoides</i> (Pall.) Kuntze</u>	Aizoaceae	<u>TETRG TET</u>
<u><i>Tetragonia tetragonoides</i> (Pall.) Kuntze</u> (Synonym: <i>Tetragonia expansa</i> Murray)	Aizoaceae	<u>TETRG TET</u>
<u><i>Tetranema mexicanum</i> Benth.</u> = <u><i>Tetranema roseum</i> (M. Martens & Galeotti) Standl. & Steyerm.</u>	Plantaginaceae (Scrophulariaceae)	<u>TETRN ROS</u>
<u><i>Tetranema roseum</i> (M. Martens & Galeotti) Standl. & Steyerm.</u> (Synonym: <i>Tetranema mexicanum</i> Benth.)	Plantaginaceae (Scrophulariaceae)	<u>TETRN ROS</u>
<u><i>Teucrium botrys</i> L.</u>	Lamiaceae [Labiatae]	<u>TEUCR BOT</u>
<u><i>Teucrium chamaedrys</i> L.</u>	Lamiaceae [Labiatae]	<u>TEUCR CHA</u>
<u><i>Teucrium fruticans</i> L.</u>	Lamiaceae [Labiatae]	<u>TEUCR FRU</u>
<u><i>Teyleria stricta</i> (Kurz) A. N. Egan & B. Pan bis</u> (Synonyms: <i>Pueraria hirsuta</i> Kurz; <i>Pueraria stricta</i> Kurz)	Fabaceae [Leguminosae]	<u>PUERA STR</u>
<u><i>Thalictrum aquilegiifolium</i> L.</u>	Ranunculaceae	<u>THALI AQU</u>
<u><i>Theobroma cacao</i> L.</u>	Malvaceae (Sterculiaceae)	<u>THEOB CAC</u>
<u><i>Thespesia populnea</i> (L.) Sol. ex Corrêa</u>	Malvaceae	<u>THESP POP</u>
<u><i>Thinopyrum elongatum</i> (Host) D. R. Dewey</u> (Synonyms: <i>Agropyron elongatum</i> (Host) P. Beauv.; <i>Elymus elongatus</i> (Host) Runemark; <i>Elytrigia elongata</i> (Host) Nevski)	Poaceae [Gramineae]	<u>THINO ELO</u>
<u><i>Thinopyrum intermedium</i> (Host) Barkworth & D. R. Dewey</u>	Poaceae [Gramineae]	<u>THINO INT</u>
<u><i>Thinopyrum intermedium</i> (Host) Barkworth & D. R. Dewey subsp. <i>barbulatum</i> (Schur) Barkworth & D. R. Dewey</u> (Synonyms: <i>Agropyron trichophorum</i> (Link) K. Richt.; <i>Elymus hispidus</i> (Opiz) Melderis subsp. <i>barbulatus</i> (Schur) Melderis)	Poaceae [Gramineae]	<u>THINO INT BAR</u>
<u><i>Thinopyrum intermedium</i> (Host) Barkworth & D. R. Dewey subsp. <i>intermedium</i></u> (Synonyms: <i>Agropyron intermedium</i> (Host) P. Beauv.; <i>Elymus hispidus</i> (Opiz) Melderis subsp. <i>hispidus</i> ; <i>Elytrigia intermedia</i> (Host) Nevski)	Poaceae [Gramineae]	<u>THINO INT INT</u>
<u><i>Thlaspi arvense</i> L.</u>	Brassicaceae [Cruciferae]	<u>THLAS ARV</u>
<u><i>Thuja occidentalis</i> L.</u>	Cupressaceae	<u>THUJA OCC</u>
<u><i>Thuja orientalis</i> L.</u> = <u><i>Platycladus orientalis</i> (L.) Franco</u>	Cupressaceae	<u>PLATY ORI</u>
<u><i>Thuja plicata</i> Donn ex D. Don</u>	Cupressaceae	<u>THUJA PLI</u>
<u><i>Thunbergia alata</i> Bojer ex Sims</u>	Acanthaceae	<u>THUNB ALA</u>
<u><i>Thymus serpyllum</i> L.</u>	Lamiaceae [Labiatae]	<u>THYMU SER</u>
<u><i>Thymus vulgaris</i> L.</u>	Lamiaceae [Labiatae]	<u>THYMU VUL</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Tieghemella heckelii (A. Chev.) Pierre ex Heine</u> (Synonym: <i>Mimusops heckelii</i> (A. Chev.) Hutch. & Dalziel)	Sapotaceae	TIEGH_HEC
<u>Tilia americana L.</u>	Malvaceae (Tiliaceae)	TILIA_AME
<u>Tilia cordata Mill.</u>	Malvaceae (Tiliaceae)	TILIA_COR
<u>Tilia platyphyllos Scop.</u>	Malvaceae (Tiliaceae)	TILIA_PLA
<u>Tithonia rotundifolia (Mill.) S. F. Blake</u> (Synonym: <i>Tithonia speciosa</i> (Hook.) Griseb.)	Asteraceae [Compositae]	TITHO_ROT
<u>Tithonia speciosa (Hook.) Griseb.</u> = <u>Tithonia rotundifolia (Mill.) S. F. Blake</u>	Asteraceae [Compositae]	TITHO_ROT
<u>Tithonia tubaeformis (Jacq.) Cass.</u>	Asteraceae [Compositae]	TITHO_TUB
<u>Toona ciliata M. Roem.</u>	Meliaceae	TOONA_CIL
<u>Torenia fournieri Linden ex E. Fourn.</u>	Linderniaceae (Scrophulariaceae)	TOREN_FOU
<u>Torilis arvensis (Huds.) Link</u>	Apiaceae [Umbelliferae]	TORIL_ARV
<u>Torilis japonica (Houtt.) DC.</u>	Apiaceae [Umbelliferae]	TORIL_JAP
<u>Torilis nodosa (L.) Gaertn.</u>	Apiaceae [Umbelliferae]	TORIL_NOD
<u>Toxicodendron succedaneum (L.) Kuntze</u>	Anacardiaceae	TOXIC_SUC
<u>Trachelium caeruleum L.</u>	Campanulaceae	TRCEL_CAE
<u>Trachycarpus fortunei (Hook.) H. Wendl.</u> (Synonym: <i>Chamaerops excelsa</i> hort., non Thunb.)	Arecaceae [Palmae]	TRCYC_FOR
<u>Trachymene coerulea Graham</u> (Synonym: <i>Didiscus coeruleus</i> (Graham) DC.)	Araliaceae (Apiaceae)	TRCYM_COE
<u>Trachyspermum ammi (L.) Sprague ex Turrill</u>	Apiaceae [Umbelliferae]	TRCYS_AMM
<u>Tragopogon porrifolius L.</u>	Asteraceae [Compositae]	TRAGO_POR
<u>Trapa bispinosa Roxb.</u> (Synonym: <i>Trapa natans</i> L. var. <i>bispinosa</i> (Roxb.) Makino)	Lythraceae	TRAPA_NAT_BIS
<u>Trapa natans L. var. bispinosa (Roxb.) Makino</u> = <u>Trapa bispinosa Roxb.</u>	Lythraceae	TRAPA_NAT_BIS
<u>Triadica sebifera (L.) Small</u> (Synonym: <i>Sapium sebiferum</i> (L.) Roxb.)	Euphorbiaceae	SAPIU_SEB
<u>Trianthema decandrum L.</u> = <u>Zaleya decandra (L.) Burm. f.</u>	Aizoaceae	TRIAN_DEC
<u>Trianthema portulacastrum L.</u>	Aizoaceae	TRIAN_POR
<u>Tribulus terrestris L.</u>	Zygophyllaceae	TRIBU_TER
<u>Trichodesma indicum (L.) Sm.</u>	Boraginaceae	TRCOD_IND
<u>Trichosanthes cucumerina L.</u>	Cucurbitaceae	TRCOS_CUC
<u>Trichosanthes dioica Roxb.</u>	Cucurbitaceae	TRCOS_DIO

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Tridax procumbens</i> L.</u>	Asteraceae [Compositae]	TRIDA PRO
<u><i>Trifolium alexandrinum</i> L.</u>	Fabaceae [Leguminosae]	TRFOL ALE
<u><i>Trifolium arvense</i> L.</u>	Fabaceae [Leguminosae]	TRFOL ARV
<u><i>Trifolium balansae</i> Boiss.</u> included in <u><i>Trifolium michelianum</i> Savi</u>	Fabaceae [Leguminosae]	TRFOL MIC BAL
<u><i>Trifolium berytheum</i> Boiss. & Blanche</u>	Fabaceae [Leguminosae]	TRFOL BER
<u><i>Trifolium campestre</i> Schreb.</u> (Synonym: <i>Trifolium procumbens</i> L.)	Fabaceae [Leguminosae]	TRFOL CAM
<u><i>Trifolium dasyurum</i> C. Presl</u>	Fabaceae [Leguminosae]	TRFOL DAS
<u><i>Trifolium dubium</i> Sibth.</u>	Fabaceae [Leguminosae]	TRFOL DUB
<u><i>Trifolium fragiferum</i> L.</u>	Fabaceae [Leguminosae]	TRFOL FRA
<u><i>Trifolium glanduliferum</i> Boiss.</u>	Fabaceae [Leguminosae]	TRFOL GLA
<u><i>Trifolium glomeratum</i> L.</u>	Fabaceae [Leguminosae]	TRFOL GLO
<u><i>Trifolium hirtum</i> All.</u>	Fabaceae [Leguminosae]	TRFOL HIR
<u><i>Trifolium hybridum</i> L.</u>	Fabaceae [Leguminosae]	TRFOL HYB
<u><i>Trifolium incarnatum</i> L.</u>	Fabaceae [Leguminosae]	TRFOL INC
<u><i>Trifolium lappaceum</i> L.</u>	Fabaceae [Leguminosae]	TRFOL LAP
<u><i>Trifolium michelianum</i> Savi</u> (Including: <i>Trifolium balansae</i> Boiss.)	Fabaceae [Leguminosae]	TRFOL MIC
<u><i>Trifolium nigrescens</i> Viv.</u>	Fabaceae [Leguminosae]	TRFOL NIG
<u><i>Trifolium pratense</i> L.</u>	Fabaceae [Leguminosae]	TRFOL PRA
<u><i>Trifolium procumbens</i> L.</u> = <u><i>Trifolium campestre</i> Schreb.</u>	Fabaceae [Leguminosae]	TRFOL CAM
<u><i>Trifolium repens</i> L.</u>	Fabaceae [Leguminosae]	TRFOL REP
<u><i>Trifolium resupinatum</i> L.</u>	Fabaceae [Leguminosae]	TRFOL RES
<u><i>Trifolium resupinatum</i> L. var. <i>majus</i> Boiss.</u>	Fabaceae [Leguminosae]	TRFOL RES MAJ
<u><i>Trifolium resupinatum</i> L. var. <i>resupinatum</i></u>	Fabaceae [Leguminosae]	TRFOL RES
<u><i>Trifolium semipilosum</i> Fresen.</u>	Fabaceae [Leguminosae]	TRFOL SEM
<u><i>Trifolium spumosum</i> L.</u>	Fabaceae [Leguminosae]	TRFOL SPU

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Trifolium squarrosum L.</u>	Fabaceae [Leguminosae]	<u>TRFOL SQU</u>
<u>Trifolium striatum L.</u>	Fabaceae [Leguminosae]	<u>TRFOL STR</u>
<u>Trifolium subterraneum L.</u>	Fabaceae [Leguminosae]	<u>TRFOL SUB</u>
<u>Trifolium tomentosum L.</u>	Fabaceae [Leguminosae]	<u>TRFOL TOM</u>
<u>Trifolium variegatum Nutt.</u>	Fabaceae [Leguminosae]	<u>TRFOL VAR</u>
<u>Trifolium vesiculosum Savi</u>	Fabaceae [Leguminosae]	<u>TRFOL VES</u>
<u>Trifolium willdenovii Spreng.</u>	Fabaceae [Leguminosae]	<u>TRFOL WIL</u>
<u>Trigonella corniculata (L.) L.</u>	Fabaceae [Leguminosae]	<u>TRIGO COR</u>
<u>Trigonella foenum-graecum L.</u>	Fabaceae [Leguminosae]	<u>TRIGO FOE</u>
<u>Tripleurospermum inodorum (L.) Sch. Bip.</u> (Synonyms: <i>Matricaria inodora</i> L.; <i>Matricaria perforata</i> Mérat; <i>Tripleurospermum perforatum</i> (Mérat) M. Lainz)	Asteraceae [Compositae]	<u>TRPLE PER</u>
<u>Tripleurospermum maritimum (L.) W. D. J. Koch</u> (Synonym: <i>Matricaria maritima</i> L.)	Asteraceae [Compositae]	<u>TRPLE MAR</u>
<u>Tripleurospermum perforatum (Mérat) M. Lainz</u> = <u>Tripleurospermum inodorum (L.) Sch. Bip.</u>	Asteraceae [Compositae]	<u>TRPLE PER</u>
<u>Triplachiton scleroxylon K. Schum.</u>	Malvaceae (Sterculiaceae)	<u>TRPLO SCL</u>
<u>Tripsacum dactyloides (L.) L.</u>	Poaceae [Gramineae]	<u>TRIPS DAC</u>
<u>Tripsacum latifolium Hitchc.</u>	Poaceae [Gramineae]	<u>TRIPS LAT</u>
<u>Tripsacum laxum Nash</u>	Poaceae [Gramineae]	<u>TRIPS LAX</u>
<u>Trisetum flavescens (L.) P. Beauv.</u>	Poaceae [Gramineae]	<u>TRISE FLA</u>
<u>Tristania conferta R. Br.</u> = <u>Lophostemon confertus (R. Br.) Peter G. Wilson & J. T. Waterh.</u>	Myrtaceae	<u>LPHST CON</u>
<u>xTriticosecale</u> [<i>Secale</i> × <i>Triticum</i>]	Poaceae [Gramineae]	<u>TRITL</u>
<u>Triticum aestivum L.</u>	Poaceae [Gramineae]	<u>TRITI AES</u>
<u>Triticum aestivum L. subsp. aestivum</u> (Synonym: <i>Triticum sativum</i> Lam.)	Poaceae [Gramineae]	<u>TRITI AES AES</u>
<u>Triticum aestivum L. subsp. spelta (L.) Thell.</u> [<i>T. aestivum</i> Spelta Group] (Synonym: <i>Triticum spelta</i> L.)	Poaceae [Gramineae]	<u>TRITI AES SPE</u>
<u>Triticum dicoccon Schrank</u> = <u>Triticum turgidum L. subsp. dicoccon (Schrank) Thell.</u>	Poaceae [Gramineae]	<u>TRITI TUR DIC</u>
<u>Triticum dicoccum Schrank ex Schübl.</u> = <u>Triticum turgidum L. subsp. dicoccon (Schrank) Thell.</u>	Poaceae [Gramineae]	<u>TRITI TUR DIC</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Triticum durum</i> Desf.</u> = <u><i>Triticum turgidum</i> L. subsp. <i>durum</i> (Desf.) van Slageren</u>	Poaceae [Gramineae]	<u>TRITI TUR DUR</u>
<u><i>Triticum monococcum</i> L.</u>	Poaceae [Gramineae]	<u>TRITI MON</u>
<u><i>Triticum sativum</i> Lam.</u> = <u><i>Triticum aestivum</i> L. subsp. <i>aestivum</i></u>	Poaceae [Gramineae]	<u>TRITI AES AES</u>
<u><i>Triticum spelta</i> L.</u> = <u><i>Triticum aestivum</i> L. subsp. <i>spelta</i> (L.) Thell.</u>	Poaceae [Gramineae]	<u>TRITI AES SPE</u>
<u><i>Triticum triunciale</i> (L.) Raspail</u> = <u><i>Aegilops triuncialis</i> L.</u>	Poaceae [Gramineae]	<u>AEGIL TRI</u>
<u><i>Triticum turgidum</i> L.</u>	Poaceae [Gramineae]	<u>TRITI TUR</u>
<u><i>Triticum turgidum</i> L. subsp. <i>dicoccon</i> (Schränk) Thell.</u> [<i>T. turgidum</i> Dicocon Group] (Synonyms: <i>Triticum dicoccon</i> Schränk; <i>Triticum dicocum</i> Schränk ex Schübl.)	Poaceae [Gramineae]	<u>TRITI TUR DIC</u>
<u><i>Triticum turgidum</i> L. subsp. <i>durum</i> (Desf.) van Slageren</u> [<i>T. turgidum</i> Durum Group] (Synonym: <i>Triticum durum</i> Desf.)	Poaceae [Gramineae]	<u>TRITI TUR DUR</u>
<u><i>Triumfetta semitriloba</i> Jacq.</u>	Malvaceae (Tiliaceae)	<u>TRIUM SEM</u>
<u><i>Trollius chinensis</i> Bunge</u>	Ranunculaceae	<u>TROLL CHI</u>
<u><i>Tropaeolum majus</i> L.</u>	Tropaeolaceae	<u>TROPA MAJ</u>
<u><i>Tropaeolum peltophorum</i> Benth.</u>	Tropaeolaceae	<u>TROPA PEL</u>
<u><i>Tropaeolum peregrinum</i> L.</u>	Tropaeolaceae	<u>TROPA PER</u>
<u><i>Tropaeolum tuberosum</i> Ruiz & Pav.</u>	Tropaeolaceae	<u>TROPA TUB</u>
<u><i>Tsuga canadensis</i> (L.) Carrière</u>	Pinaceae	<u>TSUGA CAN</u>
<u><i>Tsuga heterophylla</i> (Raf.) Sarg.</u>	Pinaceae	<u>TSUGA HET</u>
<u><i>Tulipa eichleri</i> Regel</u> = <u><i>Tulipa undulatifolia</i> Boiss.</u>	Liliaceae	<u>TULIP EIC</u>
<u><i>Tulipa fosteriana</i> W. Irving</u>	Liliaceae	<u>TULIP FOS</u>
<u><i>Tulipa</i> × <i>gesneriana</i> L.</u>	Liliaceae	<u>TULIP GES</u>
<u><i>Tulipa kaufmanniana</i> Regel</u>	Liliaceae	<u>TULIP KAU</u>
<u><i>Tulipa persica</i> (Lindl.) Sweet</u>	Liliaceae	<u>TULIP EIC</u>
<u><i>Tulipa praestans</i> Mast.</u>	Liliaceae	<u>TULIP PRA</u>
<u><i>Tulipa suaveolens</i> Roth</u>	Liliaceae	<u>TULIP SUA</u>
<u><i>Tulipa undulatifolia</i> Boiss.</u> (Synonym: <i>Tulipa eichleri</i> Regel)	Liliaceae	<u>TULIP EIC</u>
<u><i>Turraeanthus africanus</i> (Welw. ex C. DC.) Pellegr.</u>	Meliaceae	<u>TURRA AFR</u>
<u><i>Tussilago farfara</i> L.</u>	Asteraceae [Compositae]	<u>TUSSI FAR</u>
<u><i>Typhonium trilobatum</i> (L.) Schott</u>	Araceae	<u>TYPHO TRI</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

U

<u><i>Ulex europaeus</i> L.</u>	Fabaceae [Leguminosae]	<u>ULEXX EUR</u>
<u><i>Ullucus tuberosus</i> Caldas</u>	Basellaceae	<u>ULLUC TUB</u>
<u><i>Ulmus americana</i> L.</u>	Ulmaceae	<u>ULMUS AME</u>
<u><i>Ulmus parvifolia</i> Jacq.</u>	Ulmaceae	<u>ULMUS PAR</u>
<u><i>Ulmus pumila</i> L.</u>	Ulmaceae	<u>ULMUS PUM</u>
<u><i>Urena lobata</i> L.</u>	Malvaceae	<u>URENA LOB</u>
<u><i>Urginea maritima</i> (L.) Baker</u> = <u><i>Drimia maritima</i> (L.) Stearn</u>	Asparagaceae (Hyacinthaceae)	<u>URGIN MAR</u>
<u><i>Urochloa brizantha</i> (Hochst. ex A. Rich.) R. D. Webster</u> (Synonym: <i>Brachiaria brizantha</i> (Hochst. ex A. Rich.) Stapf)	Poaceae [Gramineae]	<u>UROCH BRI</u>
<u><i>Urochloa decumbens</i> (Stapf) R. D. Webster</u> (Synonyms: <i>Brachiaria decumbens</i> Stapf)	Poaceae [Gramineae]	<u>UROCH DEC</u>
<u><i>Urochloa dictyoneura</i> (Fig. & De Not.) Veldkamp</u>	Poaceae [Gramineae]	<u>UROCH DIC</u>
<u><i>Urochloa eminii</i> (Mez) Davidse</u>	Poaceae [Gramineae]	<u>UROCH DEC</u> <u>UROCH RUZ</u>
<u><i>Urochloa glumaris</i> (Trin.) Veldkamp</u>	Poaceae [Gramineae]	<u>UROCH GLU</u>
<u><i>Urochloa humidicola</i> (Rendle) Morrone & Zuloaga</u> (Synonyms: <i>Brachiaria humidicola</i> (Rendle) Schweick.; <i>Panicum humidicola</i> Rendle)	Poaceae [Gramineae]	<u>UROCH HUM</u>
<u><i>Urochloa maxima</i> (Jacq.) R. D. Webster</u> = <u><i>Megathyrsus maximus</i> (Jacq.) B. K. Simon & S. W. L. Jacobs</u>	Poaceae [Gramineae]	<u>MEGAT MAX</u>
<u><i>Urochloa mosambicensis</i> (Hack.) Dandy</u>	Poaceae [Gramineae]	<u>UROCH MOS</u>
<u><i>Urochloa mutica</i> (Forssk.) T. Q. Nguyen</u> (Synonym: <i>Brachiaria mutica</i> (Forssk.) Stapf)	Poaceae [Gramineae]	<u>UROCH MUT</u>
<u><i>Urochloa plantaginea</i> (Link) R. D. Webster</u> (Synonym: <i>Brachiaria plantaginea</i> (Link) Hitchc.)	Poaceae [Gramineae]	<u>UROCH PLA</u>
<u><i>Urochloa polystachya</i> (Kunth) Mabb.</u> = <u><i>Eriochloa polystachya</i> Kunth</u>	Poaceae [Gramineae]	<u>ERIOC POL</u>
<u><i>Urochloa ramosa</i> (L.) T. Q. Nguyen</u> (Synonyms: <i>Brachiaria ramosa</i> (L.) Stapf; <i>Panicum ramosum</i> L.)	Poaceae [Gramineae]	<u>UROCH RAM</u>
<u><i>Urochloa reptans</i> (L.) Stapf</u> (Synonyms: <i>Brachiaria reptans</i> (L.) C. A. Gardner & C. E. Hubb.; <i>Panicum reptans</i> L.)	Poaceae [Gramineae]	<u>UROCH REP</u>
<u><i>Urochloa ruziziensis</i> (R. Germ. & C. M. Evrard) Crins</u> (Synonyms: <i>Brachiaria ruziziensis</i> R. Germ. & C. M. Evrard)	Poaceae [Gramineae]	<u>UROCH RUZ</u>
<u><i>Urochloa trichopus</i> (Hochst.) Stapf</u>	Poaceae [Gramineae]	<u>UROCH MOS</u>
<u><i>Ursinia anethoides</i> (DC.) N. E. Br.</u>	Asteraceae [Compositae]	<u>URSIN ANE</u>
<u><i>Ursinia anthemoides</i> (L.) Poir.</u> (Including: <i>Ursinia versicolor</i> (DC.) N. E. Br.)	Asteraceae [Compositae]	<u>URSIN ANT</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Ursinia versicolor</i> (DC.) N. E. Br.</u> included in <u><i>Ursinia anthemoides</i> (L.) Poir.</u>	Asteraceae [Compositae]	<u>URSIN VER</u>
<u><i>Urtica dioica</i> L.</u>	Urticaceae	<u>URTIC_DIO</u>
<u><i>Urtica urens</i> L.</u>	Urticaceae	<u>URTIC_URE</u>

V

<u><i>Vaccaria hispanica</i> (Mill.) Rauschert</u> = <u><i>Gypsophila vaccaria</i> (L.) Sm.</u>	Caryophyllaceae	<u>GYPSO VAC</u>
<u><i>Vaccaria pyramidata</i> Medik.</u> = <u><i>Gypsophila vaccaria</i> (L.) Sm.</u>	Caryophyllaceae	<u>GYPSO VAC</u>
<u><i>Vaccinium corymbosum</i> L.</u>	Ericaceae	<u>VACCI COR</u>
<u><i>Vaccinium myrtillus</i> L.</u>	Ericaceae	<u>VACCI MYR</u>
<u><i>Vachellia erioloba</i> (E. Mey.) P. J. H. Hurter</u> (Synonym: <i>Acacia erioloba</i> E. Mey.)	Fabaceae [Leguminosae]	<u>ACACI ERI</u>
<u><i>Vachellia farnesiana</i> (L.) Wight & Arn.</u> (Synonym: <i>Acacia farnesiana</i> (L.) Willd.)	Fabaceae [Leguminosae]	<u>ACACI FAR</u>
<u><i>Valeriana eriocarpa</i> (Desv.) Christenh. & Byng</u> = <u><i>Valerianella eriocarpa</i> Desv.</u>	Caprifoliaceae (Valerianaceae)	<u>VLRLN ERI</u>
<u><i>Valeriana locusta</i> L.</u> = <u><i>Valerianella locusta</i> (L.) Laterr.</u>	Caprifoliaceae (Valerianaceae)	<u>VLRLN LOC</u>
<u><i>Valeriana officinalis</i> L.</u>	Caprifoliaceae (Valerianaceae)	<u>VLRNA OFF</u>
<u><i>Valerianella eriocarpa</i> Desv.</u> (Synonym: <i>Valeriana eriocarpa</i> (Desv.) Christenh. & Byng)	Caprifoliaceae (Valerianaceae)	<u>VLRLN ERI</u>
<u><i>Valerianella locusta</i> (L.) Laterr.</u> (Synonyms: <i>Valeriana locusta</i> L.; <i>Valerianella olitoria</i> (L.) Pollich)	Caprifoliaceae (Valerianaceae)	<u>VLRLN LOC</u>
<u><i>Valerianella olitoria</i> (L.) Pollich</u> = <u><i>Valerianella locusta</i> (L.) Laterr.</u>	Caprifoliaceae (Valerianaceae)	<u>VLRLN LOC</u>
<u><i>Vasconcellea pubescens</i> A. DC.</u> (Synonyms: <i>Carica candamarcensis</i> Hook. f.; <i>Carica pubescens</i> Lenné & K. Koch)	Caricaceae	<u>CARIC PUB</u>
<u><i>Venidium decurrens</i> hort., non Less.</u> = <u><i>Arctotheca calendula</i> (L.) Levyns</u>	Asteraceae [Compositae]	<u>ARCTC CAL</u>
<u><i>Venidium fastuosum</i> (Jacq.) Stapf</u> = <u><i>Arctotis fastuosa</i> Jacq.</u>	Asteraceae [Compositae]	<u>ARCTT FAS</u>
<u><i>Verbascum blattaria</i> L.</u>	Scrophulariaceae	<u>VERBA_BLA</u>
<u><i>Verbascum densiflorum</i> Bertol.</u> (Synonym: <i>Verbascum thapsiforme</i> Schrad.)	Scrophulariaceae	<u>VERBA_DEN</u>
<u><i>Verbascum olympicum</i> Boiss.</u>	Scrophulariaceae	<u>VERBA_OLY</u>
<u><i>Verbascum phlomoides</i> L.</u>	Scrophulariaceae	<u>VERBA_PHL</u>
<u><i>Verbascum thapsiforme</i> Schrad.</u> = <u><i>Verbascum densiflorum</i> Bertol.</u>	Scrophulariaceae	<u>VERBA_DEN</u>
<u><i>Verbascum thapsus</i> L.</u>	Scrophulariaceae	<u>VERBA_THA</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Verbascum virgatum Stokes</u>	Scrophulariaceae	VERBA VIR
<u>Verbena aubletii Jacq.</u> = <u>Glandularia canadensis (L.) Nutt.</u>	Verbenaceae	GLAND CAN
<u>Verbena bonariensis L.</u>	Verbenaceae	VERBE BON
<u>Verbena bracteata Lag. & Rodr.</u>	Verbenaceae	VERBE BRA
<u>Verbena canadensis (L.) Britton</u> = <u>Glandularia canadensis (L.) Nutt.</u>	Verbenaceae	GLAND CAN
<u>Verbena erinoides Lam.</u> = <u>Glandularia laciniata (L.) Schnack & Covas</u>	Verbenaceae	GLAND LAC
<u>Verbena hastata L.</u>	Verbenaceae	VERBE HAS
<u>Verbena × hybrida hort. ex Groenl. & Rümpler</u> = <u>Glandularia × hybrida (hort. ex Groenl. & Rümpler) G. L. Nesom & Pruski</u>	Verbenaceae	GLAND HYB
<u>Verbena Hybrida Group</u> = <u>Glandularia × hybrida (hort. ex Groenl. & Rümpler) G. L. Nesom & Pruski</u>	Verbenaceae	GLAND HYB
<u>Verbena laciniata (L.) Briq.</u> = <u>Glandularia laciniata (L.) Schnack & Covas</u>	Verbenaceae	GLAND LAC
<u>Verbena officinalis L.</u>	Verbenaceae	VERBE OFF
<u>Verbena rigida Spreng.</u> (Synonym: <i>Verbena venosa</i> Gillies & Hook.)	Verbenaceae	VERBE RIG
<u>Verbena stricta Vent.</u>	Verbenaceae	VERBE STR
<u>Verbena venosa Gillies & Hook.</u> = <u>Verbena rigida Spreng.</u>	Verbenaceae	VERBE RIG
<u>Vernicia cordata (Thunb.) Airy Shaw</u>	Euphorbiaceae	VERNI COR
<u>Vernicia fordii (Hemsl.) Airy Shaw</u> (Synonym: <i>Aleurites fordii</i> Hemsl.)	Euphorbiaceae	ALEUR FOR
<u>Vernicia montana Lour.</u>	Euphorbiaceae	VERNI MON
<u>Vernonanthura patens (Kunth) H. Rob.</u> (Synonym: <i>Vernonia patens</i> Kunth)	Asteraceae [Compositae]	VERNO PAT
<u>Vernonia amygdalina Delile</u> = <u>Gymnanthemum amygdalinum (Delile) Sch. Bip.</u>	Asteraceae [Compositae]	VERNO AMY
<u>Vernonia anthelmintica (L.) Willd.</u> = <u>Baccharoides anthelmintica (L.) Moench</u>	Asteraceae [Compositae]	VERNO ANT
<u>Vernonia colorata (Willd.) Drake</u> = <u>Gymnanthemum coloratum (Willd.) H. Rob. & B. Kahn</u>	Asteraceae [Compositae]	VERNO COL
<u>Vernonia conferta Benth.</u> = <u>Monosis conferta (Benth.) C. Jeffrey</u>	Asteraceae [Compositae]	VERNO CON
<u>Vernonia flexuosa Sims</u> = <u>Chrysolaena flexuosa (Sims) H. Rob.</u>	Asteraceae [Compositae]	VERNO FLE
<u>Vernonia galamensis (Cass.) Less.</u> = <u>Centrapalus pauciflorus (Willd.) H. Rob.</u>	Asteraceae [Compositae]	VERNO GAL
<u>Vernonia patens Kunth</u> = <u>Vernonanthura patens (Kunth) H. Rob.</u>	Asteraceae [Compositae]	VERNO PAT
<u>Veronica agrestis L.</u>	Plantaginaceae (Scrophulariaceae)	VERON AGR

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Veronica anagallis-aquatica</i> L.</u>	Plantaginaceae (Scrophulariaceae)	<u>VERON ANA</u>
<u><i>Veronica arvensis</i> L.</u>	Plantaginaceae (Scrophulariaceae)	<u>VERON ARV</u>
<u><i>Veronica austriaca</i> L.</u>	Plantaginaceae (Scrophulariaceae)	<u>VERON AUS</u>
<u><i>Veronica hederifolia</i> L.</u>	Plantaginaceae (Scrophulariaceae)	<u>VERON HED</u>
<u><i>Veronica officinalis</i> L.</u>	Plantaginaceae (Scrophulariaceae)	<u>VERON OFF</u>
<u><i>Veronica persica</i> Poir.</u>	Plantaginaceae (Scrophulariaceae)	<u>VERON PER</u>
<u><i>Veronica spicata</i> L.</u> (Synonym: <i>Pseudolysimachion spicatum</i> (L.) Opiz)	Plantaginaceae (Scrophulariaceae)	<u>VERON SPI</u>
<u><i>Vetiveria zizanioides</i> (L.) Nash</u> = <u><i>Chrysopogon zizanioides</i> (L.) Roberty</u>	Poaceae [Gramineae]	<u>CHRPZ ZIZ</u>
<u><i>Viburnum opulus</i> L.</u>	Viburnaceae (Adoxaceae)	<u>VIBUR OPU</u>
<u><i>Vicia angustifolia</i> L.</u> = <u><i>Vicia sativa</i> L. subsp. <i>nigra</i> (L.) Ehrh.</u>	Fabaceae [Leguminosae]	<u>VICIA SAT NIG</u>
<u><i>Vicia articulata</i> Hornem.</u>	Fabaceae [Leguminosae]	<u>VICIA ART</u>
<u><i>Vicia benghalensis</i> L.</u>	Fabaceae [Leguminosae]	<u>VICIA BEN</u>
<u><i>Vicia bithynica</i> (L.) L.</u>	Fabaceae [Leguminosae]	<u>VICIA BIT</u>
<u><i>Vicia cracca</i> L.</u>	Fabaceae [Leguminosae]	<u>VICIA CRA</u>
<u><i>Vicia dasycarpa</i> Ten.</u> = <u><i>Vicia villosa</i> Roth subsp. <i>varia</i> (Host) Corb.</u>	Fabaceae [Leguminosae]	<u>VICIA VIL</u>
<u><i>Vicia ervilia</i> (L.) Willd.</u>	Fabaceae [Leguminosae]	<u>VICIA ERV</u>
<u><i>Vicia faba</i> L.</u>	Fabaceae [Leguminosae]	<u>VICIA FAB</u>
<u><i>Vicia hirsuta</i> (L.) Gray</u>	Fabaceae [Leguminosae]	<u>VICIA HIR</u>
<u><i>Vicia lens</i> (L.) Coss. & Germ.</u> = <u><i>Lens culinaris</i> Medik.</u>	Fabaceae [Leguminosae]	<u>LENSS CUL</u>
<u><i>Vicia lentoides</i> (Ten.) Coss. & Germ.</u> = <u><i>Lens nigricans</i> (M. Bieb.) Webb & Berthel.</u>	Fabaceae [Leguminosae]	<u>LENSS NIG</u>
<u><i>Vicia lutea</i> L.</u>	Fabaceae [Leguminosae]	<u>VICIA LUT</u>
<u><i>Vicia narbonensis</i> L.</u>	Fabaceae [Leguminosae]	<u>VICIA NAR</u>
<u><i>Vicia pannonica</i> Crantz</u>	Fabaceae [Leguminosae]	<u>VICIA PAN</u>
<u><i>Vicia sativa</i> L.</u>	Fabaceae [Leguminosae]	<u>VICIA SAT</u>
<u><i>Vicia sativa</i> L. subsp. <i>nigra</i> (L.) Ehrh.</u> (Synonym: <i>Vicia angustifolia</i> L.)	Fabaceae [Leguminosae]	<u>VICIA SAT NIG</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Vicia sativa</i> L. subsp. <i>sativa</i></u>	Fabaceae [Leguminosae]	<u>VICIA SAT SAT</u>
<u><i>Vicia sepium</i> L.</u>	Fabaceae [Leguminosae]	<u>VICIA SEP</u>
<u><i>Vicia tetrasperma</i> (L.) Schreb.</u>	Fabaceae [Leguminosae]	<u>VICIA TET</u>
<u><i>Vicia villosa</i> Roth</u>	Fabaceae [Leguminosae]	<u>VICIA VIL</u>
<u><i>Vicia villosa</i> Roth subsp. <i>varia</i> (Host) Corb.</u> (Synonym: <i>Vicia dasycarpa</i> Ten.)	Fabaceae [Leguminosae]	<u>VICIA VIL</u>
<u><i>Vicia villosa</i> Roth subsp. <i>villosa</i></u>	Fabaceae [Leguminosae]	<u>VICIA VIL</u>
<u><i>Vicoa indica</i> (L.) DC.</u> = <u><i>Pentanema indicum</i> (L.) Y. Ling</u>	Asteraceae [Compositae]	<u>VICOA IND</u>
<u><i>Vigna aconitifolia</i> (Jacq.) Maréchal</u> (Synonym: <i>Phaseolus aconitifolius</i> Jacq.)	Fabaceae [Leguminosae]	<u>VIGNA ACO</u>
<u><i>Vigna angularis</i> (Willd.) Ohwi & H. Ohashi</u> (Synonym: <i>Phaseolus angularis</i> (Willd.) W. Wight)	Fabaceae [Leguminosae]	<u>VIGNA ANG</u>
<u><i>Vigna luteola</i> (Jacq.) Benth.</u> (Synonym: <i>Vigna marina</i> auct. Austral., non (Burm.) Merr.)	Fabaceae [Leguminosae]	<u>VIGNA LUT</u>
<u><i>Vigna marina</i> (Burm.) Merr.</u>	Fabaceae [Leguminosae]	<u>VIGNA MAR</u>
<u><i>Vigna marina</i> auct. Austral., non (Burm.) Merr.</u> = <u><i>Vigna luteola</i> (Jacq.) Benth.</u>	Fabaceae [Leguminosae]	<u>VIGNA LUT</u>
<u><i>Vigna mungo</i> (L.) Hepper</u> (Synonym: <i>Phaseolus mungo</i> L.)	Fabaceae [Leguminosae]	<u>VIGNA MUN</u>
<u><i>Vigna radiata</i> (L.) R. Wilczek</u> (Synonyms: <i>Phaseolus aureus</i> Roxb.; <i>Phaseolus radiatus</i> L.)	Fabaceae [Leguminosae]	<u>VIGNA RAD</u>
<u><i>Vigna sinensis</i> (L.) Savi ex Hassk.</u> = <u><i>Vigna unguiculata</i> (L.) Walp.</u>	Fabaceae [Leguminosae]	<u>VIGNA UNG UNG</u>
<u><i>Vigna subterranea</i> (L.) Verdc.</u> (Synonym: <i>Voandzeia subterranea</i> (L.) Thouars ex DC.)	Fabaceae [Leguminosae]	<u>VIGNA SUB</u>
<u><i>Vigna trilobata</i> (L.) Verdc.</u> (Synonym: <i>Phaseolus trilobus</i> auct., non Aiton)	Fabaceae [Leguminosae]	<u>VIGNA TRI</u>
<u><i>Vigna umbellata</i> (Thunb.) Ohwi & H. Ohashi</u>	Fabaceae [Leguminosae]	<u>VIGNA UMB</u>
<u><i>Vigna unguiculata</i> (L.) Walp.</u> (Synonym: <i>Vigna sinensis</i> (L.) Savi ex Hassk.; including <i>Dolichos biflorus</i> L.)	Fabaceae [Leguminosae]	<u>VIGNA UNG</u>
<u><i>Vinca major</i> L.</u>	Apocynaceae	<u>VINCA MAJ</u>
<u><i>Vinca minor</i> L.</u>	Apocynaceae	<u>VINCA MIN</u>
<u><i>Viola arvensis</i> Murray</u>	Violaceae	<u>VIOLA ARV</u>
<u><i>Viola cornuta</i> L.</u>	Violaceae	<u>VIOLA COR</u>
<u><i>Viola</i> × <i>hortensis</i> auct.</u> = <i>Viola Wittrockiana</i> Group	Violaceae	<u>VIOLA WIT</u>
<u><i>Viola odorata</i> L.</u>	Violaceae	<u>VIOLA ODO</u>
<u><i>Viola tricolor</i> L.</u>	Violaceae	<u>VIOLA TRI</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u><i>Viola tricolor</i> hort., non L.</u> = <i>Viola Wittrockiana</i> Group	Violaceae	<u>VIOLA_WIT</u>
<u><i>Viola</i> × <i>wittrockiana</i> Gams</u> = <i>Viola Wittrockiana</i> Group	Violaceae	<u>VIOLA_WIT</u>
<i>Viola Wittrockiana</i> Group (Synonyms: <i>Viola</i> × <i>hortensis</i> auct.; <i>Viola tricolor</i> hort., non L.; <i>Viola</i> × <i>wittrockiana</i> Gams)	Violaceae	<u>VIOLA_WIT</u>
<u><i>Virola koschnyi</i> Warb.</u>	Myristicaceae	<u>VIROL_KOS</u>
<u><i>Virola surinamensis</i> (Rol. ex Rottb.) Warb.</u>	Myristicaceae	<u>VIROL_SUR</u>
<u><i>Vitellaria paradoxa</i> C. F. Gaertn.</u>	Sapotaceae	<u>VITEL_PAR</u>
<u><i>Vitis vinifera</i> L.</u>	Vitaceae	<u>VITIS_VIN</u>
<u><i>Vitis vulpina</i> L.</u>	Vitaceae	<u>VITIS_VUL</u>
<u><i>Vittadinia australis</i> A. Rich.</u>	Asteraceae [Compositae]	<u>VITTA_AUS</u>
<u><i>Voandzeia subterranea</i> (L.) Thouars ex DC.</u> = <i>Vigna subterranea</i> (L.) Verdc.	Fabaceae [Leguminosae]	<u>VIGNA_SUB</u>
<u><i>Vouacapoua americana</i> Aubl.</u>	Fabaceae [Leguminosae]	<u>VOUAC_AME</u>
<u><i>Vriesea splendens</i> (Brongn. ex Neumann) Lem.</u> = <i>Lutheria splendens</i> (Brongn. ex Neumann) Barfuss & W. Till	Bromeliaceae	<u>VRIES_SPL</u>
<u><i>Vulpia bromoides</i> (L.) Gray</u> (Synonym: <i>Festuca bromoides</i> L.)	Poaceae [Gramineae]	<u>FESTU_BRM</u>
<u><i>Vulpia ciliata</i> Dumort.</u> (Synonym: <i>Festuca danthonii</i> Asch. & Graebn.)	Poaceae [Gramineae]	<u>FESTU_DAN</u>
<u><i>Vulpia fasciculata</i> (Forssk.) Fritsch</u> (Synonym: <i>Festuca fasciculata</i> Forssk.)	Poaceae [Gramineae]	<u>FESTU_FAS</u>
<u><i>Vulpia myuros</i> (L.) C. C. Gmel.</u> (Synonym: <i>Festuca myuros</i> L.)	Poaceae [Gramineae]	<u>FESTU_MYU</u>

W

<u><i>Watsonia bulbifera</i> J. W. Mathews & L. Bolus</u> included in <i>Watsonia meriana</i> (L.) Mill.	Iridaceae	<u>WATSO_MER_BUL</u>
<u><i>Watsonia meriana</i> (L.) Mill.</u> (Including: <i>Watsonia bulbifera</i> J. W. Mathews & L. Bolus)	Iridaceae	<u>WATSO_MER</u>
<u><i>Wedelia glauca</i> (Ortega) O. Hoffm. ex Hicken</u> = <i>Pascalina glauca</i> Ortega	Asteraceae [Compositae]	<u>WEDEL_GLA</u>
<u><i>Wedelia trilobata</i> (L.) Hitchc.</u> = <i>Sphagneticola trilobata</i> (L.) Pruski	Asteraceae [Compositae]	<u>WEDEL_TRI</u>
<u><i>Weingartia neocumingii</i> Backeb.</u> (Synonyms: <i>Gymnocalycium neocumingii</i> (Backeb.) Hutchison; <i>Rebutia neocumingii</i> (Backeb.) D. R. Hunt)	Cactaceae	<u>GYMNO_NEO</u>
<u><i>Wisteria floribunda</i> (Willd.) DC.</u>	Fabaceae [Leguminosae]	<u>WISTE_FLO</u>
<u><i>Withania somnifera</i> (L.) Dunal</u>	Solanaceae	<u>WITHA_SOM</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

X

<u><i>Xanthisma texanum</i> DC.</u>	Asteraceae [Compositae]	<u>XNTHS_TEX</u>
<u><i>Xanthium spinosum</i> L.</u>	Asteraceae [Compositae]	<u>XNTHU_SPI</u>
<u><i>Xanthium strumarium</i> L.</u>	Asteraceae [Compositae]	<u>XNTHU_STR</u>
<u><i>Xanthocyparis nootkatensis</i> (D. Don) Farjon & D. K. Harder</u> = <u><i>Cupressus nootkatensis</i> D. Don</u>	Cupressaceae	<u>CUPRE_NOO</u>
<u><i>Xanthosoma sagittifolium</i> (L.) Schott</u>	Araceae	<u>XNTHO_SAG</u>
<u><i>Xeranthemum annuum</i> L.</u>	Asteraceae [Compositae]	<u>XERAN_ANN</u>
<u><i>Xerochrysum bracteatum</i> (Vent.) Tzvelev</u> (Synonyms: <i>Bracteantha bracteata</i> (Vent.) Anderb. & Haegi; <i>Helichrysum bracteatum</i> (Vent.) Andrews)	Asteraceae [Compositae]	<u>XEROC_BRA</u>
<u><i>Xylia xylocarpa</i> (Roxb.) W. Theob.</u>	Fabaceae [Leguminosae]	<u>XYLIA_XYL</u>

Y

<u><i>Yucca filamentosa</i> L.</u>	Asparagaceae	<u>YUCCA_FIL</u>
--	--------------	----------------------------------

Z

<u><i>Zaleya decandra</i> (L.) Burm. f.</u> (Synonym: <i>Trianthema decandrum</i> L.)	Aizoaceae	<u>TRIAN_DEC</u>
<u><i>Zanthoxylum flavum</i> Vahl</u>	Rutaceae	<u>ZANTH_FLA</u>
<u><i>Zataria multiflora</i> Boiss.</u>	Lamiaceae [Labiatae]	<u>ZATAR_MUL</u>
<u><i>Zea mays</i> L.</u>	Poaceae [Gramineae]	<u>ZEAAA_MAY</u>
<u><i>Zea mays</i> L. subsp. <i>everta</i> (Sturtev.) Zhuk.</u> = <u><i>Zea mays</i> L. subsp. <i>mays</i></u>	Poaceae [Gramineae]	<u>ZEAAA_MAY_MAY</u>
<u><i>Zea mays</i> L. subsp. <i>mays</i></u> (Synonyms: <i>Zea mays</i> L. subsp. <i>everta</i> (Sturtev.) Zhuk.; <i>Zea mays</i> L. var. <i>saccharata</i> (Sturtev.) L. H. Bailey)	Poaceae [Gramineae]	<u>ZEAAA_MAY_MAY</u>
<u><i>Zea mays</i> L. subsp. <i>mexicana</i> (Schrad.) H. H. Iltis</u> (Synonym: <i>Euchlaena mexicana</i> Schrad.)	Poaceae [Gramineae]	<u>ZEAAA_MAY_MEX</u>
<u><i>Zea mays</i> L. var. <i>saccharata</i> (Sturtev.) L. H. Bailey</u> = <u><i>Zea mays</i> L. subsp. <i>mays</i></u>	Poaceae [Gramineae]	<u>ZEAAA_MAY_MAY</u>
<u><i>Zelkova serrata</i> (Thunb.) Makino</u>	Ulmaceae	<u>ZELKO_SER</u>
<u><i>Zingiber officinale</i> Roscoe</u>	Zingiberaceae	<u>ZINGI_OFF</u>
<u><i>Zinnia acerosa</i> (DC.) A. Gray</u>	Asteraceae [Compositae]	<u>ZINNI_ACE</u>
<u><i>Zinnia angustifolia</i> Kunth</u>	Asteraceae [Compositae]	<u>ZINNI_ANG</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.

<u>Zinnia elegans Jacq.</u> (Synonym: <i>Zinnia violacea</i> Cav.)	Asteraceae [Compositae]	<u>ZINNI_ELE</u>
<u>Zinnia grandiflora Nutt.</u>	Asteraceae [Compositae]	<u>ZINNI_GRA</u>
<u>Zinnia haageana Regel</u>	Asteraceae [Compositae]	<u>ZINNI_HAA</u>
<u>Zinnia peruviana (L.) L.</u>	Asteraceae [Compositae]	<u>ZINNI_PER</u>
<u>Zinnia violacea Cav.</u> = <u>Zinnia elegans Jacq.</u>	Asteraceae [Compositae]	<u>ZINNI_ELE</u>
<u>Zizania aquatica L.</u>	Poaceae [Gramineae]	<u>ZIZAN_AQU</u>
<u>Zornia latifolia Sm.</u>	Fabaceae [Leguminosae]	<u>ZORNI_LAT</u>
<u>Zoysia japonica Steud.</u>	Poaceae [Gramineae]	<u>ZOYSI_JAP</u>
<u>Zoysia matrella (L.) Merr.</u>	Poaceae [Gramineae]	<u>ZOYSI_MAT</u>
<u>Zygophyllum fabago L.</u>	Zygophyllaceae	<u>ZYGPL_FAB</u>

Note: Names in bold are accepted; names in regular type are synonyms and are not accepted.